



DUNE PLANTERS



SHAPES



Square




Rectangle

MATERIAL	SQFT WEIGHT	COMMERCIAL GRADE	WEATHER RESISTANT	MAX STD HEIGHT	MAX STD LENGTH	CUSTOM SIZES	DRAINAGE	COLORS/ FINISHES
FIBERSTONE	2.5 lbs.	✓	✓	4'	10'	✓	1/2"	11 FINISHES

**Larger sizes available upon request*





Irrigation Systems

Our irrigation systems fit any planter, reducing watering by delivering water directly to plant roots, ensuring optimal hydration and minimizing waste.



Lift Channels

Designed for large, heavy planters, these channels allow safe, easy movement with pallet jacks or forklifts, maintaining design flexibility and maximizing efficiency.



Water Sealing

Our water sealing option protects planters from moisture damage, ensuring durability and integrity.



Accessory Pocket

These planters feature integrated compartments for lighting, audio, power, and data. A compatibility chart is available for standard fixtures; custom solutions can be explored.



False Bottom

False bottoms lighten large planters by reducing soil while creating a water reservoir to extend watering intervals, and save on materials and maintenance time.




Drain Holes

Drainage holes are available on all our planters. Simply let us know your preference.




Bioretention

This engineered layer filters rainwater, removes pollutants, and promotes slow release into the surrounding soil or storm drain system, thereby reducing runoff and improving water quality.



Tie Downs

Tie downs in planters secure trees and large plants, ensuring they remain stable, upright, and centered through evenly distributed ties, promoting proper growth and preventing damage.



Refuse Container

Transform your planter to a refuse container with a variety of lid options and liners.



Casters

Select planters can have recessed casters for mobility, discreetly built into a reinforced, raised base for smooth rolling without affecting aesthetics.



Matching Saucer

Prevent surface staining and water runoff with our matching saucers. Seamlessly integrated, they enhance functionality and aesthetics with a perfect color and finish match.



Bottom Reinforcement

For planters needing anchoring or lacking ground structure support, additional base reinforcement ensures stability and prevents damage.



Trellis

Optimize your commercial landscape with our durable and customizable trellis, engineered to support vertical plant growth and elevate aesthetic appeal.



Wall Hanging Planters

Wall scaping made easy with adjustable bracket mount points for easy and secure on-site wall planter install. Choose from standard or built in hidden brackets.



Scoops

Square and rectangular planters connect end-to-end with hidden “scoops” for seamless, continuous planting beds.



Anchor Plate

For increased stability, add an anchor plate to your planter to distribute weight and prevent tipping.



Custom Colors

We provide 13 custom color options and finishes for our Fiberstone/GFRC products, 24 color options and 4 finishes for our Fiberglass products. Armorecoat and premium metallic colors available.



Custom Dimensions

Custom dimensions available on all planters.

We offer a variety of customization options, but availability may vary by product. To discuss creating a custom order or inquire about specific options, please scan our QR code, visit our website, or call us.



COLORS & FINISHES

FIBERSTONE FINISHES

Custom colors available upon request



CHENZA



TIZA



ANTIGUA



FOSIL



SAVOY



RUSTICO



ZINC



OXIDO



TERRON




FERRIC



IRON



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC301218	30	12	18	WW-TAP-21	40 lbs
REC301224	30	12	24	WW-TAP-21	49 lbs
REC301230	30	12	30	WW-TAP-21	58 lbs
REC301236	30	12	36	WW-TAP-21	67 lbs
REC301242	30	12	42	WW-TAP-21	75 lbs
REC301248	30	12	48	WW-TAP-21	84 lbs
REC301518	30	15	18	WW-TAP-21	44 lbs
REC301524	30	15	24	WW-TAP-21	54 lbs
REC301530	30	15	30	WW-TAP-21	63 lbs
REC301536	30	15	36	WW-TAP-21	72 lbs
REC301542	30	15	42	WW-TAP-21	82 lbs
REC301548	30	15	48	WW-TAP-21	91 lbs
REC301818	30	18	18	WW-REC-2593	48 lbs
REC301824	30	18	24	WW-REC-2593	58 lbs
REC301830	30	18	30	WW-REC-2593	68 lbs
REC301836	30	18	36	WW-REC-2593	78 lbs
REC301842	30	18	42	WW-REC-2593	88 lbs
REC301848	30	18	48	WW-REC-2593	98 lbs
REC302418	30	24	18	WW-REC-2593	56 lbs
REC302424	30	24	24	WW-REC-2593	67 lbs
REC302430	30	24	30	WW-REC-2593	79 lbs
REC302436	30	24	36	WW-REC-2593	90 lbs
REC302442	30	24	42	WW-REC-2593	101 lbs
REC302448	30	24	48	WW-REC-2593	112 lbs
REC361218	36	12	18	WW-TAP-21	46 lbs
REC361224	36	12	24	WW-TAP-21	56 lbs
REC361230	36	12	30	WW-TAP-21	66 lbs
REC361236	36	12	36	WW-TAP-21	76 lbs
REC361242	36	12	42	WW-TAP-21	86 lbs
REC361248	36	12	48	WW-TAP-21	96 lbs
REC361518	36	15	18	WW-TAP-21	51 lbs
REC361524	36	15	24	WW-TAP-21	61 lbs
REC361530	36	15	30	WW-TAP-21	72 lbs
REC361536	36	15	36	WW-TAP-21	82 LBS
REC361542	36	15	42	WW-TAP-21	93 LBS
REC361548	36	15	48	WW-TAP-21	104 LBS
REC361818	36	18	18	WW-REC-2593	55 LBS
REC361824	36	18	24	WW-REC-2593	66 LBS
REC361830	36	18	30	WW-REC-2593	77 lbs
REC361836	36	18	36	WW-REC-2593	89 LBS
REC361842	36	18	42	WW-REC-2593	100 LBS
REC361848	36	18	48	WW-REC-2593	111 LBS
REC362418	36	24	18	WW-REC-2593	63 LBS
REC362424	36	24	24	WW-REC-2593	76 LBS
REC362430	36	24	30	WW-REC-2593	88 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC362436	36	30	24	WW-REC2593	101 LBS
REC362442	36	30	30	WW-REC2593	113 LBS
REC362448	36	30	36	WW-REC2593	126 LBS
REC363018	36	30	42	WW-REC2593	72 LBS
REC363024	36	30	48	WW-REC2593	86 LBS
REC363030	42	12	18	WW-TAP-33	99 LBS
REC363036	42	12	24	WW-TAP-33	113 LBS
REC363042	42	12	30	WW-TAP-33	127 LBS
REC363048	42	12	36	WW-TAP-33	141 LBS
REC421218	42	15	18	WW-TAP-33	52 LBS
REC421224	42	15	24	WW-TAP-33	64 LBS
REC421230	42	15	30	WW-TAP-33	75 LBS
REC421236	42	15	36	WW-TAP-33	86 LBS
REC421242	42	15	42	WW-TAP-33	97 LBS
REC421248	42	15	48	WW-TAP-33	109 LBS
REC421518	42	18	18	WW-REC2593	57 LBS
REC421524	42	18	24	WW-REC2593	69 LBS
REC421530	42	18	30	WW-REC2593	81 LBS
REC421536	42	18	36	WW-REC2593	93 LBS
REC421542	42	18	42	WW-REC2593	104 LBS
REC421548	42	18	48	WW-REC2593	116 LBS
REC421818	42	24	18	WW-REC2593	62 LBS
REC421824	42	24	24	WW-REC2593	74 LBS
REC421830	42	24	30	WW-REC2593	87 LBS
REC421836	42	24	36	WW-REC2593	99 LBS
REC421842	42	24	42	WW-REC2593	112 LBS
REC421848	42	24	48	WW-REC2593	124 LBS
REC422418	42	30	18	WW-REC2593	71 LBS
REC422424	42	30	24	WW-REC2593	84 LBS
REC422430	42	30	30	WW-REC2593	98 LBS
REC422436	42	30	36	WW-REC2593	112 LBS
REC422442	42	30	42	WW-REC2593	126 LBS
REC422448	42	30	48	WW-REC2593	139 LBS
REC423018	42	36	18	WW-REC2593 (2)	80 LBS
REC423024	42	36	24	WW-REC2593 (2)	95 LBS
REC423030	42	36	30	WW-REC2593 (2)	110 LBS
REC423036	42	36	36	WW-REC2593 (2)	125 LBS
REC423042	42	36	42	WW-REC2593 (2)	140 LBS
REC423048	42	36	48	WW-REC2593 (2)	155 LBS
REC423618	48	12	18	WW-TAP-33	89 LBS
REC423624	48	12	24	WW-TAP-33	105 LBS
REC423630	48	12	30	WW-TAP-33	122 LBS
REC423636	48	12	36	WW-TAP-33	138 LBS
REC423642	48	15	18	WW-TAP-33	154 LBS
REC423648	48	15	24	WW-TAP-33	170 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC481218	48	12	18	WW-TAP-33	58 LBS
REC481224	48	12	24	WW-TAP-33	71 LBS
REC481230	48	12	30	WW-TAP-33	83 LBS
REC481236	48	12	36	WW-TAP-33	96 LBS
REC481242	48	12	42	WW-TAP-33	108 LBS
REC481248	48	12	48	WW-TAP-33	121 LBS
REC481518	48	15	18	WW-TAP-33	63 LBS
REC481524	48	15	24	WW-TAP-33	76 LBS
REC481530	48	15	30	WW-TAP-33	90 LBS
REC481536	48	15	36	WW-TAP-33	103 LBS
REC481542	48	15	42	WW-TAP-33	116 LBS
REC481548	48	15	48	WW-TAP-33	129 LBS
REC481818	48	18	18	WW-REC-3793	68 LBS
REC481824	48	18	24	WW-REC-3793	82 LBS
REC481830	48	18	30	WW-REC-3793	96 LBS
REC481836	48	18	36	WW-REC-3793	109 LBS
REC481842	48	18	42	WW-REC-3793	123 LBS
REC481848	48	18	48	WW-REC-3793	137 LBS
REC482418	48	24	18	WW-REC-3793	78 LBS
REC482424	48	24	24	WW-REC-3793	93 LBS
REC482430	48	24	30	WW-REC-3793	108 LBS
REC482436	48	24	36	WW-REC-3793	123 LBS
REC482442	48	24	42	WW-REC-3793	138 LBS
REC482448	48	24	48	WW-REC-3793	153 LBS
REC483018	48	30	18	WW-REC-3793	88 LBS
REC483024	48	30	24	WW-REC-3793	104 LBS
REC483030	48	30	30	WW-REC-3793	120 LBS
REC483036	48	30	36	WW-REC-3793	137 LBS
REC483042	48	30	42	WW-REC-3793	153 LBS
REC483048	48	30	48	WW-REC-3793	169 LBS
REC483618	48	36	18	WW-REC-3793 (2)	98 LBS
REC483624	48	36	24	WW-REC-3793 (2)	115 LBS
REC483630	48	36	30	WW-REC-3793 (2)	133 LBS
REC483636	48	36	36	WW-REC-3793 (2)	150 LBS
REC483642	48	36	42	WW-REC-3793 (2)	168 LBS
REC483648	48	36	48	WW-REC-3793 (2)	185 LBS
REC484218	48	42	18	WW-REC-3793 (2)	107 LBS
REC484224	48	42	24	WW-REC-3793 (2)	126 LBS
REC484230	48	42	30	WW-REC-3793 (2)	145 LBS
REC484236	48	42	36	WW-REC-3793 (2)	164 LBS
REC484242	48	42	42	WW-REC-3793 (2)	182 LBS
REC484248	48	42	48	WW-REC-3793 (2)	201 LBS
REC541218	54	12	18	WW-TAP-33	64 LBS
REC541224	54	12	24	WW-TAP-33	78 LBS
REC541230	54	12	30	WW-TAP-33	92 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC541236	54	12	36	WW-TAP-33	106 LBS
REC541242	54	12	42	WW-TAP-33	119 LBS
REC541248	54	12	48	WW-TAP-33	133 LBS
REC541518	54	15	18	WW-TAP-33	70 LBS
REC541524	54	15	24	WW-TAP-33	84 LBS
REC541530	54	15	30	WW-TAP-33	98 LBS
REC541536	54	15	36	WW-TAP-33	113 LBS
REC541542	54	15	42	WW-TAP-33	127 LBS
REC541548	54	15	48	WW-TAP-33	142 LBS
REC541818	54	18	18	WW-REC-3793	75 LBS
REC541824	54	18	24	WW-REC-3793	90 LBS
REC541830	54	18	30	WW-REC-3793	105 LBS
REC541836	54	18	36	WW-REC-3793	120 LBS
REC541842	54	18	42	WW-REC-3793	135 LBS
REC541848	54	18	48	WW-REC-3793	150 LBS
REC542418	54	24	18	WW-REC-3793	85 LBS
REC542424	54	24	24	WW-REC-3793	102 LBS
REC542430	54	24	30	WW-REC-3793	118 LBS
REC542436	54	24	36	WW-REC-3793	134 LBS
REC542442	54	24	42	WW-REC-3793	150 LBS
REC542448	54	24	48	WW-REC-3793	167 LBS
REC543018	54	30	18	WW-REC-3793	96 LBS
REC543024	54	30	24	WW-REC-3793	113 LBS
REC543030	54	30	30	WW-REC-3793	131 LBS
REC543036	54	30	36	WW-REC-3793	148 LBS
REC543042	54	30	42	WW-REC-3793	166 LBS
REC543048	54	30	48	WW-REC-3793	183 LBS
REC543618	54	36	18	WW-REC-3793 (2)	106 LBS
REC543624	54	36	24	WW-REC-3793 (2)	125 LBS
REC543630	54	36	30	WW-REC-3793 (2)	144 LBS
REC543636	54	36	36	WW-REC-3793 (2)	162 LBS
REC543642	54	36	42	WW-REC-3793 (2)	181 LBS
REC543648	54	36	48	WW-REC-3793 (2)	200 LBS
REC544218	54	42	18	WW-REC-3793 (2)	117 LBS
REC544224	54	42	24	WW-REC-3793 (2)	137 LBS
REC544230	54	42	30	WW-REC-3793 (2)	157 LBS
REC544236	54	42	36	WW-REC-3793 (2)	177 LBS
REC544242	54	42	42	WW-REC-3793 (2)	197 LBS
REC544248	54	42	48	WW-REC-3793 (2)	217 LBS
REC601218	60	12	18	WW-REC-2593 (2)	70 LBS
REC601224	60	12	24	WW-REC-2593 (2)	85 LBS
REC601230	60	12	30	WW-REC-2593 (2)	100 LBS
REC601236	60	12	36	WW-REC-2593 (2)	115 LBS
REC601242	60	12	42	WW-REC-2593 (2)	130 LBS
REC601248	60	12	48	WW-REC-2593 (2)	145 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC601518	60	15	18	WW-REC-2593 (2)	76 LBS
REC601524	60	15	24	WW-REC-2593 (2)	92 LBS
REC601530	60	15	30	WW-REC-2593 (2)	107 LBS
REC601536	60	15	36	WW-REC-2593 (2)	123 LBS
REC601542	60	15	42	WW-REC-2593 (2)	139 LBS
REC601548	60	15	48	WW-REC-2593 (2)	154 LBS
REC601818	60	18	18	WW-REC-2593 (2)	82 LBS
REC601824	60	18	24	WW-REC-2593 (2)	98 LBS
REC601830	60	18	30	WW-REC-2593 (2)	114 LBS
REC601836	60	18	36	WW-REC-2593 (2)	130 LBS
REC601842	60	18	42	WW-REC-2593 (2)	147 LBS
REC601848	60	18	48	WW-REC-2593 (2)	163 LBS
REC602418	60	24	18	WW-REC-2593 (2)	93 LBS
REC602424	60	24	24	WW-REC-2593 (2)	110 LBS
REC602430	60	24	30	WW-REC-2593 (2)	128 LBS
REC602436	60	24	36	WW-REC-2593 (2)	145 LBS
REC602442	60	24	42	WW-REC-2593 (2)	163 LBS
REC602448	60	24	48	WW-REC-2593 (2)	180 LBS
REC603018	60	30	18	WW-REC-2593 (2)	104 LBS
REC603024	60	30	24	WW-REC-2593 (2)	122 LBS
REC603030	60	30	30	WW-REC-2593 (2)	141 LBS
REC603036	60	30	36	WW-REC-2593 (2)	160 LBS
REC603042	60	30	42	WW-REC-2593 (2)	179 LBS
REC603048	60	30	48	WW-REC-2593 (2)	197 LBS
REC603618	60	36	18	WW-REC-2593 (4)	115 LBS
REC603624	60	36	24	WW-REC-2593 (4)	135 LBS
REC603630	60	36	30	WW-REC-2593 (4)	155 LBS
REC603636	60	36	36	WW-REC-2593 (4)	175 LBS
REC603642	60	36	42	WW-REC-2593 (4)	195 LBS
REC603648	60	36	48	WW-REC-2593 (4)	215 LBS
REC604218	60	42	18	WW-REC-2593 (4)	126 LBS
REC604224	60	42	24	WW-REC-2593 (4)	147 LBS
REC604230	60	42	30	WW-REC-2593 (4)	168 LBS
REC604236	60	42	36	WW-REC-2593 (4)	189 LBS
REC604242	60	42	42	WW-REC-2593 (4)	211 LBS
REC604248	60	42	48	WW-REC-2593 (4)	232 LBS
REC661218	66	12	18	WW-TAP-21 (2)	77 LBS
REC661224	66	12	24	WW-TAP-21 (2)	93 LBS
REC661230	66	12	30	WW-TAP-21 (2)	109 LBS
REC661236	66	12	36	WW-TAP-21 (2)	125 LBS
REC661242	66	12	42	WW-TAP-21 (2)	142 LBS
REC661248	66	12	48	WW-TAP-21 (2)	158 LBS
REC661518	66	15	18	WW-TAP-21 (2)	82 LBS
REC661524	66	15	24	WW-TAP-21 (2)	99 LBS
REC661530	66	15	30	WW-TAP-21 (2)	116 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC661536	66	15	36	WW-TAP-21 (2)	133 LBS
REC661542	66	15	42	WW-TAP-21 (2)	150 LBS
REC661548	66	15	48	WW-TAP-21 (2)	167 LBS
REC661818	66	18	18	WW-REC-2593 (2)	88 LBS
REC661824	66	18	24	WW-REC-2593 (2)	106 LBS
REC661830	66	18	30	WW-REC-2593 (2)	123 LBS
REC661836	66	18	36	WW-REC-2593 (2)	141 LBS
REC661842	66	18	42	WW-REC-2593 (2)	158 LBS
REC661848	66	18	48	WW-REC-2593 (2)	176 LBS
REC662418	66	24	18	WW-REC-2593 (2)	100 LBS
REC662424	66	24	24	WW-REC-2593 (2)	119 LBS
REC662430	66	24	30	WW-REC-2593 (2)	137 LBS
REC662436	66	24	36	WW-REC-2593 (2)	156 LBS
REC662442	66	24	42	WW-REC-2593 (2)	175 LBS
REC662448	66	24	48	WW-REC-2593 (2)	194 LBS
REC663018	66	30	18	WW-REC-2593 (2)	112 LBS
REC663024	66	30	24	WW-REC-2593 (2)	132 LBS
REC663030	66	30	30	WW-REC-2593 (2)	152 LBS
REC663036	66	30	36	WW-REC-2593 (2)	172 LBS
REC663042	66	30	42	WW-REC-2593 (2)	192 LBS
REC663048	66	30	48	WW-REC-2593 (2)	212 LBS
REC663618	66	36	18	WW-REC-2593 (4)	123 LBS
REC663624	66	36	24	WW-REC-2593 (4)	144 LBS
REC663630	66	36	30	WW-REC-2593 (4)	166 LBS
REC663636	66	36	36	WW-REC-2593 (4)	187 LBS
REC663642	66	36	42	WW-REC-2593 (4)	208 LBS
REC663648	66	36	48	WW-REC-2593 (4)	229 LBS
REC664218	66	42	18	WW-REC-2593 (4)	135 LBS
REC664224	66	42	24	WW-REC-2593 (4)	157 LBS
REC664230	66	42	30	WW-REC-2593 (4)	180 LBS
REC664236	66	42	36	WW-REC-2593 (4)	202 LBS
REC664242	66	42	42	WW-REC-2593 (4)	225 LBS
REC664248	66	42	48	WW-REC-2593 (4)	247 LBS
REC721218	72	12	18	WW-TAP-33 (2)	83 LBS
REC721224	72	12	24	WW-TAP-33 (2)	100 LBS
REC721230	72	12	30	WW-TAP-33 (2)	118 LBS
REC721236	72	12	36	WW-TAP-33 (2)	135 LBS
REC721242	72	12	42	WW-TAP-33 (2)	153 LBS
REC721248	72	12	48	WW-TAP-33 (2)	170 LBS
REC721518	72	15	18	WW-TAP-33 (2)	89 LBS
REC721524	72	15	24	WW-TAP-33 (2)	107 LBS
REC721530	72	15	30	WW-TAP-33 (2)	125 LBS
REC721536	72	15	36	WW-TAP-33 (2)	143 LBS
REC721542	72	15	42	WW-TAP-33 (2)	161 LBS
REC721548	72	15	48	WW-TAP-33 (2)	179 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC721818	72	18	18	WW-REC-2593 (2)	95 LBS
REC721824	72	18	24	WW-REC-2593 (2)	114 LBS
REC721830	72	18	30	WW-REC-2593 (2)	132 LBS
REC721836	72	18	36	WW-REC-2593 (2)	151 LBS
REC721842	72	18	42	WW-REC-2593 (2)	170 LBS
REC721848	72	18	48	WW-REC-2593 (2)	189 LBS
REC722418	72	24	18	WW-REC-2593 (2)	107 LBS
REC722424	72	24	24	WW-REC-2593 (2)	127 LBS
REC722430	72	24	30	WW-REC-2593 (2)	147 LBS
REC722436	72	24	36	WW-REC-2593 (2)	167 LBS
REC722442	72	24	42	WW-REC-2593 (2)	187 LBS
REC722448	72	24	48	WW-REC-2593 (2)	207 LBS
REC723018	72	30	18	WW-REC-2593 (2)	119 LBS
REC723024	72	30	24	WW-REC-2593 (2)	141 LBS
REC723030	72	30	30	WW-REC-2593 (2)	162 LBS
REC723036	72	30	36	WW-REC-2593 (2)	183 LBS
REC723042	72	30	42	WW-REC-2593 (2)	204 LBS
REC723048	72	30	48	WW-REC-2593 (2)	226 LBS
REC723618	72	36	18	WW-REC-2593 (4)	132 LBS
REC723624	72	36	24	WW-REC-2593 (4)	154 LBS
REC723630	72	36	30	WW-REC-2593 (4)	177 LBS
REC723636	72	36	36	WW-REC-2593 (4)	199 LBS
REC723642	72	36	42	WW-REC-2593 (4)	222 LBS
REC723648	72	36	48	WW-REC-2593 (4)	244 LBS
REC724218	72	42	18	WW-REC-2593 (4)	144 LBS
REC724224	72	42	24	WW-REC-2593 (4)	168 LBS
REC724230	72	42	30	WW-REC-2593 (4)	192 LBS
REC724236	72	42	36	WW-REC-2593 (4)	215 LBS
REC724242	72	42	42	WW-REC-2593 (4)	239 LBS
REC724248	72	42	48	WW-REC-2593 (4)	263 LBS
REC781218	78	12	18	WW-TAP-33 (2)	89 LBS
REC781224	78	12	24	WW-TAP-33 (2)	107 LBS
REC781230	78	12	30	WW-TAP-33 (2)	126 LBS
REC781236	78	12	36	WW-TAP-33 (2)	145 LBS
REC781242	78	12	42	WW-TAP-33 (2)	164 LBS
REC781248	78	12	48	WW-TAP-33 (2)	182 LBS
REC781518	78	15	18	WW-TAP-33 (2)	95 LBS
REC781524	78	15	24	WW-TAP-33 (2)	114 LBS
REC781530	78	15	30	WW-TAP-33 (2)	134 LBS
REC781536	78	15	36	WW-TAP-33 (2)	153 LBS
REC781542	78	15	42	WW-TAP-33 (2)	173 LBS
REC781548	78	15	48	WW-TAP-33 (2)	192 LBS
REC781818	78	18	18	WW-REC-2593 (2)	102 LBS
REC781824	78	18	24	WW-REC-2593 (2)	122 LBS
REC781830	78	18	30	WW-REC-2593 (2)	142 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC781836	78	18	36	WW-REC-2593 (2)	162 LBS
REC781842	78	18	42	WW-REC-2593 (2)	182 LBS
REC781848	78	18	48	WW-REC-2593 (2)	202 LBS
REC782418	78	24	18	WW-REC-2593 (2)	114 LBS
REC782424	78	24	24	WW-REC-2593 (2)	136 LBS
REC782430	78	24	30	WW-REC-2593 (2)	157 LBS
REC782436	78	24	36	WW-REC-2593 (2)	178 LBS
REC782442	78	24	42	WW-REC-2593 (2)	199 LBS
REC782448	78	24	48	WW-REC-2593 (2)	221 LBS
REC783018	78	30	18	WW-REC-2593 (2)	127 LBS
REC783024	78	30	24	WW-REC-2593 (2)	150 LBS
REC783030	78	30	30	WW-REC-2593 (2)	172 LBS
REC783036	78	30	36	WW-REC-2593 (2)	195 LBS
REC783042	78	30	42	WW-REC-2593 (2)	217 LBS
REC783048	78	30	48	WW-REC-2593 (2)	240 LBS
REC783618	78	36	18	WW-REC-2593 (4)	140 LBS
REC783624	78	36	24	WW-REC-2593 (4)	164 LBS
REC783630	78	36	30	WW-REC-2593 (4)	188 LBS
REC783636	78	36	36	WW-REC-2593 (4)	212 LBS
REC783642	78	36	42	WW-REC-2593 (4)	235 LBS
REC783648	78	36	48	WW-REC-2593 (4)	259 LBS
REC784218	78	42	18	WW-REC-2593 (4)	153 LBS
REC784224	78	42	24	WW-REC-2593 (4)	178 LBS
REC784230	78	42	30	WW-REC-2593 (4)	203 LBS
REC784236	78	42	36	WW-REC-2593 (4)	228 LBS
REC784242	78	42	42	WW-REC-2593 (4)	253 LBS
REC784248	78	42	48	WW-REC-2593 (4)	278 LBS
REC841218	84	12	18	WW-TAP-33 (2)	95 LBS
REC841224	84	12	24	WW-TAP-33 (2)	115 LBS
REC841230	84	12	30	WW-TAP-33 (2)	135 LBS
REC841236	84	12	36	WW-TAP-33 (2)	155 LBS
REC841242	84	12	42	WW-TAP-33 (2)	175 LBS
REC841248	84	12	48	WW-TAP-33 (2)	195 LBS
REC841518	84	15	18	WW-TAP-33 (2)	101 LBS
REC841524	84	15	24	WW-TAP-33 (2)	122 LBS
REC841530	84	15	30	WW-TAP-33 (2)	143 LBS
REC841536	84	15	36	WW-TAP-33 (2)	163 LBS
REC841542	84	15	42	WW-TAP-33 (2)	184 LBS
REC841548	84	15	48	WW-TAP-33 (2)	205 LBS
REC841818	84	18	18	WW-REC-3793 (2)	108 LBS
REC841824	84	18	24	WW-REC-3793 (2)	129 LBS
REC841830	84	18	30	WW-REC-3793 (2)	151 LBS
REC841836	84	18	36	WW-REC-3793 (2)	172 LBS
REC841842	84	18	42	WW-REC-3793 (2)	193 LBS
REC841848	84	18	48	WW-REC-3793 (2)	214 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
REC842418	84	24	18	WW-REC-3793 (2)	122 LBS
REC842424	84	24	24	WW-REC-3793 (2)	144 LBS
REC842430	84	24	30	WW-REC-3793 (2)	167 LBS
REC842436	84	24	36	WW-REC-3793 (2)	189 LBS
REC842442	84	24	42	WW-REC-3793 (2)	212 LBS
REC842448	84	24	48	WW-REC-3793 (2)	234 LBS
REC843018	84	30	18	WW-REC-3793 (2)	135 LBS
REC843024	84	30	24	WW-REC-3793 (2)	159 LBS
REC843030	84	30	30	WW-REC-3793 (2)	183 LBS
REC843036	84	30	36	WW-REC-3793 (2)	207 LBS
REC843042	84	30	42	WW-REC-3793 (2)	230 LBS
REC843048	84	30	48	WW-REC-3793 (2)	254 LBS
REC843618	84	36	18	WW-REC-3793 (4)	149 LBS
REC843624	84	36	24	WW-REC-3793 (4)	174 LBS
REC843630	84	36	30	WW-REC-3793 (4)	199 LBS
REC843636	84	36	36	WW-REC-3793 (4)	224 LBS
REC843642	84	36	42	WW-REC-3793 (4)	249 LBS
REC843648	84	36	48	WW-REC-3793 (4)	274 LBS
REC844218	84	42	18	WW-REC-3793 (4)	162 LBS
REC844224	84	42	24	WW-REC-3793 (4)	189 LBS
REC844230	84	42	30	WW-REC-3793 (4)	215 LBS
REC844236	84	42	36	WW-REC-3793 (4)	241 LBS
REC844242	84	42	42	WW-REC-3793 (4)	267 LBS
REC844248	84	42	48	WW-REC-3793 (4)	294 LBS
REC901218	90	12	18	WW-TAP-21 (3)	101 LBS
REC901224	90	12	24	WW-TAP-21 (3)	122 LBS
REC901230	90	12	30	WW-TAP-21 (3)	143 LBS
REC901236	90	12	36	WW-TAP-21 (3)	164 LBS
REC901242	90	12	42	WW-TAP-21 (3)	186 LBS
REC901248	90	12	48	WW-TAP-21 (3)	207 LBS
REC901518	90	15	18	WW-TAP-21 (3)	108 LBS
REC901524	90	15	24	WW-TAP-21 (3)	130 LBS
REC901530	90	15	30	WW-TAP-21 (3)	152 LBS
REC901536	90	15	36	WW-TAP-21 (3)	173 LBS
REC901542	90	15	42	WW-TAP-21 (3)	195 LBS
REC901548	90	15	48	WW-TAP-21 (3)	217 LBS
REC901818	90	18	18	WW-REC-3793 (2)	115 LBS
REC901824	90	18	24	WW-REC-3793 (2)	137 LBS
REC901830	90	18	30	WW-REC-3793 (2)	160 LBS
REC901836	90	18	36	WW-REC-3793 (2)	182 LBS
REC901842	90	18	42	WW-REC-3793 (2)	205 LBS
REC901848	90	18	48	WW-REC-3793 (2)	227 LBS
REC902418	90	24	18	WW-REC-3793 (2)	129 LBS
REC902424	90	24	24	WW-REC-3793 (2)	153 LBS
REC902430	90	24	30	WW-REC-3793 (2)	177 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC902436	90	24	36	WW-REC-3793 (2)	200 LBS
REC902442	90	24	42	WW-REC-3793 (2)	224 LBS
REC902448	90	24	48	WW-REC-3793 (2)	248 LBS
REC903018	90	30	18	WW-REC-3793 (2)	143 LBS
REC903024	90	30	24	WW-REC-3793 (2)	168 LBS
REC903030	90	30	30	WW-REC-3793 (2)	193 LBS
REC903036	90	30	36	WW-REC-3793 (2)	218 LBS
REC903042	90	30	42	WW-REC-3793 (2)	243 LBS
REC903048	90	30	48	WW-REC-3793 (2)	268 LBS
REC903618	90	36	18	WW-REC-3793 (4)	157 LBS
REC903624	90	36	24	WW-REC-3793 (4)	184 LBS
REC903630	90	36	30	WW-REC-3793 (4)	210 LBS
REC903636	90	36	36	WW-REC-3793 (4)	236 LBS
REC903642	90	36	42	WW-REC-3793 (4)	262 LBS
REC903648	90	36	48	WW-REC-3793 (4)	289 LBS
REC904218	90	42	18	WW-REC-3793 (4)	172 LBS
REC904224	90	42	24	WW-REC-3793 (4)	199 LBS
REC904230	90	42	30	WW-REC-3793 (4)	227 LBS
REC904236	90	42	36	WW-REC-3793 (4)	254 LBS
REC904242	90	42	42	WW-REC-3793 (4)	282 LBS
REC904248	90	42	48	WW-REC-3793 (4)	309 LBS
REC961218	96	12	18	WW-TAP-21 (3)	107 LBS
REC961224	96	12	24	WW-TAP-21 (3)	129 LBS
REC961230	96	12	30	WW-TAP-21 (3)	152 LBS
REC961236	96	12	36	WW-TAP-21 (3)	174 LBS
REC961242	96	12	42	WW-TAP-21 (3)	197 LBS
REC961248	96	12	48	WW-TAP-21 (3)	219 LBS
REC961518	96	15	18	WW-TAP-21 (3)	114 LBS
REC961524	96	15	24	WW-TAP-21 (3)	137 LBS
REC961530	96	15	30	WW-TAP-21 (3)	160 LBS
REC961536	96	15	36	WW-TAP-21 (3)	184 LBS
REC961542	96	15	42	WW-TAP-21 (3)	207 LBS
REC961548	96	15	48	WW-TAP-21 (3)	230 LBS
REC961818	96	18	18	WW-REC-3793 (2)	122 LBS
REC961824	96	18	24	WW-REC-3793 (2)	145 LBS
REC961830	96	18	30	WW-REC-3793 (2)	169 LBS
REC961836	96	18	36	WW-REC-3793 (2)	193 LBS
REC961842	96	18	42	WW-REC-3793 (2)	217 LBS
REC961848	96	18	48	WW-REC-3793 (2)	240 LBS
REC962418	96	24	18	WW-REC-3793 (2)	136 LBS
REC962424	96	24	24	WW-REC-3793 (2)	161 LBS
REC962430	96	24	30	WW-REC-3793 (2)	186 LBS
REC962436	96	24	36	WW-REC-3793 (2)	211 LBS
REC962442	96	24	42	WW-REC-3793 (2)	236 LBS
REC962448	96	24	48	WW-REC-3793 (2)	261 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC963018	96	30	18	WW-REC-3793 (2)	151 LBS
REC963024	96	30	24	WW-REC-3793 (2)	177 LBS
REC963030	96	30	30	WW-REC-3793 (2)	204 LBS
REC963036	96	30	36	WW-REC-3793 (2)	230 LBS
REC963042	96	30	42	WW-REC-3793 (2)	256 LBS
REC963048	96	30	48	WW-REC-3793 (2)	282 LBS
REC963618	96	36	18	WW-REC-3793 (4)	166 LBS
REC963624	96	36	24	WW-REC-3793 (4)	193 LBS
REC963630	96	36	30	WW-REC-3793 (4)	221 LBS
REC963636	96	36	36	WW-REC-3793 (4)	248 LBS
REC963642	96	36	42	WW-REC-3793 (4)	276 LBS
REC963648	96	36	48	WW-REC-3793 (4)	303 LBS
REC964218	96	42	18	WW-REC-3793 (4)	181 LBS
REC964224	96	42	24	WW-REC-3793 (4)	209 LBS
REC964230	96	42	30	WW-REC-3793 (4)	238 LBS
REC964236	96	42	36	WW-REC-3793 (4)	267 LBS
REC964242	96	42	42	WW-REC-3793 (4)	296 LBS
REC964248	96	42	48	WW-REC-3793 (4)	324 LBS
REC1081218	108	12	18	WW-TAP-33 (3)	119 LBS
REC1081224	108	12	24	WW-TAP-33 (3)	144 LBS
REC1081230	108	12	30	WW-TAP-33 (3)	169 LBS
REC1081236	108	12	36	WW-TAP-33 (3)	194 LBS
REC1081242	108	12	42	WW-TAP-33 (3)	219 LBS
REC1081248	108	12	48	WW-TAP-33 (3)	244 LBS
REC1081518	108	15	18	WW-TAP-33 (3)	127 LBS
REC1081524	108	15	24	WW-TAP-33 (3)	152 LBS
REC1081530	108	15	30	WW-TAP-33 (3)	178 LBS
REC1081536	108	15	36	WW-TAP-33 (3)	204 LBS
REC1081542	108	15	42	WW-TAP-33 (3)	229 LBS
REC1081548	108	15	48	WW-TAP-33 (3)	255 LBS
REC1081818	108	18	18	WW-REC-2593 (3)	135 LBS
REC1081824	108	18	24	WW-REC-2593 (3)	161 LBS
REC1081830	108	18	30	WW-REC-2593 (3)	187 LBS
REC1081836	108	18	36	WW-REC-2593 (3)	214 LBS
REC1081842	108	18	42	WW-REC-2593 (3)	240 LBS
REC1081848	108	18	48	WW-REC-2593 (3)	266 LBS
REC1082418	108	24	18	WW-REC-2593 (3)	151 LBS
REC1082424	108	24	24	WW-REC-2593 (3)	178 LBS
REC1082430	108	24	30	WW-REC-2593 (3)	206 LBS
REC1082436	108	24	36	WW-REC-2593 (3)	233 LBS
REC1082442	108	24	42	WW-REC-2593 (3)	261 LBS
REC1082448	108	24	48	WW-REC-2593 (3)	288 LBS
REC1083018	108	30	18	WW-REC-2593 (3)	167 LBS
REC1083024	108	30	24	WW-REC-2593 (3)	196 LBS
REC1083030	108	30	30	WW-REC-2593 (3)	224 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC1083036	108	30	36	WW-REC-2593 (3)	253 LBS
REC1083042	108	30	42	WW-REC-2593 (3)	282 LBS
REC1083048	108	30	48	WW-REC-2593 (3)	311 LBS
REC1083618	108	36	18	WW-REC-2593 (6)	183 LBS
REC1083624	108	36	24	WW-REC-2593 (6)	213 LBS
REC1083630	108	36	30	WW-REC-2593 (6)	243 LBS
REC1083636	108	36	36	WW-REC-2593 (6)	273 LBS
REC1083642	108	36	42	WW-REC-2593 (6)	303 LBS
REC1083648	108	36	48	WW-REC-2593 (6)	333 LBS
REC1084218	108	42	18	WW-REC-2593 (6)	199 LBS
REC1084224	108	42	24	WW-REC-2593 (6)	230 LBS
REC1084230	108	42	30	WW-REC-2593 (6)	262 LBS
REC1084236	108	42	36	WW-REC-2593 (6)	293 LBS
REC1084242	108	42	42	WW-REC-2593 (6)	324 LBS
REC1084248	108	42	48	WW-REC-2593 (6)	355 LBS
REC1201218	120	12	18	WW-TAP-33 (3)	131 LBS
REC1201224	120	12	24	WW-TAP-33 (3)	158 LBS
REC1201230	120	12	30	WW-TAP-33 (3)	186 LBS
REC1201236	120	12	36	WW-TAP-33 (3)	213 LBS
REC1201242	120	12	42	WW-TAP-33 (3)	241 LBS
REC1201248	120	12	48	WW-TAP-33 (3)	268 LBS
REC1201518	120	15	18	WW-TAP-33 (3)	140 LBS
REC1201524	120	15	24	WW-TAP-33 (3)	168 LBS
REC1201530	120	15	30	WW-TAP-33 (3)	196 LBS
REC1201536	120	15	36	WW-TAP-33 (3)	224 LBS
REC1201542	120	15	42	WW-TAP-33 (3)	252 LBS
REC1201548	120	15	48	WW-TAP-33 (3)	280 LBS
REC1201818	120	18	18	WW-REC-3793 (3)	148 LBS
REC1201824	120	18	24	WW-REC-3793 (3)	177 LBS
REC1201830	120	18	30	WW-REC-3793 (3)	206 LBS
REC1201836	120	18	36	WW-REC-3793 (3)	234 LBS
REC1201842	120	18	42	WW-REC-3793 (3)	263 LBS
REC1201848	120	18	48	WW-REC-3793 (3)	292 LBS
REC1202418	120	24	18	WW-REC-3793 (3)	165 LBS
REC1202424	120	24	24	WW-REC-3793 (3)	195 LBS
REC1202430	120	24	30	WW-REC-3793 (3)	225 LBS
REC1202436	120	24	36	WW-REC-3793 (3)	255 LBS
REC1202442	120	24	42	WW-REC-3793 (3)	285 LBS
REC1202448	120	24	48	WW-REC-3793 (3)	315 LBS
REC1203018	120	30	18	WW-REC-3793 (3)	183 LBS
REC1203024	120	30	24	WW-REC-3793 (3)	214 LBS
REC1203030	120	30	30	WW-REC-3793 (3)	245 LBS
REC1203036	120	30	36	WW-REC-3793 (3)	277 LBS
REC1203042	120	30	42	WW-REC-3793 (3)	308 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
REC1203048	120	30	48	WW-REC-3793 (3)	339 LBS
REC1203618	120	36	18	WW-REC-3793 (6)	200 LBS
REC1203624	120	36	24	WW-REC-3793 (6)	233 LBS
REC1203630	120	36	30	WW-REC-3793 (6)	265 LBS
REC1203636	120	36	36	WW-REC-3793 (6)	298 LBS
REC1203642	120	36	42	WW-REC-3793 (6)	330 LBS
REC1203648	120	36	48	WW-REC-3793 (6)	363 LBS
REC1204218	120	42	18	WW-REC-3793 (6)	217 LBS
REC1204224	120	42	24	WW-REC-3793 (6)	251 LBS
REC1204230	120	42	30	WW-REC-3793 (6)	285 LBS
REC1204236	120	42	36	WW-REC-3793 (6)	319 LBS
REC1204242	120	42	42	WW-REC-3793 (6)	352 LBS
REC1204248	120	42	48	WW-REC-3793 (6)	386 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS

SQUARES


TRADE PRICING PER MATERIAL

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
S1818	18	18	18	WW-R7	35 lbs
S1824	18	18	24	WW-R7	42 lbs
S1830	18	18	30	WW-R7	50 lbs
S1836	18	18	36	WW-R7	57 lbs
S1842	18	18	42	WW-R7	65 lbs
S1848	18	18	48	WW-R7	72 lbs
S1854	18	18	54	WW-R7	80 lbs
S1860	18	18	60	WW-R7	87 lbs
S2418	24	24	18	WW-R13	49 lbs
S2424	24	24	24	WW-R13	59 lbs
S2430	24	24	30	WW-R13	69 lbs
S2436	24	24	36	WW-R13	79 lbs
S2442	24	24	42	WW-R13	89 lbs
S2448	24	24	48	WW-R13	99 lbs
S2454	24	24	54	WW-R13	109 lbs
S2460	24	24	60	WW-R13	119 lbs
S3018	30	30	18	WW-R18	64 lbs
S3024	30	30	24	WW-R18	77 lbs
S3030	30	30	30	WW-R18	89 lbs
S3036	30	30	36	WW-R18	102 lbs
S3042	30	30	42	WW-R18	114 lbs
S3048	30	30	48	WW-R18	127 lbs
S3054	30	30	54	WW-R18	139 lbs
S3060	30	30	60	WW-R18	152 lbs
S3618	36	36	18	WW-R24	80 lbs
S3624	36	36	24	WW-R24	95 lbs
S3630	36	36	30	WW-R24	110 lbs
S3636	36	36	36	WW-R24	125 lbs
S3642	36	36	42	WW-R24	140 lbs
S3648	36	36	48	WW-R24	155 lbs
S3654	36	36	54	WW-R24	170 LBS
S3660	36	36	60	WW-R24	185 LBS
S4218	42	42	18	WW-R28	98 LBS
S4224	42	42	24	WW-R28	116 LBS
S4230	42	42	30	WW-R28	133 LBS
S4236	42	42	36	WW-R28	151 LBS
S4242	42	42	42	WW-R28	168 LBS
S4248	42	42	48	WW-R28	186 LBS
S4254	42	42	54	WW-R28	203 LBS
S4260	42	42	60	WW-R28	221 LBS
S4818	48	48	18	WW-R36	117 LBS
S4824	48	48	24	WW-R36	137 LBS
S4830	48	48	30	WW-R36	157 LBS
S4836	48	48	36	WW-R36	177 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



DUNE PLANTERS

SQUARES

TRADE PRICING PER MATERIAL

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
S4842	48	48	42	WW-R36	197 LBS
S4848	48	48	48	WW-R36	217 LBS
S4854	48	48	54	WW-R36	237 LBS
S4860	48	48	60	WW-R36	257 LBS
S6018	60	60	18	WW-R46	159 LBS
S6024	60	60	24	WW-R46	184 LBS
S6030	60	60	30	WW-R46	209 LBS
S6036	60	60	36	WW-R46	234 LBS
S6042	60	60	42	WW-R46	259 LBS
S6048	60	60	48	WW-R46	284 LBS
S6054	60	60	54	WW-R46	309 LBS
S6060	60	60	60	WW-R46	334 LBS
S6618	66	66	18	WW-R46	182 LBS
S6624	66	66	24	WW-R46	209 LBS
S6630	66	66	30	WW-R46	237 LBS
S6636	66	66	36	WW-R46	264 LBS
S6642	66	66	42	WW-R46	292 LBS
S6648	66	66	48	WW-R46	319 LBS
S6654	66	66	54	WW-R46	347 LBS
S6660	66	66	60	WW-R46	374 LBS
S7218	72	72	18	WW-R60	205 LBS
S7224	72	72	24	WW-R60	235 LBS
S7230	72	72	30	WW-R60	265 LBS
S7236	72	72	36	WW-R60	295 LBS
S7242	72	72	42	WW-R60	325 LBS
S7248	72	72	48	WW-R60	355 LBS
S7254	72	72	54	WW-R60	385 LBS
S7260	72	72	60	WW-R60	415 LBS

Custom sizing available on request.

