



MANHATTAN PLANTERS




SHAPES




Round



Square



Rectangle




Low Bowl

MATERIAL	SQFT WEIGHT	COMMERCIAL GRADE	WEATHER RESISTANT	MAX STD HEIGHT	MAX STD LENGTH	CUSTOM SIZES	DRAINAGE	COLORS/ FINISHES
FIBERGLASS	1.5 lbs.	✓	✓	3.5'	10'	✓	1/2"	24 COLORS, 4 FINISHES
FIBERSTONE	2.5 lbs.	✓	✓	3.5'	10'	✓	1/2"	11 FINISHES
CORTEN STEEL	5.5 lbs.	✓	✓	4'	10'	✓	1"	MILL FINISH
POWDERCOAT STEEL	5.5 lbs.	✓	✓	4'	10'	✓	1"	3 COLORS
ALUMINUM	2 lbs.	✓	✓	4'	10'	✓	1"	3 COLORS

*Larger sizes available upon request





Irrigation Systems

Our irrigation systems fit any planter, reducing watering by delivering water directly to plant roots, ensuring optimal hydration and minimizing waste.



Lift Channels

Designed for large, heavy planters, these channels allow safe, easy movement with pallet jacks or forklifts, maintaining design flexibility and maximizing efficiency.



Water Sealing

Our water sealing option protects planters from moisture damage, ensuring durability and integrity.



Accessory Pocket

These planters feature integrated compartments for lighting, audio, power, and data. A compatibility chart is available for standard fixtures; custom solutions can be explored.



False Bottom

False bottoms lighten large planters by reducing soil while creating a water reservoir to extend watering intervals, and save on materials and maintenance time.



Drain Holes

Drainage holes are available on all our planters. Simply let us know your preference.



Bioretention

This engineered layer filters rainwater, removes pollutants, and promotes slow release into the surrounding soil or storm drain system, thereby reducing runoff and improving water quality.



Tie Downs

Tie downs in planters secure trees and large plants, ensuring they remain stable, upright, and centered through evenly distributed ties, promoting proper growth and preventing damage.



Refuse Container

Transform your planter to a refuse container with a variety of lid options and liners.



Casters

Select planters can have recessed casters for mobility, discreetly built into a reinforced, raised base for smooth rolling without affecting aesthetics.



Matching Saucer

Prevent surface staining and water runoff with our matching saucers. Seamlessly integrated, they enhance functionality and aesthetics with a perfect color and finish match.



Bottom Reinforcement

For planters needing anchoring or lacking ground structure support, additional base reinforcement ensures stability and prevents damage.




Trellis

Optimize your commercial landscape with our durable and customizable trellis, engineered to support vertical plant growth and elevate aesthetic appeal.



Wall Hanging Planters

Wall scaping made easy with adjustable bracket mount points for easy and secure on-site wall planter install. Choose from standard or built in hidden brackets.



Scoops

Square and rectangular planters connect end-to-end with hidden “scoops” for seamless, continuous planting beds.



Anchor Plate

For increased stability, add an anchor plate to your planter to distribute weight and prevent tipping.



Custom Colors

We provide 13 custom color options and finishes for our Fiberstone/GFRC products, 24 color options and 4 finishes for our Fiberglass products. Armorecoat and premium metallic colors available.



Custom Dimensions

Custom dimensions available on all planters.

We offer a variety of customization options, but availability may vary by product. To discuss creating a custom order or inquire about specific options, please scan our QR code, visit our website, or call us.



COLORS & FINISHES

STANDARD FIBERGLASS COLORS

(Shown in Matte Finish)
Custom colors available upon request

FIBERGLASS FINISHES



GLOSS




SEMI GLOSS




MATTE




SAND




BLACK



WHITE



PEARL



BUFF



KHAKI



LATTE



PARCHMENT




MOCHA



TAN



BEIGE




LIGHT COCOA




TERRACOTTA



PERSIMMON



ADOBE




BURGUNDY




DOVE




CYPRESS



DARK GRAY




CHARCOAL




BLACK FOX




HUNTER GREEN



DARK CHOCOLATE



CHAPS BROWN



ESPRESSO



COLORS & FINISHES

FIBERSTONE FINISHES

Custom colors available upon request



CHENZA



TIZA



ANTIGUA



FOSIL



SAVOY



RUSTICO



ZINC



OXIDO



TERRON



FERRIC




IRON




COLORS & FINISHES


NATURAL AND POWDER COATED STEEL




ARCHITECTURAL BRONZE
POWDER COAT



BLACK POWDER COAT



WHITE POWDER COAT




CORTEN STEEL
*Pre-Weathered Corten Steel
& Sealer – Add 10%*

TOP TRIM STYLES


METAL



STANDARD "T" TRIM




ROUNDED EDGE TRIM



FIBERGLASS AND FIBERSTONE



STANDARD SQUARE EDGE TRIM



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC301518	30	15	18	WW-TAP-21	27 LBS	44 lbs	88 LBS	35 LBS
TREC301524	30	15	24	WW-TAP-21	32 LBS	54 lbs	107 LBS	43 LBS
TREC301530	30	15	30	WW-TAP-21	38 LBS	63 lbs	125 LBS	50 LBS
TREC301536	30	15	36	WW-TAP-21	44 LBS	72 lbs	144 LBS	58 LBS
TREC301542	30	15	42	WW-TAP-21	49 LBS	82 lbs	163 LBS	65 LBS
TREC301548	30	15	48	WW-TAP-21	55 LBS	91 lbs	182 LBS	73 LBS
TREC301818	30	18	18	WW-REC2593	29 LBS	48 lbs	96 LBS	39 LBS
TREC301824	30	18	24	WW-REC2593	35 LBS	58 lbs	116 LBS	47 LBS
TREC301830	30	18	30	WW-REC2593	41 LBS	68 lbs	136 LBS	55 LBS
TREC301836	30	18	36	WW-REC2593	47 LBS	78 lbs	156 LBS	63 LBS
TREC301842	30	18	42	WW-REC2593	53 LBS	88 lbs	176 LBS	71 LBS
TREC301848	30	18	48	WW-REC2593	59 LBS	98 lbs	196 LBS	79 LBS
TREC302418	30	24	18	WW-REC2593	34 LBS	56 lbs	112 LBS	45 LBS
TREC302424	30	24	24	WW-REC2593	41 LBS	67 lbs	134 LBS	54 LBS
TREC302430	30	24	30	WW-REC2593	47 LBS	79 lbs	157 LBS	63 LBS
TREC302436	30	24	36	WW-REC2593	54 LBS	90 lbs	179 LBS	72 LBS
TREC302442	30	24	42	WW-REC2593	61 LBS	101 lbs	202 LBS	81 LBS
TREC302448	30	24	48	WW-REC2593	68 LBS	112 lbs	224 LBS	90 LBS
TREC303018	30	30	18	WW-REC2593	39 LBS	64 lbs	128 LBS	51 LBS
TREC303024	30	30	24	WW-REC2593	46 LBS	77 lbs	153 LBS	61 LBS
TREC303030	30	30	30	WW-REC2593	54 LBS	89 lbs	178 LBS	71 LBS
TREC303036	30	30	36	WW-REC2593	61 LBS	102 lbs	203 LBS	81 LBS
TREC303042	30	30	42	WW-REC2593	69 LBS	114 lbs	228 LBS	91 LBS
TREC303048	30	30	48	WW-REC2593	76 LBS	127 lbs	253 LBS	101 LBS
TREC303618	30	36	18	WW-R18	43 LBS	72 lbs	143 LBS	58 LBS
TREC303624	30	36	24	WW-R18	52 LBS	86 lbs	171 LBS	69 LBS
TREC303630	30	36	30	WW-R18	60 LBS	99 lbs	198 LBS	80 LBS
TREC303636	30	36	36	WW-R18	68 LBS	113 lbs	226 LBS	91 LBS
TREC303642	30	36	42	WW-R18	76 LBS	127 lbs	253 LBS	102 LBS
TREC303648	30	36	48	WW-R18	85 LBS	141 lbs	281 LBS	113 LBS
TREC304218	30	42	18	WW-R18	48 LBS	80 lbs	159 LBS	64 LBS
TREC304224	30	42	24	WW-R18	57 LBS	95 lbs	189 LBS	76 LBS
TREC304230	30	42	30	WW-R18	66 LBS	110 lbs	219 LBS	88 LBS
TREC304236	30	42	36	WW-R18	75 LBS	125 lbs	249 LBS	100 LBS
TREC304242	30	42	42	WW-R18	84 LBS	140 lbs	279 LBS	112 LBS
TREC304248	30	42	48	WW-R18	93 LBS	155 lbs	309 LBS	124 LBS
TREC361518	36	15	18	WW-TAP-21	31 LBS	51 lbs	101 LBS	41 LBS
TREC361524	36	15	24	WW-TAP-21	37 LBS	61 lbs	122 LBS	49 LBS
TREC361530	36	15	30	WW-TAP-21	43 LBS	72 lbs	143 LBS	58 LBS
TREC361536	36	15	36	WW-TAP-21	50 LBS	82 lbs	164 LBS	66 LBS
TREC361542	36	15	42	WW-TAP-21	56 LBS	93 lbs	186 LBS	75 LBS
TREC361548	36	15	48	WW-TAP-21	62 LBS	104 lbs	207 LBS	83 LBS
TREC361818	36	18	18	WW-REC2593	33 LBS	55 lbs	109 LBS	44 LBS
TREC361824	36	18	24	WW-REC2593	40 LBS	66 lbs	132 LBS	53 LBS
TREC361830	36	18	30	WW-REC2593	47 LBS	77 lbs	154 LBS	62 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC361836	36	18	36	WW-REC2593	53 LBS	89 lbs	177 LBS	71 LBS
TREC361842	36	18	42	WW-REC2593	60 LBS	100 lbs	199 LBS	80 LBS
TREC361848	36	18	48	WW-REC2593	67 LBS	111 lbs	222 LBS	89 LBS
TREC362418	36	24	18	WW-REC2593	38 LBS	63 LBS	126 LBS	51 LBS
TREC362424	36	24	24	WW-REC2593	46 LBS	76 LBS	151 LBS	61 LBS
TREC362430	36	24	30	WW-REC2593	53 LBS	88 LBS	176 LBS	71 LBS
TREC362436	36	24	36	WW-REC2593	61 LBS	101 LBS	201 LBS	81 LBS
TREC362442	36	24	42	WW-REC2593	68 LBS	113 LBS	226 LBS	91 LBS
TREC362448	36	24	48	WW-REC2593	76 LBS	126 LBS	251 LBS	101 LBS
TREC363018	36	30	18	WW-REC2593	43 LBS	72 LBS	143 LBS	58 LBS
TREC363024	36	30	24	WW-REC2593	52 LBS	86 LBS	171 LBS	69 LBS
TREC363030	36	30	30	WW-REC2593	60 LBS	99 LBS	198 LBS	80 LBS
TREC363036	36	30	36	WW-REC2593	68 LBS	113 LBS	226 LBS	91 LBS
TREC363042	36	30	42	WW-REC2593	76 LBS	127 LBS	253 LBS	102 LBS
TREC363048	36	30	48	WW-REC2593	85 LBS	141 LBS	281 LBS	113 LBS
TREC363618	36	36	18	WW-REC2593	48 LBS	80 LBS	160 LBS	64 LBS
TREC363624	36	36	24	WW-REC2593	57 LBS	95 LBS	190 LBS	76 LBS
TREC363630	36	36	30	WW-REC2593	66 LBS	110 LBS	220 LBS	88 LBS
TREC363636	36	36	36	WW-REC2593	75 LBS	125 LBS	250 LBS	100 LBS
TREC363642	36	36	42	WW-REC2593	84 LBS	140 LBS	280 LBS	112 LBS
TREC363648	36	36	48	WW-REC2593	93 LBS	155 LBS	310 LBS	124 LBS
TREC364218	36	42	18	WW-R24	54 LBS	89 LBS	178 LBS	71 LBS
TREC364224	36	42	24	WW-R24	63 LBS	105 LBS	210 LBS	84 LBS
TREC364230	36	42	30	WW-R24	73 LBS	122 LBS	243 LBS	97 LBS
TREC364236	36	42	36	WW-R24	83 LBS	138 LBS	275 LBS	110 LBS
TREC364242	36	42	42	WW-R24	93 LBS	154 LBS	308 LBS	123 LBS
TREC364248	36	42	48	WW-R24	102 LBS	170 LBS	340 LBS	136 LBS
TREC421518	42	15	18	WW-TAP-33	34 LBS	57 LBS	113 LBS	46 LBS
TREC421524	42	15	24	WW-TAP-33	41 LBS	69 LBS	137 LBS	55 LBS
TREC421530	42	15	30	WW-TAP-33	49 LBS	81 LBS	161 LBS	65 LBS
TREC421536	42	15	36	WW-TAP-33	56 LBS	93 LBS	185 LBS	74 LBS
TREC421542	42	15	42	WW-TAP-33	63 LBS	104 LBS	208 LBS	84 LBS
TREC421548	42	15	48	WW-TAP-33	70 LBS	116 LBS	232 LBS	93 LBS
TREC421818	42	18	18	WW-REC2593	37 LBS	62 LBS	123 LBS	49 LBS
TREC421824	42	18	24	WW-REC2593	45 LBS	74 LBS	148 LBS	59 LBS
TREC421830	42	18	30	WW-REC2593	52 LBS	87 LBS	173 LBS	69 LBS
TREC421836	42	18	36	WW-REC2593	60 LBS	99 LBS	198 LBS	79 LBS
TREC421842	42	18	42	WW-REC2593	67 LBS	112 LBS	223 LBS	89 LBS
TREC421848	42	18	48	WW-REC2593	75 LBS	124 LBS	248 LBS	99 LBS
TREC422418	42	24	18	WW-REC2593	43 LBS	71 LBS	141 LBS	57 LBS
TREC422424	42	24	24	WW-REC2593	51 LBS	84 LBS	168 LBS	68 LBS
TREC422430	42	24	30	WW-REC2593	59 LBS	98 LBS	196 LBS	79 LBS
TREC422436	42	24	36	WW-REC2593	67 LBS	112 LBS	223 LBS	90 LBS
TREC422442	42	24	42	WW-REC2593	76 LBS	126 LBS	251 LBS	101 LBS
TREC422448	42	24	48	WW-REC2593	84 LBS	139 LBS	278 LBS	112 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC423018	42	30	18	WW-REC2593	48 LBS	80 LBS	159 LBS	64 LBS
TREC423024	42	30	24	WW-REC2593	57 LBS	95 LBS	189 LBS	76 LBS
TREC423030	42	30	30	WW-REC2593	66 LBS	110 LBS	219 LBS	88 LBS
TREC423036	42	30	36	WW-REC2593	75 LBS	125 LBS	249 LBS	100 LBS
TREC423042	42	30	42	WW-REC2593	84 LBS	140 LBS	279 LBS	112 LBS
TREC423048	42	30	48	WW-REC2593	93 LBS	155 LBS	309 LBS	124 LBS
TREC423618	42	36	18	WW-REC2593 (2)	54 LBS	89 LBS	178 LBS	71 LBS
TREC423624	42	36	24	WW-REC2593 (2)	63 LBS	105 LBS	210 LBS	84 LBS
TREC423630	42	36	30	WW-REC2593 (2)	73 LBS	122 LBS	243 LBS	97 LBS
TREC423636	42	36	36	WW-REC2593 (2)	83 LBS	138 LBS	275 LBS	110 LBS
TREC423642	42	36	42	WW-REC2593 (2)	93 LBS	154 LBS	308 LBS	123 LBS
TREC423648	42	36	48	WW-REC2593 (2)	102 LBS	170 LBS	340 LBS	136 LBS
TREC424218	42	42	18	WW-REC2593 (2)	59 LBS	98 LBS	196 LBS	79 LBS
TREC424224	42	42	24	WW-REC2593 (2)	70 LBS	116 LBS	231 LBS	93 LBS
TREC424230	42	42	30	WW-REC2593 (2)	80 LBS	133 LBS	266 LBS	107 LBS
TREC424236	42	42	36	WW-REC2593 (2)	91 LBS	151 LBS	301 LBS	121 LBS
TREC424242	42	42	42	WW-REC2593 (2)	101 LBS	168 LBS	336 LBS	135 LBS
TREC424248	42	42	48	WW-REC2593 (2)	112 LBS	186 LBS	371 LBS	149 LBS
TREC481518	48	15	18	WW-TAP-33	38 LBS	63 LBS	126 LBS	51 LBS
TREC481524	48	15	24	WW-TAP-33	46 LBS	76 LBS	152 LBS	61 LBS
TREC481530	48	15	30	WW-TAP-33	54 LBS	90 LBS	179 LBS	72 LBS
TREC481536	48	15	36	WW-TAP-33	62 LBS	103 LBS	205 LBS	82 LBS
TREC481542	48	15	42	WW-TAP-33	70 LBS	116 LBS	231 LBS	93 LBS
TREC481548	48	15	48	WW-TAP-33	78 LBS	129 LBS	257 LBS	103 LBS
TREC481818	48	18	18	WW-REC3793	41 LBS	68 LBS	136 LBS	55 LBS
TREC481824	48	18	24	WW-REC3793	49 LBS	82 LBS	163 LBS	66 LBS
TREC481830	48	18	30	WW-REC3793	58 LBS	96 LBS	191 LBS	77 LBS
TREC481836	48	18	36	WW-REC3793	66 LBS	109 LBS	218 LBS	88 LBS
TREC481842	48	18	42	WW-REC3793	74 LBS	123 LBS	246 LBS	99 LBS
TREC481848	48	18	48	WW-REC3793	82 LBS	137 LBS	273 LBS	110 LBS
TREC482418	48	24	18	WW-REC3793	47 LBS	78 LBS	155 LBS	62 LBS
TREC482424	48	24	24	WW-REC3793	56 LBS	93 LBS	185 LBS	74 LBS
TREC482430	48	24	30	WW-REC3793	65 LBS	108 LBS	215 LBS	86 LBS
TREC482436	48	24	36	WW-REC3793	74 LBS	123 LBS	245 LBS	98 LBS
TREC482442	48	24	42	WW-REC3793	83 LBS	138 LBS	275 LBS	110 LBS
TREC482448	48	24	48	WW-REC3793	92 LBS	153 LBS	305 LBS	122 LBS
TREC483018	48	30	18	WW-REC3793	53 LBS	88 LBS	175 LBS	70 LBS
TREC483024	48	30	24	WW-REC3793	63 LBS	104 LBS	208 LBS	83 LBS
TREC483030	48	30	30	WW-REC3793	72 LBS	120 LBS	240 LBS	96 LBS
TREC483036	48	30	36	WW-REC3793	82 LBS	137 LBS	273 LBS	109 LBS
TREC483042	48	30	42	WW-REC3793	92 LBS	153 LBS	305 LBS	122 LBS
TREC483048	48	30	48	WW-REC3793	102 LBS	169 LBS	338 LBS	135 LBS
TREC483618	48	36	18	WW-REC3793 (2)	59 LBS	98 LBS	195 LBS	78 LBS
TREC483624	48	36	24	WW-REC3793 (2)	69 LBS	115 LBS	230 LBS	92 LBS
TREC483630	48	36	30	WW-REC3793 (2)	80 LBS	133 LBS	265 LBS	106 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC483636	48	36	36	WW-REC3793 (2)	90 LBS	150 LBS	300 LBS	120 LBS
TREC483642	48	36	42	WW-REC3793 (2)	101 LBS	168 LBS	335 LBS	134 LBS
TREC483648	48	36	48	WW-REC3793 (2)	111 LBS	185 LBS	370 LBS	148 LBS
TREC484218	48	42	18	WW-REC3793 (2)	65 LBS	107 LBS	214 LBS	86 LBS
TREC484224	48	42	24	WW-REC3793 (2)	76 LBS	126 LBS	252 LBS	101 LBS
TREC484230	48	42	30	WW-REC3793 (2)	87 LBS	145 LBS	289 LBS	116 LBS
TREC484236	48	42	36	WW-REC3793 (2)	98 LBS	164 LBS	327 LBS	131 LBS
TREC484242	48	42	42	WW-REC3793 (2)	110 LBS	182 LBS	364 LBS	146 LBS
TREC484248	48	42	48	WW-REC3793 (2)	121 LBS	201 LBS	402 LBS	161 LBS
TREC541518	54	15	18	WW-TAP-33	42 LBS	70 LBS	139 LBS	56 LBS
TREC541524	54	15	24	WW-TAP-33	51 LBS	84 LBS	168 LBS	67 LBS
TREC541530	54	15	30	WW-TAP-33	59 LBS	98 LBS	196 LBS	79 LBS
TREC541536	54	15	36	WW-TAP-33	68 LBS	113 LBS	225 LBS	90 LBS
TREC541542	54	15	42	WW-TAP-33	76 LBS	127 LBS	254 LBS	102 LBS
TREC541548	54	15	48	WW-TAP-33	85 LBS	142 LBS	283 LBS	113 LBS
TREC541818	54	18	18	WW-REC3793	45 LBS	75 LBS	149 LBS	60 LBS
TREC541824	54	18	24	WW-REC3793	54 LBS	90 LBS	179 LBS	72 LBS
TREC541830	54	18	30	WW-REC3793	63 LBS	105 LBS	209 LBS	84 LBS
TREC541836	54	18	36	WW-REC3793	72 LBS	120 LBS	239 LBS	96 LBS
TREC541842	54	18	42	WW-REC3793	81 LBS	135 LBS	269 LBS	108 LBS
TREC541848	54	18	48	WW-REC3793	90 LBS	150 LBS	299 LBS	120 LBS
TREC542418	54	24	18	WW-REC3793	51 LBS	85 LBS	170 LBS	68 LBS
TREC542424	54	24	24	WW-REC3793	61 LBS	102 LBS	203 LBS	81 LBS
TREC542430	54	24	30	WW-REC3793	71 LBS	118 LBS	235 LBS	94 LBS
TREC542436	54	24	36	WW-REC3793	81 LBS	134 LBS	268 LBS	107 LBS
TREC542442	54	24	42	WW-REC3793	90 LBS	150 LBS	300 LBS	120 LBS
TREC542448	54	24	48	WW-REC3793	100 LBS	167 LBS	333 LBS	133 LBS
TREC543018	54	30	18	WW-REC3793	58 LBS	96 LBS	191 LBS	77 LBS
TREC543024	54	30	24	WW-REC3793	68 LBS	113 LBS	226 LBS	91 LBS
TREC543030	54	30	30	WW-REC3793	79 LBS	131 LBS	261 LBS	105 LBS
TREC543036	54	30	36	WW-REC3793	89 LBS	148 LBS	296 LBS	119 LBS
TREC543042	54	30	42	WW-REC3793	100 LBS	166 LBS	331 LBS	133 LBS
TREC543048	54	30	48	WW-REC3793	110 LBS	183 LBS	366 LBS	147 LBS
TREC543618	54	36	18	WW-REC3793 (2)	64 LBS	106 LBS	212 LBS	85 LBS
TREC543624	54	36	24	WW-REC3793 (2)	75 LBS	125 LBS	249 LBS	100 LBS
TREC543630	54	36	30	WW-REC3793 (2)	86 LBS	144 LBS	287 LBS	115 LBS
TREC543636	54	36	36	WW-REC3793 (2)	98 LBS	162 LBS	324 LBS	130 LBS
TREC543642	54	36	42	WW-REC3793 (2)	109 LBS	181 LBS	362 LBS	145 LBS
TREC543648	54	36	48	WW-REC3793 (2)	120 LBS	200 LBS	399 LBS	160 LBS
TREC544218	54	42	18	WW-REC3793 (2)	70 LBS	117 LBS	233 LBS	93 LBS
TREC544224	54	42	24	WW-REC3793 (2)	82 LBS	137 LBS	273 LBS	109 LBS
TREC544230	54	42	30	WW-REC3793 (2)	94 LBS	157 LBS	313 LBS	125 LBS
TREC544236	54	42	36	WW-REC3793 (2)	106 LBS	177 LBS	353 LBS	141 LBS
TREC544242	54	42	42	WW-REC3793 (2)	118 LBS	197 LBS	393 LBS	157 LBS
TREC544248	54	42	48	WW-REC3793 (2)	130 LBS	217 LBS	433 LBS	173 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC601518	60	15	18	WW-REC2593 (2)	46 LBS	76 LBS	152 LBS	61 LBS
TREC601524	60	15	24	WW-REC2593 (2)	55 LBS	92 LBS	183 LBS	73 LBS
TREC601530	60	15	30	WW-REC2593 (2)	65 LBS	107 LBS	214 LBS	86 LBS
TREC601536	60	15	36	WW-REC2593 (2)	74 LBS	123 LBS	245 LBS	98 LBS
TREC601542	60	15	42	WW-REC2593 (2)	83 LBS	139 LBS	277 LBS	111 LBS
TREC601548	60	15	48	WW-REC2593 (2)	93 LBS	154 LBS	308 LBS	123 LBS
TREC601818	60	18	18	WW-REC2593 (2)	49 LBS	82 LBS	163 LBS	65 LBS
TREC601824	60	18	24	WW-REC2593 (2)	59 LBS	98 LBS	195 LBS	78 LBS
TREC601830	60	18	30	WW-REC2593 (2)	69 LBS	114 LBS	228 LBS	91 LBS
TREC601836	60	18	36	WW-REC2593 (2)	78 LBS	130 LBS	260 LBS	104 LBS
TREC601842	60	18	42	WW-REC2593 (2)	88 LBS	147 LBS	293 LBS	117 LBS
TREC601848	60	18	48	WW-REC2593 (2)	98 LBS	163 LBS	325 LBS	130 LBS
TREC602418	60	24	18	WW-REC2593 (2)	56 LBS	93 LBS	185 LBS	74 LBS
TREC602424	60	24	24	WW-REC2593 (2)	66 LBS	110 LBS	220 LBS	88 LBS
TREC602430	60	24	30	WW-REC2593 (2)	77 LBS	128 LBS	255 LBS	102 LBS
TREC602436	60	24	36	WW-REC2593 (2)	87 LBS	145 LBS	290 LBS	116 LBS
TREC602442	60	24	42	WW-REC2593 (2)	98 LBS	163 LBS	325 LBS	130 LBS
TREC602448	60	24	48	WW-REC2593 (2)	108 LBS	180 LBS	360 LBS	144 LBS
TREC603018	60	30	18	WW-REC2593 (2)	62 LBS	104 LBS	207 LBS	83 LBS
TREC603024	60	30	24	WW-REC2593 (2)	74 LBS	122 LBS	244 LBS	98 LBS
TREC603030	60	30	30	WW-REC2593 (2)	85 LBS	141 LBS	282 LBS	113 LBS
TREC603036	60	30	36	WW-REC2593 (2)	96 LBS	160 LBS	319 LBS	128 LBS
TREC603042	60	30	42	WW-REC2593 (2)	107 LBS	179 LBS	357 LBS	143 LBS
TREC603048	60	30	48	WW-REC2593 (2)	119 LBS	197 LBS	394 LBS	158 LBS
TREC603618	60	36	18	WW-REC2593 (4)	69 LBS	115 LBS	229 LBS	92 LBS
TREC603624	60	36	24	WW-REC2593 (4)	81 LBS	135 LBS	269 LBS	108 LBS
TREC603630	60	36	30	WW-REC2593 (4)	93 LBS	155 LBS	309 LBS	124 LBS
TREC603636	60	36	36	WW-REC2593 (4)	105 LBS	175 LBS	349 LBS	140 LBS
TREC603642	60	36	42	WW-REC2593 (4)	117 LBS	195 LBS	389 LBS	156 LBS
TREC603648	60	36	48	WW-REC2593 (4)	129 LBS	215 LBS	429 LBS	172 LBS
TREC604218	60	42	18	WW-REC2593 (4)	76 LBS	126 LBS	251 LBS	101 LBS
TREC604224	60	42	24	WW-REC2593 (4)	88 LBS	147 LBS	293 LBS	118 LBS
TREC604230	60	42	30	WW-REC2593 (4)	101 LBS	168 LBS	336 LBS	135 LBS
TREC604236	60	42	36	WW-REC2593 (4)	114 LBS	189 LBS	378 LBS	152 LBS
TREC604242	60	42	42	WW-REC2593 (4)	127 LBS	211 LBS	421 LBS	169 LBS
TREC604248	60	42	48	WW-REC2593 (4)	139 LBS	232 LBS	463 LBS	186 LBS
TREC661518	66	15	18	WW-TAP-21 (2)	50 LBS	82 LBS	164 LBS	66 LBS
TREC661524	66	15	24	WW-TAP-21 (2)	60 LBS	99 LBS	198 LBS	79 LBS
TREC661530	66	15	30	WW-TAP-21 (2)	70 LBS	116 LBS	232 LBS	93 LBS
TREC661536	66	15	36	WW-TAP-21 (2)	80 LBS	133 LBS	265 LBS	106 LBS
TREC661542	66	15	42	WW-TAP-21 (2)	90 LBS	150 LBS	299 LBS	120 LBS
TREC661548	66	15	48	WW-TAP-21 (2)	100 LBS	167 LBS	333 LBS	133 LBS
TREC661818	66	18	18	WW-REC2593 (2)	53 LBS	88 LBS	176 LBS	71 LBS
TREC661824	66	18	24	WW-REC2593 (2)	64 LBS	106 LBS	211 LBS	85 LBS
TREC661830	66	18	30	WW-REC2593 (2)	74 LBS	123 LBS	246 LBS	99 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC661836	66	18	36	WW-REC2593 (2)	85 LBS	141 LBS	281 LBS	113 LBS
TREC661842	66	18	42	WW-REC2593 (2)	95 LBS	158 LBS	316 LBS	127 LBS
TREC661848	66	18	48	WW-REC2593 (2)	106 LBS	176 LBS	351 LBS	141 LBS
TREC662418	66	24	18	WW-REC2593 (2)	60 LBS	100 LBS	199 LBS	80 LBS
TREC662424	66	24	24	WW-REC2593 (2)	71 LBS	119 LBS	237 LBS	95 LBS
TREC662430	66	24	30	WW-REC2593 (2)	83 LBS	137 LBS	274 LBS	110 LBS
TREC662436	66	24	36	WW-REC2593 (2)	94 LBS	156 LBS	312 LBS	125 LBS
TREC662442	66	24	42	WW-REC2593 (2)	105 LBS	175 LBS	349 LBS	140 LBS
TREC662448	66	24	48	WW-REC2593 (2)	116 LBS	194 LBS	387 LBS	155 LBS
TREC663018	66	30	18	WW-REC2593 (2)	67 LBS	112 LBS	223 LBS	89 LBS
TREC663024	66	30	24	WW-REC2593 (2)	79 LBS	132 LBS	263 LBS	105 LBS
TREC663030	66	30	30	WW-REC2593 (2)	91 LBS	152 LBS	303 LBS	121 LBS
TREC663036	66	30	36	WW-REC2593 (2)	103 LBS	172 LBS	343 LBS	137 LBS
TREC663042	66	30	42	WW-REC2593 (2)	115 LBS	192 LBS	383 LBS	153 LBS
TREC663048	66	30	48	WW-REC2593 (2)	127 LBS	212 LBS	423 LBS	169 LBS
TREC663618	66	36	18	WW-REC2593 (4)	74 LBS	123 LBS	246 LBS	99 LBS
TREC663624	66	36	24	WW-REC2593 (4)	87 LBS	144 LBS	288 LBS	116 LBS
TREC663630	66	36	30	WW-REC2593 (4)	100 LBS	166 LBS	331 LBS	133 LBS
TREC663636	66	36	36	WW-REC2593 (4)	112 LBS	187 LBS	373 LBS	150 LBS
TREC663642	66	36	42	WW-REC2593 (4)	125 LBS	208 LBS	416 LBS	167 LBS
TREC663648	66	36	48	WW-REC2593 (4)	138 LBS	229 LBS	458 LBS	184 LBS
TREC664218	66	42	18	WW-REC2593 (4)	81 LBS	135 LBS	269 LBS	108 LBS
TREC664224	66	42	24	WW-REC2593 (4)	95 LBS	157 LBS	314 LBS	126 LBS
TREC664230	66	42	30	WW-REC2593 (4)	108 LBS	180 LBS	359 LBS	144 LBS
TREC664236	66	42	36	WW-REC2593 (4)	122 LBS	202 LBS	404 LBS	162 LBS
TREC664242	66	42	42	WW-REC2593 (4)	135 LBS	225 LBS	449 LBS	180 LBS
TREC664248	66	42	48	WW-REC2593 (4)	149 LBS	247 LBS	494 LBS	198 LBS
TREC721518	72	15	18	WW-TAP-33 (2)	53 LBS	89 LBS	177 LBS	71 LBS
TREC721524	72	15	24	WW-TAP-33 (2)	64 LBS	107 LBS	213 LBS	86 LBS
TREC721530	72	15	30	WW-TAP-33 (2)	75 LBS	125 LBS	249 LBS	100 LBS
TREC721536	72	15	36	WW-TAP-33 (2)	86 LBS	143 LBS	286 LBS	115 LBS
TREC721542	72	15	42	WW-TAP-33 (2)	97 LBS	161 LBS	322 LBS	129 LBS
TREC721548	72	15	48	WW-TAP-33 (2)	108 LBS	179 LBS	358 LBS	144 LBS
TREC721818	72	18	18	WW-REC2593 (2)	57 LBS	95 LBS	189 LBS	76 LBS
TREC721824	72	18	24	WW-REC2593 (2)	68 LBS	114 LBS	227 LBS	91 LBS
TREC721830	72	18	30	WW-REC2593 (2)	80 LBS	132 LBS	264 LBS	106 LBS
TREC721836	72	18	36	WW-REC2593 (2)	91 LBS	151 LBS	302 LBS	121 LBS
TREC721842	72	18	42	WW-REC2593 (2)	102 LBS	170 LBS	339 LBS	136 LBS
TREC721848	72	18	48	WW-REC2593 (2)	113 LBS	189 LBS	377 LBS	151 LBS
TREC722418	72	24	18	WW-REC2593 (2)	64 LBS	107 LBS	214 LBS	86 LBS
TREC722424	72	24	24	WW-REC2593 (2)	76 LBS	127 LBS	254 LBS	102 LBS
TREC722430	72	24	30	WW-REC2593 (2)	88 LBS	147 LBS	294 LBS	118 LBS
TREC722436	72	24	36	WW-REC2593 (2)	100 LBS	167 LBS	334 LBS	134 LBS
TREC722442	72	24	42	WW-REC2593 (2)	112 LBS	187 LBS	374 LBS	150 LBS
TREC722448	72	24	48	WW-REC2593 (2)	124 LBS	207 LBS	414 LBS	166 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC723018	72	30	18	WW-REC2593 (2)	72 LBS	119 LBS	238 LBS	96 LBS
TREC723024	72	30	24	WW-REC2593 (2)	85 LBS	141 LBS	281 LBS	113 LBS
TREC723030	72	30	30	WW-REC2593 (2)	97 LBS	162 LBS	323 LBS	130 LBS
TREC723036	72	30	36	WW-REC2593 (2)	110 LBS	183 LBS	366 LBS	147 LBS
TREC723042	72	30	42	WW-REC2593 (2)	123 LBS	204 LBS	408 LBS	164 LBS
TREC723048	72	30	48	WW-REC2593 (2)	136 LBS	226 LBS	451 LBS	181 LBS
TREC723618	72	36	18	WW-REC2593 (4)	79 LBS	132 LBS	263 LBS	105 LBS
TREC723624	72	36	24	WW-REC2593 (4)	93 LBS	154 LBS	308 LBS	123 LBS
TREC723630	72	36	30	WW-REC2593 (4)	106 LBS	177 LBS	353 LBS	141 LBS
TREC723636	72	36	36	WW-REC2593 (4)	120 LBS	199 LBS	398 LBS	159 LBS
TREC723642	72	36	42	WW-REC2593 (4)	133 LBS	222 LBS	443 LBS	177 LBS
TREC723648	72	36	48	WW-REC2593 (4)	147 LBS	244 LBS	488 LBS	195 LBS
TREC724218	72	42	18	WW-REC2593 (4)	87 LBS	144 LBS	288 LBS	115 LBS
TREC724224	72	42	24	WW-REC2593 (4)	101 LBS	168 LBS	335 LBS	134 LBS
TREC724230	72	42	30	WW-REC2593 (4)	115 LBS	192 LBS	383 LBS	153 LBS
TREC724236	72	42	36	WW-REC2593 (4)	129 LBS	215 LBS	430 LBS	172 LBS
TREC724242	72	42	42	WW-REC2593 (4)	144 LBS	239 LBS	478 LBS	191 LBS
TREC724248	72	42	48	WW-REC2593 (4)	158 LBS	263 LBS	525 LBS	210 LBS
TREC781518	78	15	18	WW-TAP-33 (2)	57 LBS	95 LBS	190 LBS	76 LBS
TREC781524	78	15	24	WW-TAP-33 (2)	69 LBS	114 LBS	228 LBS	92 LBS
TREC781530	78	15	30	WW-TAP-33 (2)	80 LBS	134 LBS	267 LBS	107 LBS
TREC781536	78	15	36	WW-TAP-33 (2)	92 LBS	153 LBS	306 LBS	123 LBS
TREC781542	78	15	42	WW-TAP-33 (2)	104 LBS	173 LBS	345 LBS	138 LBS
TREC781548	78	15	48	WW-TAP-33 (2)	115 LBS	192 LBS	383 LBS	154 LBS
TREC781818	78	18	18	WW-REC2593 (2)	61 LBS	102 LBS	203 LBS	81 LBS
TREC781824	78	18	24	WW-REC2593 (2)	73 LBS	122 LBS	243 LBS	97 LBS
TREC781830	78	18	30	WW-REC2593 (2)	85 LBS	142 LBS	283 LBS	113 LBS
TREC781836	78	18	36	WW-REC2593 (2)	97 LBS	162 LBS	323 LBS	129 LBS
TREC781842	78	18	42	WW-REC2593 (2)	109 LBS	182 LBS	363 LBS	145 LBS
TREC781848	78	18	48	WW-REC2593 (2)	121 LBS	202 LBS	403 LBS	161 LBS
TREC782418	78	24	18	WW-REC2593 (2)	69 LBS	114 LBS	228 LBS	92 LBS
TREC782424	78	24	24	WW-REC2593 (2)	82 LBS	136 LBS	271 LBS	109 LBS
TREC782430	78	24	30	WW-REC2593 (2)	94 LBS	157 LBS	313 LBS	126 LBS
TREC782436	78	24	36	WW-REC2593 (2)	107 LBS	178 LBS	356 LBS	143 LBS
TREC782442	78	24	42	WW-REC2593 (2)	120 LBS	199 LBS	398 LBS	160 LBS
TREC782448	78	24	48	WW-REC2593 (2)	133 LBS	221 LBS	441 LBS	177 LBS
TREC783018	78	30	18	WW-REC2593 (2)	77 LBS	127 LBS	254 LBS	102 LBS
TREC783024	78	30	24	WW-REC2593 (2)	90 LBS	150 LBS	299 LBS	120 LBS
TREC783030	78	30	30	WW-REC2593 (2)	104 LBS	172 LBS	344 LBS	138 LBS
TREC783036	78	30	36	WW-REC2593 (2)	117 LBS	195 LBS	389 LBS	156 LBS
TREC783042	78	30	42	WW-REC2593 (2)	131 LBS	217 LBS	434 LBS	174 LBS
TREC783048	78	30	48	WW-REC2593 (2)	144 LBS	240 LBS	479 LBS	192 LBS
TREC783618	78	36	18	WW-REC2593 (4)	84 LBS	140 LBS	280 LBS	112 LBS
TREC783624	78	36	24	WW-REC2593 (4)	99 LBS	164 LBS	328 LBS	131 LBS
TREC783630	78	36	30	WW-REC2593 (4)	113 LBS	188 LBS	375 LBS	150 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC783636	78	36	36	WW-REC2593 (4)	127 LBS	212 LBS	423 LBS	169 LBS
TREC783642	78	36	42	WW-REC2593 (4)	141 LBS	235 LBS	470 LBS	188 LBS
TREC783648	78	36	48	WW-REC2593 (4)	156 LBS	259 LBS	518 LBS	207 LBS
TREC784218	78	42	18	WW-REC2593 (4)	92 LBS	153 LBS	306 LBS	123 LBS
TREC784224	78	42	24	WW-REC2593 (4)	107 LBS	178 LBS	356 LBS	143 LBS
TREC784230	78	42	30	WW-REC2593 (4)	122 LBS	203 LBS	406 LBS	163 LBS
TREC784236	78	42	36	WW-REC2593 (4)	137 LBS	228 LBS	456 LBS	183 LBS
TREC784242	78	42	42	WW-REC2593 (4)	152 LBS	253 LBS	506 LBS	203 LBS
TREC784248	78	42	48	WW-REC2593 (4)	167 LBS	278 LBS	556 LBS	223 LBS
TREC841518	84	15	18	WW-TAP-33 (2)	61 LBS	101 LBS	202 LBS	81 LBS
TREC841524	84	15	24	WW-TAP-33 (2)	73 LBS	122 LBS	244 LBS	98 LBS
TREC841530	84	15	30	WW-TAP-33 (2)	86 LBS	143 LBS	285 LBS	114 LBS
TREC841536	84	15	36	WW-TAP-33 (2)	98 LBS	163 LBS	326 LBS	131 LBS
TREC841542	84	15	42	WW-TAP-33 (2)	111 LBS	184 LBS	367 LBS	147 LBS
TREC841548	84	15	48	WW-TAP-33 (2)	123 LBS	205 LBS	409 LBS	164 LBS
TREC841818	84	18	18	WW-REC3793 (2)	65 LBS	108 LBS	216 LBS	87 LBS
TREC841824	84	18	24	WW-REC3793 (2)	78 LBS	129 LBS	258 LBS	104 LBS
TREC841830	84	18	30	WW-REC3793 (2)	91 LBS	151 LBS	301 LBS	121 LBS
TREC841836	84	18	36	WW-REC3793 (2)	103 LBS	172 LBS	343 LBS	138 LBS
TREC841842	84	18	42	WW-REC3793 (2)	116 LBS	193 LBS	386 LBS	155 LBS
TREC841848	84	18	48	WW-REC3793 (2)	129 LBS	214 LBS	428 LBS	172 LBS
TREC842418	84	24	18	WW-REC3793 (2)	73 LBS	122 LBS	243 LBS	97 LBS
TREC842424	84	24	24	WW-REC3793 (2)	87 LBS	144 LBS	288 LBS	115 LBS
TREC842430	84	24	30	WW-REC3793 (2)	100 LBS	167 LBS	333 LBS	133 LBS
TREC842436	84	24	36	WW-REC3793 (2)	114 LBS	189 LBS	378 LBS	151 LBS
TREC842442	84	24	42	WW-REC3793 (2)	127 LBS	212 LBS	423 LBS	169 LBS
TREC842448	84	24	48	WW-REC3793 (2)	141 LBS	234 LBS	468 LBS	187 LBS
TREC843018	84	30	18	WW-REC3793 (2)	81 LBS	135 LBS	270 LBS	108 LBS
TREC843024	84	30	24	WW-REC3793 (2)	96 LBS	159 LBS	318 LBS	127 LBS
TREC843030	84	30	30	WW-REC3793 (2)	110 LBS	183 LBS	365 LBS	146 LBS
TREC843036	84	30	36	WW-REC3793 (2)	124 LBS	207 LBS	413 LBS	165 LBS
TREC843042	84	30	42	WW-REC3793 (2)	138 LBS	230 LBS	460 LBS	184 LBS
TREC843048	84	30	48	WW-REC3793 (2)	153 LBS	254 LBS	508 LBS	203 LBS
TREC843618	84	36	18	WW-REC3793 (4)	89 LBS	149 LBS	297 LBS	119 LBS
TREC843624	84	36	24	WW-REC3793 (4)	104 LBS	174 LBS	347 LBS	139 LBS
TREC843630	84	36	30	WW-REC3793 (4)	119 LBS	199 LBS	397 LBS	159 LBS
TREC843636	84	36	36	WW-REC3793 (4)	134 LBS	224 LBS	447 LBS	179 LBS
TREC843642	84	36	42	WW-REC3793 (4)	149 LBS	249 LBS	497 LBS	199 LBS
TREC843648	84	36	48	WW-REC3793 (4)	164 LBS	274 LBS	547 LBS	219 LBS
TREC844218	84	42	18	WW-REC3793 (4)	98 LBS	162 LBS	324 LBS	130 LBS
TREC844224	84	42	24	WW-REC3793 (4)	113 LBS	189 LBS	377 LBS	151 LBS
TREC844230	84	42	30	WW-REC3793 (4)	129 LBS	215 LBS	429 LBS	172 LBS
TREC844236	84	42	36	WW-REC3793 (4)	145 LBS	241 LBS	482 LBS	193 LBS
TREC844242	84	42	42	WW-REC3793 (4)	161 LBS	267 LBS	534 LBS	214 LBS
TREC844248	84	42	48	WW-REC3793 (4)	176 LBS	294 LBS	587 LBS	235 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC901518	90	15	18	WW-TAP-21 (3)	65 LBS	108 LBS	215 LBS	86 LBS
TREC901524	90	15	24	WW-TAP-21 (3)	78 LBS	130 LBS	259 LBS	104 LBS
TREC901530	90	15	30	WW-TAP-21 (3)	91 LBS	152 LBS	303 LBS	121 LBS
TREC901536	90	15	36	WW-TAP-21 (3)	104 LBS	173 LBS	346 LBS	139 LBS
TREC901542	90	15	42	WW-TAP-21 (3)	117 LBS	195 LBS	390 LBS	156 LBS
TREC901548	90	15	48	WW-TAP-21 (3)	130 LBS	217 LBS	434 LBS	174 LBS
TREC901818	90	18	18	WW-REC3793 (2)	69 LBS	115 LBS	229 LBS	92 LBS
TREC901824	90	18	24	WW-REC3793 (2)	83 LBS	137 LBS	274 LBS	110 LBS
TREC901830	90	18	30	WW-REC3793 (2)	96 LBS	160 LBS	319 LBS	128 LBS
TREC901836	90	18	36	WW-REC3793 (2)	110 LBS	182 LBS	364 LBS	146 LBS
TREC901842	90	18	42	WW-REC3793 (2)	123 LBS	205 LBS	409 LBS	164 LBS
TREC901848	90	18	48	WW-REC3793 (2)	137 LBS	227 LBS	454 LBS	182 LBS
TREC902418	90	24	18	WW-REC3793 (2)	78 LBS	129 LBS	258 LBS	103 LBS
TREC902424	90	24	24	WW-REC3793 (2)	92 LBS	153 LBS	305 LBS	122 LBS
TREC902430	90	24	30	WW-REC3793 (2)	106 LBS	177 LBS	353 LBS	141 LBS
TREC902436	90	24	36	WW-REC3793 (2)	120 LBS	200 LBS	400 LBS	160 LBS
TREC902442	90	24	42	WW-REC3793 (2)	135 LBS	224 LBS	448 LBS	179 LBS
TREC902448	90	24	48	WW-REC3793 (2)	149 LBS	248 LBS	495 LBS	198 LBS
TREC903018	90	30	18	WW-REC3793 (2)	86 LBS	143 LBS	286 LBS	115 LBS
TREC903024	90	30	24	WW-REC3793 (2)	101 LBS	168 LBS	336 LBS	135 LBS
TREC903030	90	30	30	WW-REC3793 (2)	116 LBS	193 LBS	386 LBS	155 LBS
TREC903036	90	30	36	WW-REC3793 (2)	131 LBS	218 LBS	436 LBS	175 LBS
TREC903042	90	30	42	WW-REC3793 (2)	146 LBS	243 LBS	486 LBS	195 LBS
TREC903048	90	30	48	WW-REC3793 (2)	161 LBS	268 LBS	536 LBS	215 LBS
TREC903618	90	36	18	WW-REC3793 (4)	95 LBS	157 LBS	314 LBS	126 LBS
TREC903624	90	36	24	WW-REC3793 (4)	110 LBS	184 LBS	367 LBS	147 LBS
TREC903630	90	36	30	WW-REC3793 (4)	126 LBS	210 LBS	419 LBS	168 LBS
TREC903636	90	36	36	WW-REC3793 (4)	142 LBS	236 LBS	472 LBS	189 LBS
TREC903642	90	36	42	WW-REC3793 (4)	158 LBS	262 LBS	524 LBS	210 LBS
TREC903648	90	36	48	WW-REC3793 (4)	173 LBS	289 LBS	577 LBS	231 LBS
TREC904218	90	42	18	WW-REC3793 (4)	103 LBS	172 LBS	343 LBS	137 LBS
TREC904224	90	42	24	WW-REC3793 (4)	120 LBS	199 LBS	398 LBS	159 LBS
TREC904230	90	42	30	WW-REC3793 (4)	136 LBS	227 LBS	453 LBS	181 LBS
TREC904236	90	42	36	WW-REC3793 (4)	153 LBS	254 LBS	508 LBS	203 LBS
TREC904242	90	42	42	WW-REC3793 (4)	169 LBS	282 LBS	563 LBS	225 LBS
TREC904248	90	42	48	WW-REC3793 (4)	186 LBS	309 LBS	618 LBS	247 LBS
TREC961518	96	15	18	WW-TAP-21 (3)	69 LBS	114 LBS	228 LBS	91 LBS
TREC961524	96	15	24	WW-TAP-21 (3)	83 LBS	137 LBS	274 LBS	110 LBS
TREC961530	96	15	30	WW-TAP-21 (3)	96 LBS	160 LBS	320 LBS	128 LBS
TREC961536	96	15	36	WW-TAP-21 (3)	110 LBS	184 LBS	367 LBS	147 LBS
TREC961542	96	15	42	WW-TAP-21 (3)	124 LBS	207 LBS	413 LBS	165 LBS
TREC961548	96	15	48	WW-TAP-21 (3)	138 LBS	230 LBS	459 LBS	184 LBS
TREC961818	96	18	18	WW-REC3793 (2)	73 LBS	122 LBS	243 LBS	97 LBS
TREC961824	96	18	24	WW-REC3793 (2)	87 LBS	145 LBS	290 LBS	116 LBS
TREC961830	96	18	30	WW-REC3793 (2)	102 LBS	169 LBS	338 LBS	135 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC961836	96	18	36	WW-REC3793 (2)	116 LBS	193 LBS	385 LBS	154 LBS
TREC961842	96	18	42	WW-REC3793 (2)	130 LBS	217 LBS	433 LBS	173 LBS
TREC961848	96	18	48	WW-REC3793 (2)	144 LBS	240 LBS	480 LBS	192 LBS
TREC962418	96	24	18	WW-REC3793 (2)	82 LBS	136 LBS	272 LBS	109 LBS
TREC962424	96	24	24	WW-REC3793 (2)	97 LBS	161 LBS	322 LBS	129 LBS
TREC962430	96	24	30	WW-REC3793 (2)	112 LBS	186 LBS	372 LBS	149 LBS
TREC962436	96	24	36	WW-REC3793 (2)	127 LBS	211 LBS	422 LBS	169 LBS
TREC962442	96	24	42	WW-REC3793 (2)	142 LBS	236 LBS	472 LBS	189 LBS
TREC962448	96	24	48	WW-REC3793 (2)	157 LBS	261 LBS	522 LBS	209 LBS
TREC963018	96	30	18	WW-REC3793 (2)	91 LBS	151 LBS	302 LBS	121 LBS
TREC963024	96	30	24	WW-REC3793 (2)	107 LBS	177 LBS	354 LBS	142 LBS
TREC963030	96	30	30	WW-REC3793 (2)	122 LBS	204 LBS	407 LBS	163 LBS
TREC963036	96	30	36	WW-REC3793 (2)	138 LBS	230 LBS	459 LBS	184 LBS
TREC963042	96	30	42	WW-REC3793 (2)	154 LBS	256 LBS	512 LBS	205 LBS
TREC963048	96	30	48	WW-REC3793 (2)	170 LBS	282 LBS	564 LBS	226 LBS
TREC963618	96	36	18	WW-REC3793 (4)	100 LBS	166 LBS	331 LBS	133 LBS
TREC963624	96	36	24	WW-REC3793 (4)	116 LBS	193 LBS	386 LBS	155 LBS
TREC963630	96	36	30	WW-REC3793 (4)	133 LBS	221 LBS	441 LBS	177 LBS
TREC963636	96	36	36	WW-REC3793 (4)	149 LBS	248 LBS	496 LBS	199 LBS
TREC963642	96	36	42	WW-REC3793 (4)	166 LBS	276 LBS	551 LBS	221 LBS
TREC963648	96	36	48	WW-REC3793 (4)	182 LBS	303 LBS	606 LBS	243 LBS
TREC964218	96	42	18	WW-REC3793 (4)	109 LBS	181 LBS	361 LBS	145 LBS
TREC964224	96	42	24	WW-REC3793 (4)	126 LBS	209 LBS	418 LBS	168 LBS
TREC964230	96	42	30	WW-REC3793 (4)	143 LBS	238 LBS	476 LBS	191 LBS
TREC964236	96	42	36	WW-REC3793 (4)	160 LBS	267 LBS	533 LBS	214 LBS
TREC964242	96	42	42	WW-REC3793 (4)	178 LBS	296 LBS	591 LBS	237 LBS
TREC964248	96	42	48	WW-REC3793 (4)	195 LBS	324 LBS	648 LBS	260 LBS
TREC1081518	108	15	18	WW-TAP-33 (3)	76 LBS	127 LBS	253 LBS	102 LBS
TREC1081524	108	15	24	WW-TAP-33 (3)	92 LBS	152 LBS	304 LBS	122 LBS
TREC1081530	108	15	30	WW-TAP-33 (3)	107 LBS	178 LBS	356 LBS	143 LBS
TREC1081536	108	15	36	WW-TAP-33 (3)	122 LBS	204 LBS	407 LBS	163 LBS
TREC1081542	108	15	42	WW-TAP-33 (3)	138 LBS	229 LBS	458 LBS	184 LBS
TREC1081548	108	15	48	WW-TAP-33 (3)	153 LBS	255 LBS	509 LBS	204 LBS
TREC1081818	108	18	18	WW-REC2593 (3)	81 LBS	135 LBS	269 LBS	108 LBS
TREC1081824	108	18	24	WW-REC2593 (3)	97 LBS	161 LBS	322 LBS	129 LBS
TREC1081830	108	18	30	WW-REC2593 (3)	113 LBS	187 LBS	374 LBS	150 LBS
TREC1081836	108	18	36	WW-REC2593 (3)	128 LBS	214 LBS	427 LBS	171 LBS
TREC1081842	108	18	42	WW-REC2593 (3)	144 LBS	240 LBS	479 LBS	192 LBS
TREC1081848	108	18	48	WW-REC2593 (3)	160 LBS	266 LBS	532 LBS	213 LBS
TREC1082418	108	24	18	WW-REC2593 (3)	91 LBS	151 LBS	301 LBS	121 LBS
TREC1082424	108	24	24	WW-REC2593 (3)	107 LBS	178 LBS	356 LBS	143 LBS
TREC1082430	108	24	30	WW-REC2593 (3)	124 LBS	206 LBS	411 LBS	165 LBS
TREC1082436	108	24	36	WW-REC2593 (3)	140 LBS	233 LBS	466 LBS	187 LBS
TREC1082442	108	24	42	WW-REC2593 (3)	157 LBS	261 LBS	521 LBS	209 LBS
TREC1082448	108	24	48	WW-REC2593 (3)	173 LBS	288 LBS	576 LBS	231 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC1083018	108	30	18	WW-REC2593 (3)	100 LBS	167 LBS	333 LBS	134 LBS
TREC1083024	108	30	24	WW-REC2593 (3)	118 LBS	196 LBS	391 LBS	157 LBS
TREC1083030	108	30	30	WW-REC2593 (3)	135 LBS	224 LBS	448 LBS	180 LBS
TREC1083036	108	30	36	WW-REC2593 (3)	152 LBS	253 LBS	506 LBS	203 LBS
TREC1083042	108	30	42	WW-REC2593 (3)	169 LBS	282 LBS	563 LBS	226 LBS
TREC1083048	108	30	48	WW-REC2593 (3)	187 LBS	311 LBS	621 LBS	249 LBS
TREC1083618	108	36	18	WW-REC2593 (6)	110 LBS	183 LBS	365 LBS	146 LBS
TREC1083624	108	36	24	WW-REC2593 (6)	128 LBS	213 LBS	425 LBS	170 LBS
TREC1083630	108	36	30	WW-REC2593 (6)	146 LBS	243 LBS	485 LBS	194 LBS
TREC1083636	108	36	36	WW-REC2593 (6)	164 LBS	273 LBS	545 LBS	218 LBS
TREC1083642	108	36	42	WW-REC2593 (6)	182 LBS	303 LBS	605 LBS	242 LBS
TREC1083648	108	36	48	WW-REC2593 (6)	200 LBS	333 LBS	665 LBS	266 LBS
TREC1084218	108	42	18	WW-REC2593 (6)	120 LBS	199 LBS	398 LBS	159 LBS
TREC1084224	108	42	24	WW-REC2593 (6)	138 LBS	230 LBS	460 LBS	184 LBS
TREC1084230	108	42	30	WW-REC2593 (6)	157 LBS	262 LBS	523 LBS	209 LBS
TREC1084236	108	42	36	WW-REC2593 (6)	176 LBS	293 LBS	585 LBS	234 LBS
TREC1084242	108	42	42	WW-REC2593 (6)	195 LBS	324 LBS	648 LBS	259 LBS
TREC1084248	108	42	48	WW-REC2593 (6)	213 LBS	355 LBS	710 LBS	284 LBS
TREC1201518	120	15	18	WW-TAP-33 (3)	84 LBS	140 LBS	279 LBS	112 LBS
TREC1201524	120	15	24	WW-TAP-33 (3)	101 LBS	168 LBS	335 LBS	134 LBS
TREC1201530	120	15	30	WW-TAP-33 (3)	118 LBS	196 LBS	391 LBS	157 LBS
TREC1201536	120	15	36	WW-TAP-33 (3)	135 LBS	224 LBS	447 LBS	179 LBS
TREC1201542	120	15	42	WW-TAP-33 (3)	151 LBS	252 LBS	504 LBS	202 LBS
TREC1201548	120	15	48	WW-TAP-33 (3)	168 LBS	280 LBS	560 LBS	224 LBS
TREC1201818	120	18	18	WW-REC3793 (3)	89 LBS	148 LBS	296 LBS	119 LBS
TREC1201824	120	18	24	WW-REC3793 (3)	106 LBS	177 LBS	353 LBS	142 LBS
TREC1201830	120	18	30	WW-REC3793 (3)	124 LBS	206 LBS	411 LBS	165 LBS
TREC1201836	120	18	36	WW-REC3793 (3)	141 LBS	234 LBS	468 LBS	188 LBS
TREC1201842	120	18	42	WW-REC3793 (3)	158 LBS	263 LBS	526 LBS	211 LBS
TREC1201848	120	18	48	WW-REC3793 (3)	175 LBS	292 LBS	583 LBS	234 LBS
TREC1202418	120	24	18	WW-REC3793 (3)	99 LBS	165 LBS	330 LBS	132 LBS
TREC1202424	120	24	24	WW-REC3793 (3)	117 LBS	195 LBS	390 LBS	156 LBS
TREC1202430	120	24	30	WW-REC3793 (3)	135 LBS	225 LBS	450 LBS	180 LBS
TREC1202436	120	24	36	WW-REC3793 (3)	153 LBS	255 LBS	510 LBS	204 LBS
TREC1202442	120	24	42	WW-REC3793 (3)	171 LBS	285 LBS	570 LBS	228 LBS
TREC1202448	120	24	48	WW-REC3793 (3)	189 LBS	315 LBS	630 LBS	252 LBS
TREC1203018	120	30	18	WW-REC3793 (3)	110 LBS	183 LBS	365 LBS	146 LBS
TREC1203024	120	30	24	WW-REC3793 (3)	129 LBS	214 LBS	428 LBS	171 LBS
TREC1203030	120	30	30	WW-REC3793 (3)	147 LBS	245 LBS	490 LBS	196 LBS
TREC1203036	120	30	36	WW-REC3793 (3)	166 LBS	277 LBS	553 LBS	221 LBS
TREC1203042	120	30	42	WW-REC3793 (3)	185 LBS	308 LBS	615 LBS	246 LBS
TREC1203048	120	30	48	WW-REC3793 (3)	204 LBS	339 LBS	678 LBS	271 LBS
TREC1203618	120	36	18	WW-REC3793 (6)	120 LBS	200 LBS	400 LBS	160 LBS
TREC1203624	120	36	24	WW-REC3793 (6)	140 LBS	233 LBS	465 LBS	186 LBS
TREC1203630	120	36	30	WW-REC3793 (6)	159 LBS	265 LBS	530 LBS	212 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TREC1203636	120	36	36	WW-REC3793 (6)	179 LBS	298 LBS	595 LBS	238 LBS
TREC1203642	120	36	42	WW-REC3793 (6)	198 LBS	330 LBS	660 LBS	264 LBS
TREC1203648	120	36	48	WW-REC3793 (6)	218 LBS	363 LBS	725 LBS	290 LBS
TREC1204218	120	42	18	WW-REC3793 (6)	131 LBS	217 LBS	434 LBS	174 LBS
TREC1204224	120	42	24	WW-REC3793 (6)	151 LBS	251 LBS	502 LBS	201 LBS
TREC1204230	120	42	30	WW-REC3793 (6)	171 LBS	285 LBS	569 LBS	228 LBS
TREC1204236	120	42	36	WW-REC3793 (6)	191 LBS	319 LBS	637 LBS	255 LBS
TREC1204242	120	42	42	WW-REC3793 (6)	212 LBS	352 LBS	704 LBS	282 LBS
TREC1204248	120	42	48	WW-REC3793 (6)	232 LBS	386 LBS	772 LBS	309 LBS

Custom sizing available on request.
Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

SQUARES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TS1818	18	18	18	WW-R7	21 lbs	35 lbs	69 lbs	28 lbs
TS1824	18	18	24	WW-R7	26 lbs	42 lbs	84 lbs	34 lbs
TS1830	18	18	30	WW-R7	30 lbs	50 lbs	99 lbs	40 lbs
TS1836	18	18	36	WW-R7	35 lbs	57 lbs	114 lbs	46 lbs
TS1842	18	18	42	WW-R7	39 lbs	65 lbs	129 lbs	52 lbs
TS1848	18	18	48	WW-R7	44 lbs	72 lbs	144 lbs	58 lbs
TS1854	18	18	54	WW-R7	48 lbs	80 lbs	159 lbs	64 lbs
TS1860	18	18	60	WW-R7	53 lbs	87 lbs	174 lbs	70 lbs
TS2418	24	24	18	WW-R13	29 lbs	49 lbs	97 lbs	39 lbs
TS2424	24	24	24	WW-R13	35 lbs	59 lbs	117 lbs	47 lbs
TS2430	24	24	30	WW-R13	41 lbs	69 lbs	137 lbs	55 lbs
TS2436	24	24	36	WW-R13	47 lbs	79 lbs	157 lbs	63 lbs
TS2442	24	24	42	WW-R13	53 lbs	89 lbs	177 lbs	71 lbs
TS2448	24	24	48	WW-R13	59 lbs	99 lbs	197 lbs	79 lbs
TS2454	24	24	54	WW-R13	65 lbs	109 lbs	217 lbs	87 lbs
TS2460	24	24	60	WW-R13	71 lbs	119 lbs	237 lbs	95 lbs
TS3018	30	30	18	WW-R18	39 lbs	64 lbs	128 lbs	51 lbs
TS3024	30	30	24	WW-R18	46 lbs	77 lbs	153 lbs	61 lbs
TS3030	30	30	30	WW-R18	54 lbs	89 lbs	178 lbs	71 lbs
TS3036	30	30	36	WW-R18	61 lbs	102 lbs	203 lbs	81 lbs
TS3042	30	30	42	WW-R18	69 lbs	114 lbs	228 lbs	91 lbs
TS3048	30	30	48	WW-R18	76 lbs	127 lbs	253 lbs	101 lbs
TS3054	30	30	54	WW-R18	84 lbs	139 lbs	278 lbs	111 lbs
TS3060	30	30	60	WW-R18	91 lbs	152 lbs	303 lbs	121 lbs
TS3618	36	36	18	WW-R24	48 lbs	80 lbs	160 lbs	64 lbs
TS3624	36	36	24	WW-R24	57 lbs	95 lbs	190 lbs	76 lbs
TS3630	36	36	30	WW-R24	66 lbs	110 lbs	220 lbs	88 lbs
TS3636	36	36	36	WW-R24	75 lbs	125 lbs	250 lbs	100 lbs
TS3642	36	36	42	WW-R24	84 lbs	140 lbs	280 lbs	112 lbs
TS3648	36	36	48	WW-R24	93 lbs	155 lbs	310 lbs	124 lbs
TS3654	36	36	54	WW-R24	102 lbs	170 lbs	340 lbs	136 lbs
TS3660	36	36	60	WW-R24	111 lbs	185 lbs	370 lbs	148 lbs
TS4218	42	42	18	WW-R28	59 lbs	98 lbs	196 lbs	79 lbs
TS4224	42	42	24	WW-R28	70 lbs	116 lbs	231 lbs	93 lbs
TS4230	42	42	30	WW-R28	80 lbs	133 lbs	266 lbs	107 lbs
TS4236	42	42	36	WW-R28	91 lbs	151 lbs	301 lbs	121 lbs
TS4242	42	42	42	WW-R28	101 lbs	168 lbs	336 lbs	135 lbs
TS4248	42	42	48	WW-R28	112 lbs	186 lbs	371 lbs	149 lbs
TS4254	42	42	54	WW-R28	122 lbs	203 lbs	406 lbs	163 lbs
TS4260	42	42	60	WW-R28	133 lbs	221 lbs	441 lbs	177 lbs
TS4818	48	48	18	WW-R36	70 lbs	117 lbs	234 lbs	94 lbs
TS4824	48	48	24	WW-R36	82 LBS	137 LBS	274 LBS	110 lbs
TS4830	48	48	30	WW-R36	94 LBS	157 LBS	314 LBS	126 lbs
TS4836	48	48	36	WW-R36	106 LBS	177 LBS	354 LBS	142 lbs
TS4842	48	48	42	WW-R36	118 LBS	197 LBS	394 LBS	158 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS




MANHATTAN PLANTERS

SQUARES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TS4848	48	48	48	WW-R36	130 lbs	217 lbs	434 lbs	174 lbs
TS4854	48	48	54	WW-R36	142 lbs	237 lbs	474 lbs	190 lbs
TS4860	48	48	60	WW-R36	154 lbs	257 lbs	514 lbs	206 lbs
TS6018	60	60	18	WW-R46	95 lbs	159 lbs	317 lbs	127 lbs
TS6024	60	60	24	WW-R46	110 lbs	184 lbs	367 lbs	147 lbs
TS6030	60	60	30	WW-R46	125 lbs	209 lbs	417 lbs	167 lbs
TS6036	60	60	36	WW-R46	140 lbs	234 lbs	467 lbs	187 lbs
TS6042	60	60	42	WW-R46	155 lbs	259 lbs	517 lbs	207 lbs
TS6048	60	60	48	WW-R46	170 lbs	284 lbs	567 lbs	227 lbs
TS6054	60	60	54	WW-R46	185 lbs	309 lbs	617 lbs	247 lbs
TS6060	60	60	60	WW-R46	200 lbs	334 lbs	667 lbs	267 lbs
TS6618	66	66	18	WW-R46	109 lbs	182 lbs	363 lbs	145 lbs
TS6624	66	66	24	WW-R46	126 lbs	209 lbs	418 lbs	167 lbs
TS6630	66	66	30	WW-R46	142 lbs	237 lbs	473 lbs	189 lbs
TS6636	66	66	36	WW-R46	159 lbs	264 lbs	528 lbs	211 lbs
TS6642	66	66	42	WW-R46	175 lbs	292 lbs	583 lbs	233 lbs
TS6648	66	66	48	WW-R46	192 lbs	319 lbs	638 lbs	255 lbs
TS6654	66	66	54	WW-R46	208 lbs	347 lbs	693 lbs	277 lbs
TS6660	66	66	60	WW-R46	225 lbs	374 lbs	748 lbs	299 lbs
TS7218	72	72	18	WW-R60	123 lbs	205 lbs	410 lbs	164 lbs
TS7224	72	72	24	WW-R60	141 lbs	235 lbs	470 lbs	188 lbs
TS7230	72	72	30	WW-R60	159 lbs	265 lbs	530 lbs	212 lbs
TS7236	72	72	36	WW-R60	177 lbs	295 lbs	590 lbs	236 lbs
TS7242	72	72	42	WW-R60	195 lbs	325 lbs	650 lbs	260 lbs
TS7248	72	72	48	WW-R60	213 lbs	355 lbs	710 lbs	284 lbs
TS7254	72	72	54	WW-R60	231 lbs	385 lbs	770 lbs	308 lbs
TS7260	72	72	60	WW-R60	249 lbs	415 lbs	830 lbs	332 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.




ROUNDS

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TR1818	18	18	18	WW-R7	21 LBS	27 LBS		
TR1824	18	18	24	WW-R7	26 LBS	33 LBS		
TR1830	18	18	30	WW-R7	30 LBS	39 LBS		
TR1836	18	18	36	WW-R7	35 LBS	45 LBS		
TR1842	18	18	42	WW-R7	39 LBS	51 LBS		
TR1848	18	18	48	WW-R7	44 LBS	57 LBS		



SIZES & SPECIFICATIONS



MANHATTAN PLANTERS

ROUNDS


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TR1854	18	18	54	WW-R7	48 lbs	63 lbs		
TR1860	18	18	60	WW-R7	53 lbs	69 lbs		
TR2418	24	24	18	WW-R13	29 lbs	38 lbs		
TR2424	24	24	24	WW-R13	35 lbs	46 lbs		
TR2430	24	24	30	WW-R13	41 lbs	54 lbs		
TR2436	24	24	36	WW-R13	47 lbs	62 lbs		
TR2442	24	24	42	WW-R13	53 lbs	70 lbs		
TR2448	24	24	48	WW-R13	59 lbs	78 lbs		
TR2454	24	24	54	WW-R13	65 lbs	86 lbs		
TR2460	24	24	60	WW-R13	71 lbs	93 lbs		
TR3018	30	30	18	WW-R18	39 lbs	50 lbs		
TR3024	30	30	24	WW-R18	46 lbs	60 lbs		
TR3030	30	30	30	WW-R18	54 lbs	70 lbs		
TR3036	30	30	36	WW-R18	61 lbs	80 lbs		
TR3042	30	30	42	WW-R18	69 lbs	90 lbs		
TR3048	30	30	48	WW-R18	76 lbs	99 lbs		
TR3054	30	30	54	WW-R18	84 lbs	109 lbs		
TR3060	30	30	60	WW-R18	91 lbs	119 lbs		
TR3618	36	36	18	WW-R24	48 lbs	63 lbs		
TR3624	36	36	24	WW-R24	57 lbs	75 lbs		
TR3630	36	36	30	WW-R24	66 lbs	87 lbs		
TR3636	36	36	36	WW-R24	75 lbs	99 lbs		
TR3642	36	36	42	WW-R24	84 lbs	110 lbs		
TR3648	36	36	48	WW-R24	93 lbs	122 lbs		
TR3654	36	36	54	WW-R24	102 lbs	134 lbs		
TR3660	36	36	60	WW-R24	111 lbs	146 lbs		
TR4218	42	42	18	WW-R28	59 lbs	77 lbs		
TR4224	42	42	24	WW-R28	70 lbs	91 lbs		
TR4230	42	42	30	WW-R28	80 lbs	105 lbs		
TR4236	42	42	36	WW-R28	91 lbs	118 lbs		
TR4242	42	42	42	WW-R28	101 lbs	132 lbs		
TR4248	42	42	48	WW-R28	112 lbs	146 lbs		
TR4254	42	42	54	WW-R28	122 lbs	160 lbs		
TR4260	42	42	60	WW-R28	133 lbs	173 lbs		
TR4818	48	48	18	WW-R36	70 lbs	92 lbs		
TR4824	48	48	24	WW-R36	82 lbs	108 lbs		
TR4830	48	48	30	WW-R36	94 lbs	123 lbs		
TR4836	48	48	36	WW-R36	106 lbs	139 lbs		
TR4842	48	48	42	WW-R36	118 lbs	155 lbs		
TR4848	48	48	48	WW-R36	130 lbs	171 lbs		
TR4854	48	48	54	WW-R36	142 lbs	186 lbs		
TR4860	48	48	60	WW-R36	154 LBS	202 LBS		
TR6018	60	60	18	WW-R46	95 LBS	125 LBS		
TR6024	60	60	24	WW-R46	110 LBS	144 LBS		
TR6030	60	60	30	WW-R46	125 LBS	164 LBS		

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS




MANHATTAN PLANTERS

ROUNDS

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TR6036	60	60	36	WW-R46	140 LBS	184 LBS		
TR6042	60	60	42	WW-R46	155 LBS	203 LBS		
TR6048	60	60	48	WW-R46	170 LBS	223 LBS		
TR6054	60	60	54	WW-R46	185 LBS	243 LBS		
TR6060	60	60	60	WW-R46	200 LBS	262 LBS		
TR6618	66	66	18	WW-R46	109 LBS	143 LBS		
TR6624	66	66	24	WW-R46	126 LBS	164 LBS		
TR6630	66	66	30	WW-R46	142 LBS	186 LBS		
TR6636	66	66	36	WW-R46	159 LBS	207 LBS		
TR6642	66	66	42	WW-R46	175 LBS	229 LBS		
TR6648	66	66	48	WW-R46	192 LBS	251 LBS		
TR6654	66	66	54	WW-R46	208 LBS	272 LBS		
TR6660	66	66	60	WW-R46	225 LBS	294 LBS		
TR7218	72	72	18	WW-R60	123 LBS	161 LBS		
TR7224	72	72	24	WW-R60	141 LBS	185 LBS		
TR7230	72	72	30	WW-R60	159 LBS	209 LBS		
TR7236	72	72	36	WW-R60	177 LBS	232 LBS		
TR7242	72	72	42	WW-R60	195 LBS	256 LBS		
TR7248	72	72	48	WW-R60	213 LBS	279 LBS		
TR7254	72	72	54	WW-R60	231 LBS	303 LBS		
TR7260	72	72	60	WW-R60	249 LBS	326 LBS		
TS7254	72	72	54	WW-R60	231 LBS	385 LBS		
TS7260	72	72	60	WW-R60	249 LBS	415 LBS		

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



MANHATTAN PLANTERS

LOW BOWLS

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBER-STONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
TS1805	18	18	5	WW-R7	11 lbs	19 lbs	-	-
TS2406	24	24	6	WW-R13	17 lbs	29 lbs	-	-
TS3008	30	30	8	WW-R24	26 lbs	43 lbs	-	-
TS3609	36	36	9	WW-R24	35 lbs	58 lbs	-	-
TS4210	42	42	10	WW-R28	45 lbs	75 lbs	-	-
TS4811	48	48	11	WW-R36	56 lbs	94 lbs	-	-
TS5411	54	54	11	WW-R36	67 lbs	111 lbs	-	-
TS6011	60	60	11	WW-R46	78 lbs	130 lbs	-	-

