



MODERN PLANTERS




SHAPES



Round



Square



Rectangle




Round Low Bowl

MATERIAL	SQFT WEIGHT	COMMERCIAL GRADE	WEATHER RESISTANT	MAX STD HEIGHT	MAX STD LENGTH	CUSTOM SIZES	DRAINAGE	COLORS/ FINISHES
FIBERGLASS	1.5 lbs.	√	*	3.5'	10'	√	1/2"	24 COLORS, 4 FINISHES
FIBERSTONE	2.5 lbs.	√	*	3.5'	10'	√	1/2"	11 FINISHES
CORTEN STEEL POWDERED COATED	5.5 lbs.	√	*	4'	10'	√	1"	MILL FINISH
ALUMINUM	1.25 lbs.	√	*	-	-	√	-	-

Larger sizes available upon request





Irrigation Systems

Our irrigation systems fit any planter, reducing watering by delivering water directly to plant roots, ensuring optimal hydration and minimizing waste.



Lift Channels

Designed for large, heavy planters, these channels allow safe, easy movement with pallet jacks or forklifts, maintaining design flexibility and maximizing efficiency.



Water Sealing

Our water sealing option protects planters from moisture damage, ensuring durability and integrity.



Accessory Pocket

These planters feature integrated compartments for lighting, audio, power, and data. A compatibility chart is available for standard fixtures; custom solutions can be explored.



False Bottom

False bottoms lighten large planters by reducing soil while creating a water reservoir to extend watering intervals, and save on materials and maintenance time.



Drain Holes

Drainage holes are available on all our planters. Simply let us know your preference.



Bioretention

This engineered layer filters rainwater, removes pollutants, and promotes slow release into the surrounding soil or storm drain system, thereby reducing runoff and improving water quality.



Tie Downs

Tie downs in planters secure trees and large plants, ensuring they remain stable, upright, and centered through evenly distributed ties, promoting proper growth and preventing damage.



Refuse Container

Transform your planter to a refuse container with a variety of lid options and liners.



Casters

Select planters can have recessed casters for mobility, discreetly built into a reinforced, raised base for smooth rolling without affecting aesthetics.



Matching Saucer

Prevent surface staining and water runoff with our matching saucers. Seamlessly integrated, they enhance functionality and aesthetics with a perfect color and finish match.



Bottom Reinforcement

For planters needing anchoring or lacking ground structure support, additional base reinforcement ensures stability and prevents damage.




Trellis

Optimize your commercial landscape with our durable and customizable trellis, engineered to support vertical plant growth and elevate aesthetic appeal.



Wall Hanging Planters

Wall scaping made easy with adjustable bracket mount points for easy and secure on-site wall planter install. Choose from standard or built in hidden brackets.



Scoops

Square and rectangular planters connect end-to-end with hidden "scoops" for seamless, continuous planting beds.



Anchor Plate

For increased stability, add an anchor plate to your planter to distribute weight and prevent tipping.



Custom Colors

We provide 13 custom color options and finishes for our Fiberstone/GFRC products, 24 color options and 4 finishes for our Fiberglass products. Armorecoat and premium metallic colors available.



Custom Dimensions

Custom dimensions available on all planters.

We offer a variety of customization options, but availability may vary by product. To discuss creating a custom order or inquire about specific options, please scan our QR code, visit our website, or call us.



COLORS & FINISHES

STANDARD FIBERGLASS COLORS

(Shown in Matte Finish)
Custom colors available upon request

FIBERGLASS FINISHES



GLOSS




SEMI GLOSS




MATTE




SAND




BLACK




WHITE



PEARL



BUFF



KHAKI



LATTE



PARCHMENT




MOCHA



TAN



BEIGE




LIGHT COCOA




TERRACOTTA



PERSIMMON



ADOBE



BURGUNDY




DOVE




CYPRESS



DARK GRAY




CHARCOAL




BLACK FOX




HUNTER GREEN



DARK CHOCOLATE



CHAPS BROWN



ESPRESSO



COLORS & FINISHES

FIBERSTONE FINISHES

Custom colors available upon request



CHENZA



TIZA



ANTIGUA



FOSIL



SAVOY



RUSTICO



ZINC



OXIDO



TERRON



FERRIC



IRON




COLORS & FINISHES


NATURAL AND POWDER COATED STEEL




ARCHITECTURAL BRONZE
POWDER COAT



BLACK POWDER COAT



WHITE POWDER COAT




CORTEN STEEL
*Corten Steel delivered
pre-weathered and sealed*

TOP TRIM STYLES


METAL



STANDARD "T" TRIM




ROUNDED EDGE TRIM




FIBERGLASS AND FIBERSTONE



STANDARD SQUARE EDGE TRIM



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC301218	30	12	18	WW-TAP-21	24 lbs	40 lbs	88 lbs	32 lbs
REC301224	30	12	24	WW-TAP-21	30 lbs	49 lbs	107 lbs	39 lbs
REC301230	30	12	30	WW-TAP-21	35 lbs	58 lbs	127 lbs	46 lbs
REC301236	30	12	36	WW-TAP-21	40 lbs	67 lbs	146 lbs	53 lbs
REC301242	30	12	42	WW-TAP-21	45 lbs	75 lbs	165 lbs	60 lbs
REC301248	30	12	48	WW-TAP-21	51 lbs	84 lbs	184 lbs	67 lbs
REC301518	30	15	18	WW-TAP-21	27 LBS	44 LBS	97 LBS	35 LBS
REC301524	30	15	24	WW-TAP-21	32 LBS	54 LBS	117 LBS	43 LBS
REC301530	30	15	30	WW-TAP-21	38 LBS	63 LBS	138 LBS	50 LBS
REC301536	30	15	36	WW-TAP-21	44 LBS	72 LBS	159 LBS	58 LBS
REC301542	30	15	42	WW-TAP-21	49 LBS	82 LBS	179 LBS	65 LBS
REC301548	30	15	48	WW-TAP-21	55 LBS	91 LBS	200 LBS	73 LBS
REC301818	30	18	18	WW-REC-2593	29 LBS	48 LBS	105 LBS	39 LBS
REC301824	30	18	24	WW-REC-2593	35 LBS	58 LBS	127 LBS	47 LBS
REC301830	30	18	30	WW-REC-2593	41 LBS	68 LBS	149 LBS	55 LBS
REC301836	30	18	36	WW-REC-2593	47 LBS	78 LBS	171 LBS	63 LBS
REC301842	30	18	42	WW-REC-2593	53 LBS	88 LBS	193 LBS	71 LBS
REC301848	30	18	48	WW-REC-2593	59 LBS	98 LBS	215 LBS	79 LBS
REC302418	30	24	18	WW-REC-2593	34 LBS	56 LBS	123 LBS	45 LBS
REC302424	30	24	24	WW-REC-2593	41 LBS	67 LBS	148 LBS	54 LBS
REC302430	30	24	30	WW-REC-2593	47 LBS	79 LBS	172 LBS	63 LBS
REC302436	30	24	36	WW-REC-2593	54 LBS	90 LBS	197 LBS	72 LBS
REC302442	30	24	42	WW-REC-2593	61 LBS	101 LBS	222 LBS	81 LBS
REC302448	30	24	48	WW-REC-2593	68 LBS	112 LBS	247 LBS	90 LBS
REC303018	30	30	18	WW-R18	39 LBS	64 LBS	140 LBS	51 LBS
REC303024	30	30	24	WW-R18	46 LBS	77 LBS	168 LBS	61 LBS
REC303030	30	30	30	WW-R18	54 LBS	89 LBS	195 LBS	71 LBS
REC303036	30	30	36	WW-R18	61 LBS	102 LBS	223 LBS	81 LBS
REC303042	30	30	42	WW-R18	69 LBS	114 LBS	250 LBS	91 LBS
REC303048	30	30	48	WW-R18	76 LBS	127 LBS	278 LBS	101 LBS
REC303618	30	36	18	WW-R24	43 LBS	72 LBS	158 LBS	58 LBS
REC303624	30	36	24	WW-R24	52 LBS	86 LBS	188 LBS	69 LBS
REC303630	30	36	30	WW-R24	60 LBS	99 LBS	218 LBS	80 LBS
REC303636	30	36	36	WW-R24	68 LBS	113 LBS	248 LBS	91 LBS
REC303642	30	36	42	WW-R24	76 LBS	127 LBS	279 LBS	102 LBS
REC303648	30	36	48	WW-R24	85 LBS	141 LBS	309 LBS	113 LBS
REC304218	30	42	18	WW-R24	48 LBS	80 LBS	175 LBS	64 LBS
REC304224	30	42	24	WW-R24	57 LBS	95 LBS	208 LBS	76 LBS
REC304230	30	42	30	WW-R24	66 LBS	110 LBS	241 LBS	88 LBS
REC304236	30	42	36	WW-R24	75 LBS	125 LBS	274 LBS	100 LBS
REC304242	30	42	42	WW-R24	84 LBS	140 LBS	307 LBS	112 LBS
REC304248	30	42	48	WW-R24	93 lbs	155 lbs	340 lbs	124 lbs
REC361218	36	12	18	WW-TAP-21	28 lbs	46 lbs	101 lbs	37 lbs
REC361224	36	12	24	WW-TAP-21	34 lbs	56 lbs	123 lbs	45 lbs
REC361230	36	12	30	WW-TAP-21	40 lbs	66 lbs	145 lbs	53 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC361230	36	12	30	WW-TAP-21	40 lbs	66 lbs	145 lbs	53 lbs
REC361236	36	12	36	WW-TAP-21	46 lbs	76 lbs	167 lbs	61 lbs
REC361242	36	12	42	WW-TAP-21	52 lbs	86 lbs	189 lbs	69 lbs
REC361248	36	12	48	WW-TAP-21	58 lbs	96 lbs	211 lbs	77 lbs
REC361518	36	15	18	WW-TAP-21	31 lbs	51 lbs	111 lbs	41 lbs
REC361524	36	15	24	WW-TAP-21	37 lbs	61 lbs	134 lbs	49 lbs
REC361530	36	15	30	WW-TAP-21	43 lbs	72 lbs	157 lbs	58 lbs
REC361536	36	15	36	WW-TAP-21	50 lbs	82 lbs	181 lbs	66 lbs
REC361542	36	15	42	WW-TAP-21	56 lbs	93 lbs	204 lbs	75 lbs
REC361548	36	15	48	WW-TAP-21	62 lbs	104 lbs	228 lbs	83 lbs
REC361818	36	18	18	WW-REC-2593	33 lbs	55 lbs	120 lbs	44 lbs
REC361824	36	18	24	WW-REC-2593	40 lbs	66 lbs	145 lbs	53 lbs
REC361830	36	18	30	WW-REC-2593	47 lbs	77 lbs	170 lbs	62 lbs
REC361836	36	18	36	WW-REC-2593	53 lbs	89 lbs	194 lbs	71 lbs
REC361842	36	18	42	WW-REC-2593	60 lbs	100 lbs	219 lbs	80 lbs
REC361848	36	18	48	WW-REC-2593	67 lbs	111 lbs	244 lbs	89 lbs
REC362418	36	24	18	WW-REC-2593	38 lbs	63 lbs	139 lbs	51 lbs
REC362424	36	24	24	WW-REC-2593	46 lbs	76 lbs	166 lbs	61 lbs
REC362430	36	24	30	WW-REC-2593	53 lbs	88 lbs	194 lbs	71 lbs
REC362436	36	24	36	WW-REC-2593	61 lbs	101 lbs	221 lbs	81 lbs
REC362442	36	24	42	WW-REC-2593	68 lbs	113 lbs	249 lbs	91 lbs
REC362448	36	24	48	WW-REC-2593	76 lbs	126 lbs	276 lbs	101 lbs
REC363018	36	30	18	WW-REC-2593	43 lbs	72 lbs	158 lbs	58 lbs
REC363024	36	30	24	WW-REC-2593	52 lbs	86 lbs	188 lbs	69 lbs
REC363030	36	30	30	WW-REC-2593	60 lbs	99 lbs	218 lbs	80 lbs
REC363036	36	30	36	WW-REC-2593	68 lbs	113 lbs	248 lbs	91 lbs
REC363042	36	30	42	WW-REC-2593	76 lbs	127 lbs	279 lbs	102 lbs
REC363048	36	30	48	WW-REC-2593	85 lbs	141 lbs	309 lbs	113 lbs
REC363618	36	36	18	WW-R24	48 lbs	80 lbs	176 lbs	64 lbs
REC363624	36	36	24	WW-R24	57 lbs	95 lbs	209 lbs	76 lbs
REC363630	36	36	30	WW-R24	66 lbs	110 lbs	242 lbs	88 lbs
REC363636	36	36	36	WW-R24	75 lbs	125 lbs	275 lbs	100 lbs
REC363642	36	36	42	WW-R24	84 lbs	140 lbs	308 lbs	112 lbs
REC363648	36	36	48	WW-R24	93 lbs	155 lbs	341 lbs	124 lbs
REC364218	36	42	18	WW-R28	54 lbs	89 lbs	195 lbs	71 lbs
REC364224	36	42	24	WW-R28	63 lbs	105 lbs	231 lbs	84 lbs
REC364230	36	42	30	WW-R28	73 lbs	122 lbs	267 lbs	97 lbs
REC364236	36	42	36	WW-R28	83 lbs	138 lbs	303 lbs	110 lbs
REC364242	36	42	42	WW-R28	93 lbs	154 lbs	338 lbs	123 lbs
REC364248	36	42	48	WW-R28	102 lbs	170 lbs	374 lbs	136 lbs
REC421218	42	12	18	WW-TAP-33	32 lbs	52 lbs	115 lbs	42 lbs
REC421224	42	12	24	WW-TAP-33	38 lbs	64 lbs	139 lbs	51 lbs
REC421230	42	12	30	WW-TAP-33	45 lbs	75 lbs	164 lbs	60 lbs
REC421236	42	12	36	WW-TAP-33	52 lbs	86 lbs	189 lbs	69 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC421242	42	12	42	WW-TAP-33	59 lbs	97 lbs	214 lbs	78 lbs
REC421248	42	12	48	WW-TAP-33	65 lbs	109 lbs	238 lbs	87 lbs
REC421518	42	15	18	WW-TAP-33	34 lbs	57 lbs	125 lbs	46 lbs
REC421524	42	15	24	WW-TAP-33	41 lbs	69 lbs	151 lbs	55 lbs
REC421530	42	15	30	WW-TAP-33	49 lbs	81 lbs	177 lbs	65 lbs
REC421536	42	15	36	WW-TAP-33	56 lbs	93 lbs	203 lbs	74 lbs
REC421542	42	15	42	WW-TAP-33	63 lbs	104 lbs	229 lbs	84 lbs
REC421548	42	15	48	WW-TAP-33	70 lbs	116 lbs	255 lbs	93 lbs
REC421818	42	18	18	WW-REC-2593	37 lbs	62 lbs	135 lbs	49 lbs
REC421824	42	18	24	WW-REC-2593	45 lbs	74 lbs	162 lbs	59 lbs
REC421830	42	18	30	WW-REC-2593	52 lbs	87 lbs	190 lbs	69 lbs
REC421836	42	18	36	WW-REC-2593	60 lbs	99 lbs	217 lbs	79 lbs
REC421842	42	18	42	WW-REC-2593	67 lbs	112 lbs	245 lbs	89 lbs
REC421848	42	18	48	WW-REC-2593	75 lbs	124 lbs	272 lbs	99 lbs
REC422418	42	24	18	WW-REC-2593	43 lbs	71 lbs	155 lbs	57 lbs
REC422424	42	24	24	WW-REC-2593	51 lbs	84 lbs	185 lbs	68 lbs
REC422430	42	24	30	WW-REC-2593	59 lbs	98 lbs	215 lbs	79 lbs
REC422436	42	24	36	WW-REC-2593	67 lbs	112 lbs	246 lbs	90 lbs
REC422442	42	24	42	WW-REC-2593	76 lbs	126 lbs	276 lbs	101 lbs
REC422448	42	24	48	WW-REC-2593	84 lbs	139 lbs	306 lbs	112 lbs
REC423018	42	30	18	WW-REC-2593	48 lbs	80 lbs	175 lbs	64 lbs
REC423024	42	30	24	WW-REC-2593	57 lbs	95 lbs	208 lbs	76 lbs
REC423030	42	30	30	WW-REC-2593	66 lbs	110 lbs	241 lbs	88 lbs
REC423036	42	30	36	WW-REC-2593	75 lbs	125 lbs	274 lbs	100 lbs
REC423042	42	30	42	WW-REC-2593	84 lbs	140 lbs	307 lbs	112 lbs
REC423048	42	30	48	WW-REC-2593	93 lbs	155 lbs	340 lbs	124 lbs
REC423618	42	36	18	WW-REC-2593 (2)	54 lbs	89 lbs	195 lbs	71 lbs
REC423624	42	36	24	WW-REC-2593 (2)	63 lbs	105 lbs	231 lbs	84 lbs
REC423630	42	36	30	WW-REC-2593 (2)	73 lbs	122 lbs	267 lbs	97 lbs
REC423636	42	36	36	WW-REC-2593 (2)	83 lbs	138 lbs	303 lbs	110 lbs
REC423642	42	36	42	WW-REC-2593 (2)	93 lbs	154 lbs	338 lbs	123 lbs
REC423648	42	36	48	WW-REC-2593 (2)	102 lbs	170 lbs	374 lbs	136 lbs
REC424218	42	42	18	WW-R28	59 lbs	98 lbs	215 lbs	79 lbs
REC424224	42	42	24	WW-R28	70 lbs	116 lbs	254 lbs	93 lbs
REC424230	42	42	30	WW-R28	80 lbs	133 lbs	292 lbs	107 lbs
REC424236	42	42	36	WW-R28	91 lbs	151 lbs	331 lbs	121 lbs
REC424242	42	42	42	WW-R28	101 lbs	168 lbs	369 lbs	135 lbs
REC424248	42	42	48	WW-R28	112 lbs	186 lbs	408 lbs	149 lbs
REC481218	48	12	18	WW-TAP-33	35 lbs	58 lbs	128 lbs	47 lbs
REC481224	48	12	24	WW-TAP-33	43 lbs	71 lbs	155 lbs	57 lbs
REC481230	48	12	30	WW-TAP-33	50 lbs	83 lbs	183 lbs	67 lbs
REC481236	48	12	36	WW-TAP-33	58 lbs	96 lbs	210 lbs	77 lbs
REC481242	48	12	42	WW-TAP-33	65 lbs	108 lbs	238 lbs	87 lbs
REC481248	48	12	48	WW-TAP-33	73 lbs	121 lbs	265 lbs	97 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC481518	48	15	18	WW-TAP-33	38 lbs	63 lbs	139 lbs	51 lbs
REC481524	48	15	24	WW-TAP-33	46 lbs	76 lbs	168 lbs	61 lbs
REC481530	48	15	30	WW-TAP-33	54 lbs	90 lbs	196 lbs	72 lbs
REC481536	48	15	36	WW-TAP-33	62 lbs	103 lbs	225 lbs	82 lbs
REC481542	48	15	42	WW-TAP-33	70 lbs	116 lbs	254 lbs	93 lbs
REC481548	48	15	48	WW-TAP-33	78 lbs	129 lbs	283 lbs	103 lbs
REC481818	48	18	18	WW-REC-3793	41 lbs	68 lbs	149 lbs	55 lbs
REC481824	48	18	24	WW-REC-3793	49 lbs	82 lbs	180 lbs	66 lbs
REC481830	48	18	30	WW-REC-3793	58 lbs	96 lbs	210 lbs	77 lbs
REC481836	48	18	36	WW-REC-3793	66 lbs	109 lbs	240 lbs	88 lbs
REC481842	48	18	42	WW-REC-3793	74 lbs	123 lbs	270 lbs	99 lbs
REC481848	48	18	48	WW-REC-3793	82 lbs	137 lbs	301 lbs	110 lbs
REC482418	48	24	18	WW-REC-3793	47 lbs	78 lbs	171 lbs	62 lbs
REC482424	48	24	24	WW-REC-3793	56 lbs	93 lbs	204 lbs	74 lbs
REC482430	48	24	30	WW-REC-3793	65 lbs	108 lbs	237 lbs	86 lbs
REC482436	48	24	36	WW-REC-3793	74 lbs	123 lbs	270 lbs	98 lbs
REC482442	48	24	42	WW-REC-3793	83 lbs	138 lbs	303 lbs	110 lbs
REC482448	48	24	48	WW-REC-3793	92 lbs	153 lbs	336 lbs	122 lbs
REC483018	48	30	18	WW-REC-3793	53 lbs	88 lbs	193 lbs	70 lbs
REC483024	48	30	24	WW-REC-3793	63 lbs	104 lbs	228 lbs	83 lbs
REC483030	48	30	30	WW-REC-3793	72 lbs	120 lbs	264 lbs	96 lbs
REC483036	48	30	36	WW-REC-3793	82 lbs	137 lbs	300 lbs	109 lbs
REC483042	48	30	42	WW-REC-3793	92 lbs	153 lbs	336 lbs	122 lbs
REC483048	48	30	48	WW-REC-3793	102 lbs	169 lbs	371 lbs	135 lbs
REC483618	48	36	18	WW-REC-3793 (2)	59 lbs	98 lbs	214 lbs	78 lbs
REC483624	48	36	24	WW-REC-3793 (2)	69 lbs	115 lbs	253 lbs	92 lbs
REC483630	48	36	30	WW-REC-3793 (2)	80 lbs	133 lbs	291 lbs	106 lbs
REC483636	48	36	36	WW-REC-3793 (2)	90 lbs	150 lbs	330 lbs	120 lbs
REC483642	48	36	42	WW-REC-3793 (2)	101 lbs	168 lbs	368 lbs	134 lbs
REC483648	48	36	48	WW-REC-3793 (2)	111 lbs	185 lbs	407 lbs	148 lbs
REC484218	48	42	18	WW-REC-3793 (2)	65 lbs	107 lbs	236 lbs	86 lbs
REC484224	48	42	24	WW-REC-3793 (2)	76 lbs	126 lbs	277 lbs	101 lbs
REC484230	48	42	30	WW-REC-3793 (2)	87 lbs	145 lbs	318 lbs	116 lbs
REC484236	48	42	36	WW-REC-3793 (2)	98 lbs	164 lbs	359 lbs	131 lbs
REC484242	48	42	42	WW-REC-3793 (2)	110 lbs	182 lbs	401 lbs	146 lbs
REC484248	48	42	48	WW-REC-3793 (2)	121 lbs	201 lbs	442 lbs	161 lbs
REC541218	54	12	18	WW-TAP-33	39 lbs	64 lbs	141 lbs	52 lbs
REC541224	54	12	24	WW-TAP-33	47 lbs	78 lbs	171 lbs	63 lbs
REC541230	54	12	30	WW-TAP-33	55 lbs	92 lbs	202 lbs	74 lbs
REC541236	54	12	36	WW-TAP-33	64 lbs	106 lbs	232 lbs	85 lbs
REC541242	54	12	42	WW-TAP-33	72 lbs	119 lbs	262 lbs	96 lbs
REC541248	54	12	48	WW-TAP-33	80 lbs	133 lbs	292 lbs	107 lbs
REC541518	54	15	18	WW-TAP-33	42 lbs	70 lbs	153 lbs	56 lbs
REC541524	54	15	24	WW-TAP-33	51 lbs	84 lbs	184 lbs	67 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC541530	54	15	30	WW-TAP-33	59 lbs	98 lbs	216 lbs	79 lbs
REC541536	54	15	36	WW-TAP-33	68 lbs	113 lbs	248 lbs	90 lbs
REC541542	54	15	42	WW-TAP-33	76 lbs	127 lbs	279 lbs	102 lbs
REC541548	54	15	48	WW-TAP-33	85 lbs	142 lbs	311 lbs	113 lbs
REC541818	54	18	18	WW-REC-3793	45 lbs	75 lbs	164 lbs	60 lbs
REC541824	54	18	24	WW-REC-3793	54 lbs	90 lbs	197 lbs	72 lbs
REC541830	54	18	30	WW-REC-3793	63 lbs	105 lbs	230 lbs	84 lbs
REC541836	54	18	36	WW-REC-3793	72 lbs	120 lbs	263 lbs	96 lbs
REC541842	54	18	42	WW-REC-3793	81 lbs	135 lbs	296 lbs	108 lbs
REC541848	54	18	48	WW-REC-3793	90 lbs	150 lbs	329 lbs	120 lbs
REC542418	54	24	18	WW-REC-3793	51 lbs	85 lbs	187 lbs	68 lbs
REC542424	54	24	24	WW-REC-3793	61 lbs	102 lbs	223 lbs	81 lbs
REC542430	54	24	30	WW-REC-3793	71 lbs	118 lbs	259 lbs	94 lbs
REC542436	54	24	36	WW-REC-3793	81 lbs	134 lbs	294 lbs	107 lbs
REC542442	54	24	42	WW-REC-3793	90 lbs	150 lbs	330 lbs	120 lbs
REC542448	54	24	48	WW-REC-3793	100 lbs	167 lbs	366 lbs	133 lbs
REC543018	54	30	18	WW-REC-3793	58 lbs	96 lbs	210 lbs	77 lbs
REC543024	54	30	24	WW-REC-3793	68 lbs	113 lbs	248 lbs	91 lbs
REC543030	54	30	30	WW-REC-3793	79 lbs	131 lbs	287 lbs	105 lbs
REC543036	54	30	36	WW-REC-3793	89 lbs	148 lbs	325 lbs	119 lbs
REC543042	54	30	42	WW-REC-3793	100 lbs	166 lbs	364 lbs	133 lbs
REC543048	54	30	48	WW-REC-3793	110 lbs	183 lbs	402 lbs	147 lbs
REC543618	54	36	18	WW-REC-3793 (2)	64 lbs	106 lbs	233 lbs	85 lbs
REC543624	54	36	24	WW-REC-3793 (2)	75 lbs	125 lbs	274 lbs	100 lbs
REC543630	54	36	30	WW-REC-3793 (2)	86 lbs	144 lbs	315 lbs	115 lbs
REC543636	54	36	36	WW-REC-3793 (2)	98 lbs	162 lbs	357 lbs	130 lbs
REC543642	54	36	42	WW-REC-3793 (2)	109 lbs	181 lbs	398 lbs	145 lbs
REC543648	54	36	48	WW-REC-3793 (2)	120 lbs	200 lbs	439 lbs	160 lbs
REC544218	54	42	18	WW-REC-3793 (2)	70 lbs	117 lbs	256 lbs	93 lbs
REC544224	54	42	24	WW-REC-3793 (2)	82 lbs	137 lbs	300 lbs	109 lbs
REC544230	54	42	30	WW-REC-3793 (2)	94 lbs	157 lbs	344 lbs	125 lbs
REC544236	54	42	36	WW-REC-3793 (2)	106 lbs	177 lbs	388 lbs	141 lbs
REC544242	54	42	42	WW-REC-3793 (2)	118 lbs	197 lbs	432 lbs	157 lbs
REC544248	54	42	48	WW-REC-3793 (2)	130 lbs	217 lbs	476 lbs	173 lbs
REC601218	60	12	18	WW-REC-2593 (2)	42 lbs	70 lbs	154 lbs	56 lbs
REC601224	60	12	24	WW-REC-2593 (2)	51 lbs	85 lbs	187 lbs	68 lbs
REC601230	60	12	30	WW-REC-2593 (2)	60 lbs	100 lbs	220 lbs	80 lbs
REC601236	60	12	36	WW-REC-2593 (2)	69 lbs	115 lbs	253 lbs	92 lbs
REC601242	60	12	42	WW-REC-2593 (2)	78 lbs	130 lbs	286 lbs	104 lbs
REC601248	60	12	48	WW-REC-2593 (2)	87 lbs	145 lbs	319 lbs	116 lbs
REC601518	60	15	18	WW-REC-2593 (2)	46 lbs	76 lbs	167 lbs	61 lbs
REC601524	60	15	24	WW-REC-2593 (2)	55 lbs	92 lbs	201 lbs	73 lbs
REC601530	60	15	30	WW-REC-2593 (2)	65 lbs	107 lbs	235 lbs	86 lbs
REC601536	60	15	36	WW-REC-2593 (2)	74 lbs	123 lbs	270 lbs	98 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC601542	60	15	42	WW-REC-2593 (2)	83 lbs	139 lbs	304 lbs	111 lbs
REC601548	60	15	48	WW-REC-2593 (2)	93 lbs	154 lbs	339 lbs	123 lbs
REC601818	60	18	18	WW-REC-2593 (2)	49 lbs	82 lbs	179 lbs	65 lbs
REC601824	60	18	24	WW-REC-2593 (2)	59 lbs	98 lbs	215 lbs	78 lbs
REC601830	60	18	30	WW-REC-2593 (2)	69 lbs	114 lbs	250 lbs	91 lbs
REC601836	60	18	36	WW-REC-2593 (2)	78 lbs	130 lbs	286 lbs	104 lbs
REC601842	60	18	42	WW-REC-2593 (2)	88 lbs	147 lbs	322 lbs	117 lbs
REC601848	60	18	48	WW-REC-2593 (2)	98 lbs	163 lbs	358 lbs	130 lbs
REC602418	60	24	18	WW-REC-2593 (2)	56 lbs	93 lbs	203 lbs	74 lbs
REC602424	60	24	24	WW-REC-2593 (2)	66 lbs	110 lbs	242 lbs	88 lbs
REC602430	60	24	30	WW-REC-2593 (2)	77 lbs	128 lbs	280 lbs	102 lbs
REC602436	60	24	36	WW-REC-2593 (2)	87 lbs	145 lbs	319 lbs	116 lbs
REC602442	60	24	42	WW-REC-2593 (2)	98 lbs	163 lbs	357 lbs	130 lbs
REC602448	60	24	48	WW-REC-2593 (2)	108 lbs	180 lbs	396 lbs	144 lbs
REC603018	60	30	18	WW-REC-2593 (2)	62 lbs	104 lbs	227 lbs	83 lbs
REC603024	60	30	24	WW-REC-2593 (2)	74 lbs	122 lbs	269 lbs	98 lbs
REC603030	60	30	30	WW-REC-2593 (2)	85 lbs	141 lbs	310 lbs	113 lbs
REC603036	60	30	36	WW-REC-2593 (2)	96 lbs	160 lbs	351 lbs	128 lbs
REC603042	60	30	42	WW-REC-2593 (2)	107 lbs	179 lbs	392 lbs	143 lbs
REC603048	60	30	48	WW-REC-2593 (2)	119 lbs	197 lbs	434 lbs	158 lbs
REC603618	60	36	18	WW-REC-2593 (4)	69 lbs	115 lbs	252 lbs	92 lbs
REC603624	60	36	24	WW-REC-2593 (4)	81 lbs	135 lbs	296 lbs	108 lbs
REC603630	60	36	30	WW-REC-2593 (4)	93 lbs	155 lbs	340 lbs	124 lbs
REC603636	60	36	36	WW-REC-2593 (4)	105 lbs	175 lbs	384 lbs	140 lbs
REC603642	60	36	42	WW-REC-2593 (4)	117 lbs	195 lbs	428 lbs	156 lbs
REC603648	60	36	48	WW-REC-2593 (4)	129 lbs	215 lbs	472 lbs	172 lbs
REC604218	60	42	18	WW-REC-2593 (4)	76 lbs	126 lbs	276 lbs	101 lbs
REC604224	60	42	24	WW-REC-2593 (4)	88 lbs	147 lbs	323 lbs	118 lbs
REC604230	60	42	30	WW-REC-2593 (4)	101 lbs	168 lbs	369 lbs	135 lbs
REC604236	60	42	36	WW-REC-2593 (4)	114 lbs	189 lbs	416 lbs	152 lbs
REC604242	60	42	42	WW-REC-2593 (4)	127 lbs	211 lbs	463 lbs	169 lbs
REC604248	60	42	48	WW-REC-2593 (4)	139 lbs	232 lbs	510 lbs	186 lbs
REC661218	66	12	18	WW-TAP-21 (2)	46 lbs	77 lbs	168 lbs	61 lbs
REC661224	66	12	24	WW-TAP-21 (2)	56 lbs	93 lbs	204 lbs	74 lbs
REC661230	66	12	30	WW-TAP-21 (2)	66 lbs	109 lbs	239 lbs	87 lbs
REC661236	66	12	36	WW-TAP-21 (2)	75 lbs	125 lbs	275 lbs	100 lbs
REC661242	66	12	42	WW-TAP-21 (2)	85 lbs	142 lbs	311 lbs	113 lbs
REC661248	66	12	48	WW-TAP-21 (2)	95 lbs	158 lbs	347 lbs	126 lbs
REC661518	66	15	18	WW-TAP-21 (2)	50 lbs	82 lbs	181 lbs	66 lbs
REC661524	66	15	24	WW-TAP-21 (2)	60 lbs	99 lbs	218 lbs	79 lbs
REC661530	66	15	30	WW-TAP-21 (2)	70 lbs	116 lbs	255 lbs	93 lbs
REC661536	66	15	36	WW-TAP-21 (2)	80 lbs	133 lbs	292 lbs	106 lbs
REC661542	66	15	42	WW-TAP-21 (2)	90 lbs	150 lbs	329 lbs	120 lbs
REC661548	66	15	48	WW-TAP-21 (2)	100 lbs	167 lbs	366 lbs	133 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC661818	66	18	18	WW-REC-2593 (2)	53 lbs	88 lbs	193 lbs	71 lbs
REC661824	66	18	24	WW-REC-2593 (2)	64 lbs	106 lbs	232 lbs	85 lbs
REC661830	66	18	30	WW-REC-2593 (2)	74 lbs	123 lbs	270 lbs	99 lbs
REC661836	66	18	36	WW-REC-2593 (2)	85 lbs	141 lbs	309 lbs	113 lbs
REC661842	66	18	42	WW-REC-2593 (2)	95 lbs	158 lbs	347 lbs	127 lbs
REC661848	66	18	48	WW-REC-2593 (2)	106 lbs	176 lbs	386 lbs	141 lbs
REC662418	66	24	18	WW-REC-2593 (2)	60 lbs	100 lbs	219 lbs	80 lbs
REC662424	66	24	24	WW-REC-2593 (2)	71 lbs	119 lbs	260 lbs	95 lbs
REC662430	66	24	30	WW-REC-2593 (2)	83 lbs	137 lbs	302 lbs	110 lbs
REC662436	66	24	36	WW-REC-2593 (2)	94 lbs	156 lbs	343 lbs	125 lbs
REC662442	66	24	42	WW-REC-2593 (2)	105 lbs	175 lbs	384 lbs	140 lbs
REC662448	66	24	48	WW-REC-2593 (2)	116 lbs	194 lbs	425 lbs	155 lbs
REC663018	66	30	18	WW-REC-2593 (2)	67 lbs	112 lbs	245 lbs	89 lbs
REC663024	66	30	24	WW-REC-2593 (2)	79 lbs	132 lbs	289 lbs	105 lbs
REC663030	66	30	30	WW-REC-2593 (2)	91 lbs	152 lbs	333 lbs	121 lbs
REC663036	66	30	36	WW-REC-2593 (2)	103 lbs	172 lbs	377 lbs	137 lbs
REC663042	66	30	42	WW-REC-2593 (2)	115 lbs	192 lbs	421 lbs	153 lbs
REC663048	66	30	48	WW-REC-2593 (2)	127 lbs	212 lbs	465 lbs	169 lbs
REC663618	66	36	18	WW-REC-2593 (4)	74 lbs	123 lbs	270 lbs	99 lbs
REC663624	66	36	24	WW-REC-2593 (4)	87 lbs	144 lbs	317 lbs	116 lbs
REC663630	66	36	30	WW-REC-2593 (4)	100 lbs	166 lbs	364 lbs	133 lbs
REC663636	66	36	36	WW-REC-2593 (4)	112 lbs	187 lbs	411 lbs	150 lbs
REC663642	66	36	42	WW-REC-2593 (4)	125 lbs	208 lbs	457 lbs	167 lbs
REC663648	66	36	48	WW-REC-2593 (4)	138 lbs	229 lbs	504 lbs	184 lbs
REC664218	66	42	18	WW-REC-2593 (4)	81 lbs	135 lbs	296 lbs	108 lbs
REC664224	66	42	24	WW-REC-2593 (4)	95 lbs	157 lbs	346 lbs	126 lbs
REC664230	66	42	30	WW-REC-2593 (4)	108 lbs	180 lbs	395 lbs	144 lbs
REC664236	66	42	36	WW-REC-2593 (4)	122 lbs	202 lbs	445 lbs	162 lbs
REC664242	66	42	42	WW-REC-2593 (4)	135 lbs	225 lbs	494 lbs	180 lbs
REC664248	66	42	48	WW-REC-2593 (4)	149 lbs	247 lbs	544 lbs	198 lbs
REC721218	72	12	18	WW-TAP-33 (2)	50 lbs	83 lbs	181 lbs	66 lbs
REC721224	72	12	24	WW-TAP-33 (2)	60 lbs	100 lbs	220 lbs	80 lbs
REC721230	72	12	30	WW-TAP-33 (2)	71 lbs	118 lbs	258 lbs	94 lbs
REC721236	72	12	36	WW-TAP-33 (2)	81 lbs	135 lbs	297 lbs	108 lbs
REC721242	72	12	42	WW-TAP-33 (2)	92 lbs	153 lbs	335 lbs	122 lbs
REC721248	72	12	48	WW-TAP-33 (2)	102 lbs	170 lbs	374 lbs	136 lbs
REC721518	72	15	18	WW-TAP-33 (2)	53 lbs	89 lbs	195 lbs	71 lbs
REC721524	72	15	24	WW-TAP-33 (2)	64 lbs	107 lbs	234 lbs	86 lbs
REC721530	72	15	30	WW-TAP-33 (2)	75 lbs	125 lbs	274 lbs	100 lbs
REC721536	72	15	36	WW-TAP-33 (2)	86 lbs	143 lbs	314 lbs	115 lbs
REC721542	72	15	42	WW-TAP-33 (2)	97 lbs	161 lbs	354 lbs	129 lbs
REC721548	72	15	48	WW-TAP-33 (2)	108 lbs	179 lbs	394 lbs	144 lbs
REC721818	72	18	18	WW-REC-2593 (2)	57 lbs	95 lbs	208 lbs	76 lbs
REC721824	72	18	24	WW-REC-2593 (2)	68 lbs	114 lbs	249 lbs	91 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC721830	72	18	30	WW-REC-2593 (2)	80 lbs	132 lbs	291 lbs	106 lbs
REC721836	72	18	36	WW-REC-2593 (2)	91 lbs	151 lbs	332 lbs	121 lbs
REC721842	72	18	42	WW-REC-2593 (2)	102 lbs	170 lbs	373 lbs	136 lbs
REC721848	72	18	48	WW-REC-2593 (2)	113 lbs	189 lbs	414 lbs	151 lbs
REC722418	72	24	18	WW-REC-2593 (2)	64 lbs	107 lbs	235 lbs	86 lbs
REC722424	72	24	24	WW-REC-2593 (2)	76 lbs	127 lbs	279 lbs	102 lbs
REC722430	72	24	30	WW-REC-2593 (2)	88 lbs	147 lbs	323 lbs	118 lbs
REC722436	72	24	36	WW-REC-2593 (2)	100 lbs	167 lbs	367 lbs	134 lbs
REC722442	72	24	42	WW-REC-2593 (2)	112 lbs	187 lbs	411 lbs	150 lbs
REC722448	72	24	48	WW-REC-2593 (2)	124 lbs	207 lbs	455 lbs	166 lbs
REC723018	72	30	18	WW-REC-2593 (2)	72 lbs	119 lbs	262 lbs	96 lbs
REC723024	72	30	24	WW-REC-2593 (2)	85 lbs	141 lbs	309 lbs	113 lbs
REC723030	72	30	30	WW-REC-2593 (2)	97 lbs	162 lbs	356 lbs	130 lbs
REC723036	72	30	36	WW-REC-2593 (2)	110 lbs	183 lbs	402 lbs	147 lbs
REC723042	72	30	42	WW-REC-2593 (2)	123 lbs	204 lbs	449 lbs	164 lbs
REC723048	72	30	48	WW-REC-2593 (2)	136 lbs	226 lbs	496 lbs	181 lbs
REC723618	72	36	18	WW-REC-2593 (4)	79 lbs	132 lbs	289 lbs	105 lbs
REC723624	72	36	24	WW-REC-2593 (4)	93 lbs	154 lbs	339 lbs	123 lbs
REC723630	72	36	30	WW-REC-2593 (4)	106 lbs	177 lbs	388 lbs	141 lbs
REC723636	72	36	36	WW-REC-2593 (4)	120 lbs	199 lbs	438 lbs	159 lbs
REC723642	72	36	42	WW-REC-2593 (4)	133 lbs	222 lbs	487 lbs	177 lbs
REC723648	72	36	48	WW-REC-2593 (4)	147 lbs	244 lbs	537 lbs	195 lbs
REC724218	72	42	18	WW-REC-2593 (4)	87 lbs	144 lbs	316 lbs	115 lbs
REC724224	72	42	24	WW-REC-2593 (4)	101 lbs	168 lbs	369 lbs	134 lbs
REC724230	72	42	30	WW-REC-2593 (4)	115 lbs	192 lbs	421 lbs	153 lbs
REC724236	72	42	36	WW-REC-2593 (4)	129 lbs	215 lbs	473 lbs	172 lbs
REC724242	72	42	42	WW-REC-2593 (4)	144 lbs	239 lbs	525 lbs	191 lbs
REC724248	72	42	48	WW-REC-2593 (4)	158 lbs	263 lbs	578 lbs	210 lbs
REC781218	78	12	18	WW-TAP-33 (2)	53 lbs	89 lbs	194 lbs	71 lbs
REC781224	78	12	24	WW-TAP-33 (2)	65 lbs	107 lbs	236 lbs	86 lbs
REC781230	78	12	30	WW-TAP-33 (2)	76 lbs	126 lbs	277 lbs	101 lbs
REC781236	78	12	36	WW-TAP-33 (2)	87 lbs	145 lbs	318 lbs	116 lbs
REC781242	78	12	42	WW-TAP-33 (2)	98 lbs	164 lbs	359 lbs	131 lbs
REC781248	78	12	48	WW-TAP-33 (2)	110 lbs	182 lbs	401 lbs	146 lbs
REC781518	78	15	18	WW-TAP-33 (2)	57 lbs	95 lbs	209 lbs	76 lbs
REC781524	78	15	24	WW-TAP-33 (2)	69 lbs	114 lbs	251 lbs	92 lbs
REC781530	78	15	30	WW-TAP-33 (2)	80 lbs	134 lbs	294 lbs	107 lbs
REC781536	78	15	36	WW-TAP-33 (2)	92 lbs	153 lbs	336 lbs	123 lbs
REC781542	78	15	42	WW-TAP-33 (2)	104 lbs	173 lbs	379 lbs	138 lbs
REC781548	78	15	48	WW-TAP-33 (2)	115 lbs	192 lbs	422 lbs	154 lbs
REC781818	78	18	18	WW-REC-2593 (2)	61 lbs	102 lbs	223 lbs	81 lbs
REC781824	78	18	24	WW-REC-2593 (2)	73 lbs	122 lbs	267 lbs	97 lbs
REC781830	78	18	30	WW-REC-2593 (2)	85 lbs	142 lbs	311 lbs	113 lbs
REC781836	78	18	36	WW-REC-2593 (2)	97 lbs	162 lbs	355 lbs	129 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC781842	78	18	42	WW-REC-2593 (2)	109 lbs	182 lbs	399 lbs	145 lbs
REC781848	78	18	48	WW-REC-2593 (2)	121 lbs	202 lbs	443 lbs	161 lbs
REC782418	78	24	18	WW-REC-2593 (2)	69 lbs	114 lbs	251 lbs	92 lbs
REC782424	78	24	24	WW-REC-2593 (2)	82 lbs	136 lbs	298 lbs	109 lbs
REC782430	78	24	30	WW-REC-2593 (2)	94 lbs	157 lbs	345 lbs	126 lbs
REC782436	78	24	36	WW-REC-2593 (2)	107 lbs	178 lbs	391 lbs	143 lbs
REC782442	78	24	42	WW-REC-2593 (2)	120 lbs	199 lbs	438 lbs	160 lbs
REC782448	78	24	48	WW-REC-2593 (2)	133 lbs	221 lbs	485 lbs	177 lbs
REC783018	78	30	18	WW-REC-2593 (2)	77 lbs	127 lbs	280 lbs	102 lbs
REC783024	78	30	24	WW-REC-2593 (2)	90 lbs	150 lbs	329 lbs	120 lbs
REC783030	78	30	30	WW-REC-2593 (2)	104 lbs	172 lbs	379 lbs	138 lbs
REC783036	78	30	36	WW-REC-2593 (2)	117 lbs	195 lbs	428 lbs	156 lbs
REC783042	78	30	42	WW-REC-2593 (2)	131 lbs	217 lbs	478 lbs	174 lbs
REC783048	78	30	48	WW-REC-2593 (2)	144 lbs	240 lbs	527 lbs	192 lbs
REC783618	78	36	18	WW-REC-2593 (4)	84 lbs	140 lbs	308 lbs	112 lbs
REC783624	78	36	24	WW-REC-2593 (4)	99 lbs	164 lbs	360 lbs	131 lbs
REC783630	78	36	30	WW-REC-2593 (4)	113 lbs	188 lbs	413 lbs	150 lbs
REC783636	78	36	36	WW-REC-2593 (4)	127 lbs	212 lbs	465 lbs	169 lbs
REC783642	78	36	42	WW-REC-2593 (4)	141 lbs	235 lbs	517 lbs	188 lbs
REC783648	78	36	48	WW-REC-2593 (4)	156 lbs	259 lbs	569 lbs	207 lbs
REC784218	78	42	18	WW-REC-2593 (4)	92 lbs	153 lbs	336 lbs	123 lbs
REC784224	78	42	24	WW-REC-2593 (4)	107 lbs	178 lbs	391 lbs	143 lbs
REC784230	78	42	30	WW-REC-2593 (4)	122 lbs	203 lbs	446 lbs	163 lbs
REC784236	78	42	36	WW-REC-2593 (4)	137 lbs	228 lbs	501 lbs	183 lbs
REC784242	78	42	42	WW-REC-2593 (4)	152 lbs	253 lbs	556 lbs	203 lbs
REC784248	78	42	48	WW-REC-2593 (4)	167 lbs	278 lbs	611 lbs	223 lbs
REC841218	84	12	18	WW-TAP-33 (2)	57 lbs	95 lbs	208 lbs	76 lbs
REC841224	84	12	24	WW-TAP-33 (2)	69 lbs	115 lbs	252 lbs	92 lbs
REC841230	84	12	30	WW-TAP-33 (2)	81 lbs	135 lbs	296 lbs	108 lbs
REC841236	84	12	36	WW-TAP-33 (2)	93 lbs	155 lbs	340 lbs	124 lbs
REC841242	84	12	42	WW-TAP-33 (2)	105 lbs	175 lbs	384 lbs	140 lbs
REC841248	84	12	48	WW-TAP-33 (2)	117 lbs	195 lbs	428 lbs	156 lbs
REC841518	84	15	18	WW-TAP-33 (2)	61 lbs	101 lbs	223 lbs	81 lbs
REC841524	84	15	24	WW-TAP-33 (2)	73 lbs	122 lbs	268 lbs	98 lbs
REC841530	84	15	30	WW-TAP-33 (2)	86 lbs	143 lbs	313 lbs	114 lbs
REC841536	84	15	36	WW-TAP-33 (2)	98 lbs	163 lbs	359 lbs	131 lbs
REC841542	84	15	42	WW-TAP-33 (2)	111 lbs	184 lbs	404 lbs	147 lbs
REC841548	84	15	48	WW-TAP-33 (2)	123 lbs	205 lbs	449 lbs	164 lbs
REC841818	84	18	18	WW-REC-3793 (2)	65 lbs	108 lbs	237 lbs	87 lbs
REC841824	84	18	24	WW-REC-3793 (2)	78 lbs	129 lbs	284 lbs	104 lbs
REC841830	84	18	30	WW-REC-3793 (2)	91 lbs	151 lbs	331 lbs	121 lbs
REC841836	84	18	36	WW-REC-3793 (2)	103 lbs	172 lbs	378 lbs	138 lbs
REC841842	84	18	42	WW-REC-3793 (2)	116 lbs	193 lbs	424 lbs	155 lbs
REC841848	84	18	48	WW-REC-3793 (2)	129 lbs	214 lbs	471 lbs	172 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC842418	84	24	18	WW-REC-3793 (2)	73 lbs	122 lbs	267 lbs	97 lbs
REC842424	84	24	24	WW-REC-3793 (2)	87 lbs	144 lbs	317 lbs	115 lbs
REC842430	84	24	30	WW-REC-3793 (2)	100 lbs	167 lbs	366 lbs	133 lbs
REC842436	84	24	36	WW-REC-3793 (2)	114 lbs	189 lbs	416 lbs	151 lbs
REC842442	84	24	42	WW-REC-3793 (2)	127 lbs	212 lbs	465 lbs	169 lbs
REC842448	84	24	48	WW-REC-3793 (2)	141 lbs	234 lbs	515 lbs	187 lbs
REC843018	84	30	18	WW-REC-3793 (2)	81 lbs	135 lbs	297 lbs	108 lbs
REC843024	84	30	24	WW-REC-3793 (2)	96 lbs	159 lbs	349 lbs	127 lbs
REC843030	84	30	30	WW-REC-3793 (2)	110 lbs	183 lbs	402 lbs	146 lbs
REC843036	84	30	36	WW-REC-3793 (2)	124 lbs	207 lbs	454 lbs	165 lbs
REC843042	84	30	42	WW-REC-3793 (2)	138 lbs	230 lbs	506 lbs	184 lbs
REC843048	84	30	48	WW-REC-3793 (2)	153 lbs	254 lbs	558 lbs	203 lbs
REC843618	84	36	18	WW-REC-3793 (4)	89 lbs	149 lbs	327 lbs	119 lbs
REC843624	84	36	24	WW-REC-3793 (4)	104 lbs	174 lbs	382 lbs	139 lbs
REC843630	84	36	30	WW-REC-3793 (4)	119 lbs	199 lbs	437 lbs	159 lbs
REC843636	84	36	36	WW-REC-3793 (4)	134 lbs	224 lbs	492 lbs	179 lbs
REC843642	84	36	42	WW-REC-3793 (4)	149 lbs	249 lbs	547 lbs	199 lbs
REC843648	84	36	48	WW-REC-3793 (4)	164 lbs	274 lbs	602 lbs	219 lbs
REC844218	84	42	18	WW-REC-3793 (4)	98 lbs	162 lbs	357 lbs	130 lbs
REC844224	84	42	24	WW-REC-3793 (4)	113 lbs	189 lbs	414 lbs	151 lbs
REC844230	84	42	30	WW-REC-3793 (4)	129 lbs	215 lbs	472 lbs	172 lbs
REC844236	84	42	36	WW-REC-3793 (4)	145 lbs	241 lbs	530 lbs	193 lbs
REC844242	84	42	42	WW-REC-3793 (4)	161 lbs	267 lbs	588 lbs	214 lbs
REC844248	84	42	48	WW-REC-3793 (4)	176 lbs	294 lbs	645 lbs	235 lbs
REC901218	90	12	18	WW-TAP-21 (3)	61 lbs	101 lbs	221 lbs	81 lbs
REC901224	90	12	24	WW-TAP-21 (3)	73 lbs	122 lbs	268 lbs	98 lbs
REC901230	90	12	30	WW-TAP-21 (3)	86 lbs	143 lbs	314 lbs	115 lbs
REC901236	90	12	36	WW-TAP-21 (3)	99 lbs	164 lbs	361 lbs	132 lbs
REC901242	90	12	42	WW-TAP-21 (3)	112 lbs	186 lbs	408 lbs	149 lbs
REC901248	90	12	48	WW-TAP-21 (3)	124 lbs	207 lbs	455 lbs	166 lbs
REC901518	90	15	18	WW-TAP-21 (3)	65 lbs	108 lbs	237 lbs	86 lbs
REC901524	90	15	24	WW-TAP-21 (3)	78 lbs	130 lbs	285 lbs	104 lbs
REC901530	90	15	30	WW-TAP-21 (3)	91 lbs	152 lbs	333 lbs	121 lbs
REC901536	90	15	36	WW-TAP-21 (3)	104 lbs	173 lbs	381 lbs	139 lbs
REC901542	90	15	42	WW-TAP-21 (3)	117 lbs	195 lbs	429 lbs	156 lbs
REC901548	90	15	48	WW-TAP-21 (3)	130 lbs	217 lbs	477 lbs	174 lbs
REC901818	90	18	18	WW-REC-3793 (2)	69 lbs	115 lbs	252 lbs	92 lbs
REC901824	90	18	24	WW-REC-3793 (2)	83 lbs	137 lbs	302 lbs	110 lbs
REC901830	90	18	30	WW-REC-3793 (2)	96 lbs	160 lbs	351 lbs	128 lbs
REC901836	90	18	36	WW-REC-3793 (2)	110 lbs	182 lbs	401 lbs	146 lbs
REC901842	90	18	42	WW-REC-3793 (2)	123 lbs	205 lbs	450 lbs	164 lbs
REC901848	90	18	48	WW-REC-3793 (2)	137 lbs	227 lbs	500 lbs	182 lbs
REC902418	90	24	18	WW-REC-3793 (2)	78 lbs	129 lbs	283 lbs	103 lbs
REC902424	90	24	24	WW-REC-3793 (2)	92 lbs	153 lbs	336 lbs	122 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC902430	90	24	30	WW-REC-3793 (2)	106 lbs	177 lbs	388 lbs	141 lbs
REC902436	90	24	36	WW-REC-3793 (2)	120 lbs	200 lbs	440 lbs	160 lbs
REC902442	90	24	42	WW-REC-3793 (2)	135 lbs	224 lbs	492 lbs	179 lbs
REC902448	90	24	48	WW-REC-3793 (2)	149 lbs	248 lbs	545 lbs	198 lbs
REC903018	90	30	18	WW-REC-3793 (2)	86 lbs	143 lbs	314 lbs	115 lbs
REC903024	90	30	24	WW-REC-3793 (2)	101 lbs	168 lbs	369 lbs	135 lbs
REC903030	90	30	30	WW-REC-3793 (2)	116 lbs	193 lbs	424 lbs	155 lbs
REC903036	90	30	36	WW-REC-3793 (2)	131 lbs	218 lbs	479 lbs	175 lbs
REC903042	90	30	42	WW-REC-3793 (2)	146 lbs	243 lbs	534 lbs	195 lbs
REC903048	90	30	48	WW-REC-3793 (2)	161 lbs	268 lbs	589 lbs	215 lbs
REC903618	90	36	18	WW-REC-3793 (4)	95 lbs	157 lbs	346 lbs	126 lbs
REC903624	90	36	24	WW-REC-3793 (4)	110 lbs	184 lbs	403 lbs	147 lbs
REC903630	90	36	30	WW-REC-3793 (4)	126 lbs	210 lbs	461 lbs	168 lbs
REC903636	90	36	36	WW-REC-3793 (4)	142 lbs	236 lbs	519 lbs	189 lbs
REC903642	90	36	42	WW-REC-3793 (4)	158 lbs	262 lbs	577 lbs	210 lbs
REC903648	90	36	48	WW-REC-3793 (4)	173 lbs	289 lbs	634 lbs	231 lbs
REC904218	90	42	18	WW-REC-3793 (4)	103 lbs	172 lbs	377 lbs	137 lbs
REC904224	90	42	24	WW-REC-3793 (4)	120 lbs	199 lbs	437 lbs	159 lbs
REC904230	90	42	30	WW-REC-3793 (4)	136 lbs	227 lbs	498 lbs	181 lbs
REC904236	90	42	36	WW-REC-3793 (4)	153 lbs	254 lbs	558 lbs	203 lbs
REC904242	90	42	42	WW-REC-3793 (4)	169 lbs	282 lbs	619 lbs	225 lbs
REC904248	90	42	48	WW-REC-3793 (4)	186 lbs	309 lbs	679 lbs	247 lbs
REC961218	96	12	18	WW-TAP-21 (3)	64 lbs	107 lbs	234 lbs	85 lbs
REC961224	96	12	24	WW-TAP-21 (3)	78 lbs	129 lbs	284 lbs	103 lbs
REC961230	96	12	30	WW-TAP-21 (3)	91 lbs	152 lbs	333 lbs	121 lbs
REC961236	96	12	36	WW-TAP-21 (3)	105 lbs	174 lbs	383 lbs	139 lbs
REC961242	96	12	42	WW-TAP-21 (3)	118 lbs	197 lbs	432 lbs	157 lbs
REC961248	96	12	48	WW-TAP-21 (3)	132 lbs	219 lbs	482 lbs	175 lbs
REC961518	96	15	18	WW-TAP-21 (3)	69 lbs	114 lbs	251 lbs	91 lbs
REC961524	96	15	24	WW-TAP-21 (3)	83 lbs	137 lbs	301 lbs	110 lbs
REC961530	96	15	30	WW-TAP-21 (3)	96 lbs	160 lbs	352 lbs	128 lbs
REC961536	96	15	36	WW-TAP-21 (3)	110 lbs	184 lbs	403 lbs	147 lbs
REC961542	96	15	42	WW-TAP-21 (3)	124 lbs	207 lbs	454 lbs	165 lbs
REC961548	96	15	48	WW-TAP-21 (3)	138 lbs	230 lbs	505 lbs	184 lbs
REC961818	96	18	18	WW-REC-3793 (2)	73 lbs	122 lbs	267 lbs	97 lbs
REC961824	96	18	24	WW-REC-3793 (2)	87 lbs	145 lbs	319 lbs	116 lbs
REC961830	96	18	30	WW-REC-3793 (2)	102 lbs	169 lbs	371 lbs	135 lbs
REC961836	96	18	36	WW-REC-3793 (2)	116 lbs	193 lbs	424 lbs	154 lbs
REC961842	96	18	42	WW-REC-3793 (2)	130 lbs	217 lbs	476 lbs	173 lbs
REC961848	96	18	48	WW-REC-3793 (2)	144 lbs	240 lbs	528 lbs	192 lbs
REC962418	96	24	18	WW-REC-3793 (2)	82 lbs	136 lbs	299 lbs	109 lbs
REC962424	96	24	24	WW-REC-3793 (2)	97 lbs	161 lbs	354 lbs	129 lbs
REC962430	96	24	30	WW-REC-3793 (2)	112 lbs	186 lbs	409 lbs	149 lbs
REC962436	96	24	36	WW-REC-3793 (2)	127 lbs	211 lbs	464 lbs	169 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC962442	96	24	42	WW-REC-3793 (2)	142 lbs	236 lbs	519 lbs	189 lbs
REC962448	96	24	48	WW-REC-3793 (2)	157 lbs	261 lbs	574 lbs	209 lbs
REC963018	96	30	18	WW-REC-3793 (2)	91 lbs	151 lbs	332 lbs	121 lbs
REC963024	96	30	24	WW-REC-3793 (2)	107 lbs	177 lbs	390 lbs	142 lbs
REC963030	96	30	30	WW-REC-3793 (2)	122 lbs	204 lbs	447 lbs	163 lbs
REC963036	96	30	36	WW-REC-3793 (2)	138 lbs	230 lbs	505 lbs	184 lbs
REC963042	96	30	42	WW-REC-3793 (2)	154 lbs	256 lbs	563 lbs	205 lbs
REC963048	96	30	48	WW-REC-3793 (2)	170 lbs	282 lbs	621 lbs	226 lbs
REC963618	96	36	18	WW-REC-3793 (4)	100 lbs	166 lbs	364 lbs	133 lbs
REC963624	96	36	24	WW-REC-3793 (4)	116 lbs	193 lbs	425 lbs	155 lbs
REC963630	96	36	30	WW-REC-3793 (4)	133 lbs	221 lbs	485 lbs	177 lbs
REC963636	96	36	36	WW-REC-3793 (4)	149 lbs	248 lbs	546 lbs	199 lbs
REC963642	96	36	42	WW-REC-3793 (4)	166 lbs	276 lbs	606 lbs	221 lbs
REC963648	96	36	48	WW-REC-3793 (4)	182 lbs	303 lbs	667 lbs	243 lbs
REC964218	96	42	18	WW-REC-3793 (4)	109 lbs	181 lbs	397 lbs	145 lbs
REC964224	96	42	24	WW-REC-3793 (4)	126 lbs	209 lbs	460 lbs	168 lbs
REC964230	96	42	30	WW-REC-3793 (4)	143 lbs	238 lbs	523 lbs	191 lbs
REC964236	96	42	36	WW-REC-3793 (4)	160 lbs	267 lbs	587 lbs	214 lbs
REC964242	96	42	42	WW-REC-3793 (4)	178 lbs	296 lbs	650 lbs	237 lbs
REC964248	96	42	48	WW-REC-3793 (4)	195 lbs	324 lbs	713 lbs	260 lbs
REC1081218	108	12	18	WW-TAP-33 (3)	71 lbs	119 lbs	261 lbs	95 lbs
REC1081224	108	12	24	WW-TAP-33 (3)	86 lbs	144 lbs	316 lbs	115 lbs
REC1081230	108	12	30	WW-TAP-33 (3)	101 lbs	169 lbs	371 lbs	135 lbs
REC1081236	108	12	36	WW-TAP-33 (3)	116 lbs	194 lbs	426 lbs	155 lbs
REC1081242	108	12	42	WW-TAP-33 (3)	131 lbs	219 lbs	481 lbs	175 lbs
REC1081248	108	12	48	WW-TAP-33 (3)	146 lbs	244 lbs	536 lbs	195 lbs
REC1081518	108	15	18	WW-TAP-33 (3)	76 lbs	127 lbs	278 lbs	102 lbs
REC1081524	108	15	24	WW-TAP-33 (3)	92 lbs	152 lbs	335 lbs	122 lbs
REC1081530	108	15	30	WW-TAP-33 (3)	107 lbs	178 lbs	391 lbs	143 lbs
REC1081536	108	15	36	WW-TAP-33 (3)	122 LBS	204 LBS	448 LBS	163 LBS
REC1081542	108	15	42	WW-TAP-33 (3)	138 LBS	229 LBS	504 LBS	184 LBS
REC1081548	108	15	48	WW-TAP-33 (3)	153 LBS	255 LBS	560 LBS	204 LBS
REC1081818	108	18	18	WW-REC-2593 (3)	81 LBS	135 LBS	296 LBS	108 LBS
REC1081824	108	18	24	WW-REC-2593 (3)	97 LBS	161 LBS	354 LBS	129 LBS
REC1081830	108	18	30	WW-REC-2593 (3)	113 LBS	187 LBS	412 LBS	150 LBS
REC1081836	108	18	36	WW-REC-2593 (3)	128 LBS	214 LBS	469 LBS	171 LBS
REC1081842	108	18	42	WW-REC-2593 (3)	144 LBS	240 LBS	527 LBS	192 LBS
REC1081848	108	18	48	WW-REC-2593 (3)	160 LBS	266 LBS	585 LBS	213 LBS
REC1082418	108	24	18	WW-REC-2593 (3)	91 LBS	151 LBS	331 LBS	121 LBS
REC1082424	108	24	24	WW-REC-2593 (3)	107 LBS	178 LBS	392 LBS	143 LBS
REC1082430	108	24	30	WW-REC-2593 (3)	124 LBS	206 LBS	452 LBS	165 LBS
REC1082436	108	24	36	WW-REC-2593 (3)	140 LBS	233 LBS	513 LBS	187 LBS
REC1082442	108	24	42	WW-REC-2593 (3)	157 LBS	261 LBS	573 LBS	209 LBS
REC1082448	108	24	48	WW-REC-2593 (3)	173 LBS	288 LBS	634 LBS	231 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

RECTANGLES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC1083018	108	30	18	WW-REC-2593 (3)	100 lbs	167 lbs	367 lbs	134 lbs
REC1083024	108	30	24	WW-REC-2593 (3)	118 lbs	196 lbs	430 lbs	157 lbs
REC1083030	108	30	30	WW-REC-2593 (3)	135 lbs	224 lbs	493 lbs	180 lbs
REC1083036	108	30	36	WW-REC-2593 (3)	152 lbs	253 lbs	556 lbs	203 lbs
REC1083042	108	30	42	WW-REC-2593 (3)	169 lbs	282 lbs	620 lbs	226 lbs
REC1083048	108	30	48	WW-REC-2593 (3)	187 lbs	311 lbs	683 lbs	249 lbs
REC1083618	108	36	18	WW-REC-2593 (6)	110 lbs	183 lbs	402 lbs	146 lbs
REC1083624	108	36	24	WW-REC-2593 (6)	128 lbs	213 lbs	468 lbs	170 lbs
REC1083630	108	36	30	WW-REC-2593 (6)	146 lbs	243 lbs	534 lbs	194 lbs
REC1083636	108	36	36	WW-REC-2593 (6)	164 lbs	273 lbs	600 lbs	218 lbs
REC1083642	108	36	42	WW-REC-2593 (6)	182 lbs	303 lbs	666 lbs	242 lbs
REC1083648	108	36	48	WW-REC-2593 (6)	200 lbs	333 lbs	732 lbs	266 lbs
REC1084218	108	42	18	WW-REC-2593 (6)	120 lbs	199 lbs	437 lbs	159 lbs
REC1084224	108	42	24	WW-REC-2593 (6)	138 lbs	230 lbs	506 lbs	184 lbs
REC1084230	108	42	30	WW-REC-2593 (6)	157 lbs	262 lbs	575 lbs	209 lbs
REC1084236	108	42	36	WW-REC-2593 (6)	176 lbs	293 lbs	644 lbs	234 lbs
REC1084242	108	42	42	WW-REC-2593 (6)	195 lbs	324 lbs	712 lbs	259 lbs
REC1084248	108	42	48	WW-REC-2593 (6)	213 lbs	355 lbs	781 lbs	284 lbs
REC1201218	120	12	18	WW-TAP-33 (3)	79 lbs	131 lbs	287 lbs	105 lbs
REC1201224	120	12	24	WW-TAP-33 (3)	95 lbs	158 lbs	348 lbs	127 lbs
REC1201230	120	12	30	WW-TAP-33 (3)	112 lbs	186 lbs	408 lbs	149 lbs
REC1201236	120	12	36	WW-TAP-33 (3)	128 lbs	213 lbs	469 lbs	171 lbs
REC1201242	120	12	42	WW-TAP-33 (3)	145 lbs	241 lbs	529 lbs	193 lbs
REC1201248	120	12	48	WW-TAP-33 (3)	161 lbs	268 lbs	590 lbs	215 lbs
REC1201518	120	15	18	WW-TAP-33 (3)	84 lbs	140 lbs	306 lbs	112 lbs
REC1201524	120	15	24	WW-TAP-33 (3)	101 lbs	168 lbs	368 lbs	134 lbs
REC1201530	120	15	30	WW-TAP-33 (3)	118 lbs	196 lbs	430 lbs	157 lbs
REC1201536	120	15	36	WW-TAP-33 (3)	135 lbs	224 lbs	492 lbs	179 lbs
REC1201542	120	15	42	WW-TAP-33 (3)	151 lbs	252 lbs	554 lbs	202 lbs
REC1201548	120	15	48	WW-TAP-33 (3)	168 LBS	280 LBS	616 LBS	224 LBS
REC1201818	120	18	18	WW-REC-3793 (3)	89 LBS	148 LBS	325 LBS	119 LBS
REC1201824	120	18	24	WW-REC-3793 (3)	106 LBS	177 LBS	389 LBS	142 LBS
REC1201830	120	18	30	WW-REC-3793 (3)	124 LBS	206 LBS	452 LBS	165 LBS
REC1201836	120	18	36	WW-REC-3793 (3)	141 LBS	234 LBS	515 LBS	188 LBS
REC1201842	120	18	42	WW-REC-3793 (3)	158 LBS	263 LBS	578 LBS	211 LBS
REC1201848	120	18	48	WW-REC-3793 (3)	175 LBS	292 LBS	642 LBS	234 LBS
REC1202418	120	24	18	WW-REC-3793 (3)	99 LBS	165 LBS	363 LBS	132 LBS
REC1202424	120	24	24	WW-REC-3793 (3)	117 LBS	195 LBS	429 LBS	156 LBS
REC1202430	120	24	30	WW-REC-3793 (3)	135 LBS	225 LBS	495 LBS	180 LBS
REC1202436	120	24	36	WW-REC-3793 (3)	153 LBS	255 LBS	561 LBS	204 LBS
REC1202442	120	24	42	WW-REC-3793 (3)	171 LBS	285 LBS	627 LBS	228 LBS
REC1202448	120	24	48	WW-REC-3793 (3)	189 LBS	315 LBS	693 LBS	252 LBS
REC1203018	120	30	18	WW-REC-3793 (3)	110 LBS	183 LBS	402 LBS	146 LBS
REC1203024	120	30	24	WW-REC-3793 (3)	129 LBS	214 LBS	470 LBS	171 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
REC1203030	120	30	30	WW-REC-3793 (3)	147 lbs	245 lbs	539 lbs	196 lbs
REC1203036	120	30	36	WW-REC-3793 (3)	166 lbs	277 lbs	608 lbs	221 lbs
REC1203042	120	30	42	WW-REC-3793 (3)	185 lbs	308 lbs	677 lbs	246 lbs
REC1203048	120	30	48	WW-REC-3793 (3)	204 lbs	339 lbs	745 lbs	271 lbs
REC1203618	120	36	18	WW-REC-3793 (6)	120 lbs	200 lbs	440 lbs	160 lbs
REC1203624	120	36	24	WW-REC-3793 (6)	140 lbs	233 lbs	511 lbs	186 lbs
REC1203630	120	36	30	WW-REC-3793 (6)	159 lbs	265 lbs	583 lbs	212 lbs
REC1203636	120	36	36	WW-REC-3793 (6)	179 lbs	298 lbs	654 lbs	238 lbs
REC1203642	120	36	42	WW-REC-3793 (6)	198 lbs	330 lbs	726 lbs	264 lbs
REC1203648	120	36	48	WW-REC-3793 (6)	218 lbs	363 lbs	797 lbs	290 lbs
REC1204218	120	42	18	WW-REC-3793 (6)	131 lbs	217 lbs	478 lbs	174 lbs
REC1204224	120	42	24	WW-REC-3793 (6)	151 lbs	251 lbs	552 lbs	201 lbs
REC1204230	120	42	30	WW-REC-3793 (6)	171 lbs	285 lbs	626 lbs	228 lbs
REC1204236	120	42	36	WW-REC-3793 (6)	191 lbs	319 lbs	700 lbs	255 lbs
REC1204242	120	42	42	WW-REC-3793 (6)	212 lbs	352 lbs	775 lbs	282 lbs
REC1204248	120	42	48	WW-REC-3793 (6)	232 lbs	386 lbs	849 lbs	309 lbs

Custom sizing available on request.
Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS



MODERN PLANTERS

SQUARES


PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
S1818	18	18	18	WW-R7	21 lbs	35 lbs	76 lbs	28 lbs
S1824	18	18	24	WW-R7	26 lbs	42 lbs	93 lbs	34 lbs
S1830	18	18	30	WW-R7	30 lbs	50 lbs	109 lbs	40 lbs
S1836	18	18	36	WW-R7	35 lbs	57 lbs	126 lbs	46 lbs
S1842	18	18	42	WW-R7	39 lbs	65 lbs	142 lbs	52 lbs
S1848	18	18	48	WW-R7	44 lbs	72 lbs	159 lbs	58 lbs
S1854	18	18	54	WW-R7	48 lbs	80 lbs	175 lbs	64 lbs
S1860	18	18	60	WW-R7	53 lbs	87 lbs	192 lbs	70 lbs
S2418	24	24	18	WW-R13	29 lbs	49 lbs	107 lbs	39 lbs
S2424	24	24	24	WW-R13	35 lbs	59 lbs	129 lbs	47 lbs
S2430	24	24	30	WW-R13	41 lbs	69 lbs	151 lbs	55 lbs
S2436	24	24	36	WW-R13	47 lbs	79 lbs	173 lbs	63 lbs
S2442	24	24	42	WW-R13	53 LBS	89 LBS	195 LBS	71 LBS
S2448	24	24	48	WW-R13	59 LBS	99 LBS	217 LBS	79 LBS
S2454	24	24	54	WW-R13	65 LBS	109 LBS	239 LBS	87 LBS
S2460	24	24	60	WW-R13	71 LBS	119 LBS	261 LBS	95 LBS
S3018	30	30	18	WW-R18	39 LBS	64 LBS	140 LBS	51 LBS
S3024	30	30	24	WW-R18	46 LBS	77 LBS	168 LBS	61 LBS
S3030	30	30	30	WW-R18	54 LBS	89 LBS	195 LBS	71 LBS
S3036	30	30	36	WW-R18	61 LBS	102 LBS	223 LBS	81 LBS
S3042	30	30	42	WW-R18	69 LBS	114 LBS	250 LBS	91 LBS
S3048	30	30	48	WW-R18	76 LBS	127 LBS	278 LBS	101 LBS
S3054	30	30	54	WW-R18	84 LBS	139 LBS	305 LBS	111 LBS
S3060	30	30	60	WW-R18	91 LBS	152 LBS	333 LBS	121 LBS
S3618	36	36	18	WW-R24	48 LBS	80 LBS	176 LBS	64 LBS
S3624	36	36	24	WW-R24	57 LBS	95 LBS	209 LBS	76 LBS
S3630	36	36	30	WW-R24	66 LBS	110 LBS	242 LBS	88 LBS
S3636	36	36	36	WW-R24	75 LBS	125 LBS	275 LBS	100 LBS
S3642	36	36	42	WW-R24	84 lbs	140 lbs	308 lbs	112 lbs
S3648	36	36	48	WW-R24	93 lbs	155 lbs	341 lbs	124 lbs
S3654	36	36	54	WW-R24	102 lbs	170 lbs	374 lbs	136 lbs
S3660	36	36	60	WW-R24	111 lbs	185 lbs	407 lbs	148 lbs
S4218	42	42	18	WW-R28	59 lbs	98 lbs	215 lbs	79 lbs
S4224	42	42	24	WW-R28	70 lbs	116 lbs	254 lbs	93 lbs
S4230	42	42	30	WW-R28	80 lbs	133 lbs	292 lbs	107 lbs
S4236	42	42	36	WW-R28	91 lbs	151 lbs	331 lbs	121 lbs
S4242	42	42	42	WW-R28	101 lbs	168 lbs	369 lbs	135 lbs
S4248	42	42	48	WW-R28	112 lbs	186 lbs	408 lbs	149 lbs
S4254	42	42	54	WW-R28	122 lbs	203 lbs	446 lbs	163 lbs
S4260	42	42	60	WW-R28	133 lbs	221 lbs	485 lbs	177 lbs
S4818	48	48	18	WW-R36	70 lbs	117 lbs	257 lbs	94 lbs
S4824	48	48	24	WW-R36	82 lbs	137 lbs	301 lbs	110 lbs
S4830	48	48	30	WW-R36	94 lbs	157 lbs	345 lbs	126 lbs
S4836	48	48	36	WW-R36	106 lbs	177 lbs	389 lbs	142 lbs
S4842	48	48	42	WW-R36	118 lbs	197 lbs	433 lbs	158 lbs

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



SIZES & SPECIFICATIONS




MODERN PLANTERS

SQUARES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	L	W	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
S4848	48	48	48	WW-R36	130 lbs	217 lbs	477 lbs	174 lbs
S4854	48	48	54	WW-R36	142 lbs	237 lbs	521 lbs	190 lbs
S4860	48	48	60	WW-R36	154 lbs	257 lbs	565 lbs	206 lbs
S6018	60	60	18	WW-R46	95 lbs	159 lbs	349 lbs	127 lbs
S6024	60	60	24	WW-R46	110 lbs	184 lbs	404 lbs	147 lbs
S6030	60	60	30	WW-R46	125 lbs	209 lbs	459 lbs	167 lbs
S6036	60	60	36	WW-R46	140 lbs	234 lbs	514 lbs	187 lbs
S6042	60	60	42	WW-R46	155 lbs	259 lbs	569 lbs	207 lbs
S6048	60	60	48	WW-R46	170 lbs	284 lbs	624 lbs	227 lbs
S6054	60	60	54	WW-R46	185 lbs	309 lbs	679 lbs	247 lbs
S6060	60	60	60	WW-R46	200 lbs	334 lbs	734 lbs	267 lbs
S6618	66	66	18	WW-R46	109 lbs	182 lbs	399 lbs	145 lbs
S6624	66	66	24	WW-R46	126 lbs	209 lbs	459 lbs	167 lbs
S6630	66	66	30	WW-R46	142 lbs	237 lbs	520 lbs	189 lbs
S6636	66	66	36	WW-R46	159 lbs	264 lbs	580 lbs	211 lbs
S6642	66	66	42	WW-R46	175 lbs	292 lbs	641 lbs	233 lbs
S6648	66	66	48	WW-R46	192 lbs	319 lbs	701 lbs	255 lbs
S6654	66	66	54	WW-R46	208 lbs	347 lbs	762 lbs	277 lbs
S6660	66	66	60	WW-R46	225 lbs	374 lbs	822 lbs	299 lbs
S7218	72	72	18	WW-R60	123 lbs	205 lbs	451 lbs	164 lbs
S7224	72	72	24	WW-R60	141 lbs	235 lbs	517 lbs	188 lbs
S7230	72	72	30	WW-R60	159 lbs	265 lbs	583 lbs	212 lbs
S7236	72	72	36	WW-R60	177 lbs	295 lbs	649 lbs	236 lbs
S7242	72	72	42	WW-R60	195 lbs	325 lbs	715 lbs	260 lbs
S7248	72	72	48	WW-R60	213 lbs	355 lbs	781 lbs	284 lbs
S7254	72	72	54	WW-R60	231 lbs	385 lbs	847 lbs	308 lbs
S7260	72	72	60	WW-R60	249 LBS	415 LBS	913 LBS	332 LBS

Custom sizing available on request.

Steel planter pricing is based on the standard "T" trim.



MODERN PLANTERS


ROUNDS

PRODUCT	DIMENSIONS		WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	D	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
R1818	18	18	WW-R7	25 lbs	41 lbs	-	-
R1824	18	24	WW-R7	28 lbs	47 lbs	-	-
R1830	18	30	WW-R7	32 lbs	53 lbs	-	-
R1836	18	36	WW-R7	35 lbs	58 lbs	-	-
R1842	18	42	WW-R7	39 lbs	64 lbs	-	-
R1848	18	48	WW-R7	42 lbs	70 lbs	-	-

Custom sizing available on request.



SIZES & SPECIFICATIONS



MODERN PLANTERS


ROUNDS

PRODUCT	DIMENSIONS		WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	D	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
R1854	18	54	WW-R7	46 lbs	76 lbs	-	-
R1860	18	60	WW-R7	49 lbs	82 lbs	-	-
R2418	24	18	WW-R13	37 lbs	62 lbs	-	-
R2424	24	24	WW-R13	42 lbs	70 lbs	-	-
R2430	24	30	WW-R13	47 lbs	78 lbs	-	-
R2436	24	36	WW-R13	52 lbs	86 lbs	-	-
R2442	24	42	WW-R13	56 lbs	93 lbs	-	-
R2448	24	48	WW-R13	61 lbs	101 lbs	-	-
R2454	24	54	WW-R13	66 lbs	109 lbs	-	-
R2460	24	60	WW-R13	70 lbs	117 lbs	-	-
R3018	30	18	WW-R18	53 lbs	87 lbs	-	-
R3024	30	24	WW-R18	58 lbs	97 lbs	-	-
R3030	30	30	WW-R18	64 lbs	107 lbs	-	-
R3036	30	36	WW-R18	70 lbs	117 lbs	-	-
R3042	30	42	WW-R18	76 lbs	126 lbs	-	-
R3048	30	48	WW-R18	82 lbs	136 lbs	-	-
R3054	30	54	WW-R18	88 lbs	146 lbs	-	-
R3060	30	60	WW-R18	94 lbs	156 lbs	-	-
R3618	36	18	WW-R24	70 lbs	116 lbs	-	-
R3624	36	24	WW-R24	77 lbs	128 lbs	-	-
R3630	36	30	WW-R24	84 lbs	140 lbs	-	-
R3636	36	36	WW-R24	91 lbs	152 lbs	-	-
R3642	36	42	WW-R24	98 lbs	163 lbs	-	-
R3648	36	48	WW-R24	105 lbs	175 lbs	-	-
R3654	36	54	WW-R24	112 lbs	187 lbs	-	-
R3660	36	60	WW-R24	119 lbs	199 lbs	-	-
R4218	42	18	WW-R28	90 lbs	149 lbs	-	-
R4224	42	24	WW-R28	98 lbs	163 lbs	-	-
R4230	42	30	WW-R28	106 lbs	177 lbs	-	-
R4236	42	36	WW-R28	115 lbs	191 lbs	-	-
R4242	42	42	WW-R28	123 lbs	204 lbs	-	-
R4248	42	48	WW-R28	131 lbs	218 lbs	-	-
R4254	42	54	WW-R28	139 lbs	232 lbs	-	-
R4260	42	60	WW-R28	147 lbs	245 lbs	-	-
R4818	48	18	WW-R36	112 lbs	186 lbs	-	-
R4824	48	24	WW-R36	121 lbs	202 lbs	-	-
R4830	48	30	WW-R36	131 lbs	218 lbs	-	-
R4836	48	36	WW-R36	140 lbs	233 lbs	-	-
R4842	48	42	WW-R36	150 lbs	249 lbs	-	-
R4848	48	48	WW-R36	159 lbs	265 lbs	-	-
R4854	48	54	WW-R36	168 lbs	280 lbs	-	-
R4860	48	60	WW-R36	178 lbs	296 lbs	-	-
R6018	60	18	WW-R46	163 lbs	272 lbs	-	-
R6024	60	24	WW-R46	175 lbs	292 lbs	-	-

Custom sizing available on request.



SIZES & SPECIFICATIONS




MODERN PLANTERS

ROUNDS

PRODUCT	DIMENSIONS		WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	D	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
R6030	60	30	WW-R46	187 lbs	311 lbs	-	-
R6036	60	36	WW-R46	199 lbs	331 lbs	-	-
R6042	60	42	WW-R46	210 lbs	350 lbs	-	-
R6048	60	48	WW-R46	222 lbs	370 lbs	-	-
R6054	60	54	WW-R46	234 lbs	390 lbs	-	-
R6060	60	60	WW-R46	246 lbs	409 lbs	-	-
R6618	66	18	WW-R46	193 lbs	321 lbs	-	-
R6624	66	24	WW-R46	206 lbs	342 lbs	-	-
R6630	66	30	WW-R46	219 lbs	364 lbs	-	-
R6636	66	36	WW-R46	231 lbs	385 lbs	-	-
R6642	66	42	WW-R46	244 lbs	407 lbs	-	-
R6648	66	48	WW-R46	257 lbs	429 lbs	-	-
R6654	66	54	WW-R46	270 lbs	450 lbs	-	-
R6660	66	60	WW-R46	283 lbs	472 lbs	-	-
R7218	72	18	WW-R60	224 lbs	373 lbs	-	-
R7224	72	24	WW-R60	238 lbs	397 lbs	-	-
R7230	72	30	WW-R60	252 lbs	420 lbs	-	-
R7236	72	36	WW-R60	267 lbs	444 lbs	-	-
R7242	72	42	WW-R60	281 lbs	468 lbs	-	-
R7248	72	48	WW-R60	295 LBS	491 LBS		
R7254	72	54	WW-R60	309 LBS	515 LBS		
R7260	72	60	WW-R60	323 LBS	538 LBS		

Custom sizing available on request.



MODERN PLANTERS

ROUND LOW BOWLS

PRODUCT	DIMENSIONS		WATER RESERVOIR	FIBERGLASS	FIBERSTONE	CORTEN STEEL/ POWDER COATED	ALUMINUM
	D	H		WEIGHT	WEIGHT	WEIGHT	WEIGHT
LB1804	18	4	WW-R7	16 lbs	27 lbs	-	-
LB2008	20	8	WW-R7	22 lbs	36 lbs	-	-
LB2406	24	6	WW-R7	28 lbs	46 lbs	-	-
LB3008	30	8	WW-R13	43 lbs	71 lbs	-	-
LB3609	36	9	WW-R18	59 lbs	99 lbs	-	-
LB4210	42	10	WW-R18	79 lbs	131 lbs	-	-
LB4811	48	11	WW-R24	101 lbs	168 lbs	-	-
LB5412	54	12	WW-R28	126 lbs	210 lbs	-	-
LB6013	60	13	WW-R36	154 lbs	256 lbs	-	-
LB7215	72	15	WW-R46	217 LBS	362 LBS		

Custom sizing available on request.

