



STRATO PLANTERS



SHAPES



Rectangle




Square

MATERIAL	SOFT WEIGHT	COMMERCIAL GRADE	WEATHER RESISTANT	MAX STD HEIGHT	MAX STD LENGTH	CUSTOM SIZES	DRAINAGE	COLORS/ FINISHES
FIBERSTONE	2.5 lbs.	✓	✓	3.5'	10'	✓	1/2"	11 FINISHES

**Larger sizes available upon request*





Irrigation Systems

Our irrigation systems fit any planter, reducing watering by delivering water directly to plant roots, ensuring optimal hydration and minimizing waste.



Lift Channels

Designed for large, heavy planters, these channels allow safe, easy movement with pallet jacks or forklifts, maintaining design flexibility and maximizing efficiency.



Water Sealing

Our water sealing option protects planters from moisture damage, ensuring durability and integrity.



Accessory Pocket

These planters feature integrated compartments for lighting, audio, power, and data. A compatibility chart is available for standard fixtures; custom solutions can be explored.



False Bottom

False bottoms lighten large planters by reducing soil while creating a water reservoir to extend watering intervals, and save on materials and maintenance time.



Drain Holes

Drainage holes are available on all our planters. Simply let us know your preference.




Bioretention

This engineered layer filters rainwater, removes pollutants, and promotes slow release into the surrounding soil or storm drain system, thereby reducing runoff and improving water quality.



Tie Downs

Tie downs in planters secure trees and large plants, ensuring they remain stable, upright, and centered through evenly distributed ties, promoting proper growth and preventing damage.



Refuse Container

Transform your planter to a refuse container with a variety of lid options and liners.



Casters

Select planters can have recessed casters for mobility, discreetly built into a reinforced, raised base for smooth rolling without affecting aesthetics.



Matching Saucer

Prevent surface staining and water runoff with our matching saucers. Seamlessly integrated, they enhance functionality and aesthetics with a perfect color and finish match.



Bottom Reinforcement

For planters needing anchoring or lacking ground structure support, additional base reinforcement ensures stability and prevents damage.




Trellis

Optimize your commercial landscape with our durable and customizable trellis, engineered to support vertical plant growth and elevate aesthetic appeal.



Wall Hanging Planters

Wall scaping made easy with adjustable bracket mount points for easy and secure on-site wall planter install. Choose from standard or built in hidden brackets.



Scoops

Square and rectangular planters connect end-to-end with hidden "scoops" for seamless, continuous planting beds.



Anchor Plate

For increased stability, add an anchor plate to your planter to distribute weight and prevent tipping.



Custom Colors

We provide 13 custom color options and finishes for our Fiberstone/GFRC products, 24 color options and 4 finishes for our Fiberglass products. Armorecoat and premium metallic colors available.



Custom Dimensions

Custom dimensions available on all planters.

We offer a variety of customization options, but availability may vary by product. To discuss creating a custom order or inquire about specific options, please scan our QR code, visit our website, or call us.



COLORS & FINISHES

FIBERSTONE FINISHES

Custom colors available upon request



CHENZA



TIZA



ANTIGUA



FOSIL



SAVOY



RUSTICO



ZINC



OXIDO



TERRON




FERRIC



IRON



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
REC301218-FS	30	12	18	WW-TAP-21	40 lbs
REC301224-FS	30	12	24	WW-TAP-21	49 lbs
REC301230-FS	30	12	30	WW-TAP-21	58 lbs
REC301236-FS	30	12	36	WW-TAP-21	67 lbs
REC301518-FS	30	15	18	WW-TAP-21	44 lbs
REC301524-FS	30	15	24	WW-TAP-21	54 lbs
REC301530-FS	30	15	30	WW-TAP-21	63 lbs
REC301536-FS	30	15	36	WW-TAP-21	72 lbs
REC301542-FS	30	15	42	WW-TAP-21	82 lbs
REC301548-FS	30	15	48	WW-TAP-21	91 lbs
REC301818-FS	30	18	18	WW-REC2593	48 lbs
REC301824-FS	30	18	24	WW-REC2593	58 lbs
REC301830-FS	30	18	30	WW-REC2593	68 lbs
REC301836-FS	30	18	36	WW-REC2593	78 lbs
REC301842-FS	30	18	42	WW-REC2593	88 lbs
REC301848-FS	30	18	48	WW-REC2593	98 lbs
REC302418-FS	30	24	18	WW-REC2593	56 lbs
REC302424-FS	30	24	24	WW-REC2593	67 lbs
REC302430-FS	30	24	30	WW-REC2593	79 lbs
REC302436-FS	30	24	36	WW-REC2593	90 lbs
REC302442-FS	30	24	42	WW-REC2593	101 lbs
REC302448-FS	30	24	48	WW-REC2593	112 lbs
REC361218-FS	36	12	18	WW-TAP-21	46 lbs
REC361224-FS	36	12	24	WW-TAP-21	56 lbs
REC361230-FS	36	12	30	WW-TAP-21	66 lbs
REC361236-FS	36	12	36	WW-TAP-21	76 lbs
REC361518-FS	36	15	18	WW-TAP-21	51 lbs
REC361524-FS	36	15	24	WW-TAP-21	61 lbs
REC361530-FS	36	15	30	WW-TAP-21	72 lbs
REC361536-FS	36	15	36	WW-TAP-21	82 lbs
REC361542-FS	36	15	42	WW-TAP-21	93 lbs
REC361548-FS	36	15	48	WW-TAP-21	104 lbs
REC361818-FS	36	18	18	WW-REC2593	55 lbs
REC361824-FS	36	18	24	WW-REC2593	66 LBS
REC361830-FS	36	18	30	WW-REC2593	77 LBS
REC361836-FS	36	18	36	WW-REC2593	89 LBS
REC361842-FS	36	18	42	WW-REC2593	100 LBS
REC361848-FS	36	18	48	WW-REC2593	111 LBS
REC362418-FS	36	24	18	WW-REC2593	63 lbs
REC362424-FS	36	24	24	WW-REC2593	76 LBS
REC362430-FS	36	24	30	WW-REC2593	88 LBS
REC362436-FS	36	24	36	WW-REC2593	101 LBS
REC362442-FS	36	24	42	WW-REC2593	113 LBS
REC362448-FS	36	24	48	WW-REC2593	126 LBS
REC363018-FS	36	30	18	WW-REC2593	72 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
REC363024-FS	36	30	24	WW-REC2593	86 LBS
REC363030-FS	36	30	30	WW-REC2593	99 LBS
REC363036-FS	36	30	36	WW-REC2593	113 LBS
REC363042-FS	36	30	42	WW-REC2593	127 LBS
REC363048-FS	36	30	48	WW-REC2593	141 LBS
REC421218-FS	42	12	18	WW-TAP-33	52 LBS
REC421224-FS	42	12	24	WW-TAP-33	64 LBS
REC421230-FS	42	12	30	WW-TAP-33	75 LBS
REC421236-FS	42	12	36	WW-TAP-33	86 LBS
REC421518-FS	42	15	18	WW-TAP-33	57 LBS
REC421524-FS	42	15	24	WW-TAP-33	69 LBS
REC421530-FS	42	15	30	WW-TAP-33	81 LBS
REC421536-FS	42	15	36	WW-TAP-33	93 LBS
REC421542-FS	42	15	42	WW-TAP-33	104 LBS
REC421548-FS	42	15	48	WW-TAP-33	116 LBS
REC421818-FS	42	18	18	WW-REC2593	62 LBS
REC421824-FS	42	18	24	WW-REC2593	74 LBS
REC421830-FS	42	18	30	WW-REC2593	87 LBS
REC421836-FS	42	18	36	WW-REC2593	99 LBS
REC421842-FS	42	18	42	WW-REC2593	112 LBS
REC421848-FS	42	18	48	WW-REC2593	124 LBS
REC422418-FS	42	24	18	WW-REC2593	71 LBS
REC422424-FS	42	24	24	WW-REC2593	84 LBS
REC422430-FS	42	24	30	WW-REC2593	98 LBS
REC422436-FS	42	24	36	WW-REC2593	112 LBS
REC422442-FS	42	24	42	WW-REC2593	126 LBS
REC422448-FS	42	24	48	WW-REC2593	139 LBS
REC423018-FS	42	30	18	WW-REC2593	80 LBS
REC423024-FS	42	30	24	WW-REC2593	95 LBS
REC423030-FS	42	30	30	WW-REC2593	110 LBS
REC423036-FS	42	30	36	WW-REC2593	125 LBS
REC423042-FS	42	30	42	WW-REC2593	140 LBS
REC423048-FS	42	30	48	WW-REC2593	155 LBS
REC423618-FS	42	36	18	WW-REC2593 (2)	89 LBS
REC423624-FS	42	36	24	WW-REC2593 (2)	105 LBS
REC423630-FS	42	36	30	WW-REC2593 (2)	122 LBS
REC423636-FS	42	36	36	WW-REC2593 (2)	138 LBS
REC423642-FS	42	36	42	WW-REC2593 (2)	154 LBS
REC423648-FS	42	36	48	WW-REC2593 (2)	170 LBS
REC481218-FS	48	12	18	WW-TAP-33	58 LBS
REC481224-FS	48	12	24	WW-TAP-33	71 LBS
REC481230-FS	48	12	30	WW-TAP-33	83 LBS
REC481236-FS	48	12	36	WW-TAP-33	96 LBS
REC481518-FS	48	15	18	WW-TAP-33	63 LBS
REC481524-FS	48	15	24	WW-TAP-33	76 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC481530-FS	48	15	30	WW-TAP-33	90 LBS
REC481536-FS	48	15	36	WW-TAP-33	103 LBS
REC481542-FS	48	15	42	WW-TAP-33	116 LBS
REC481548-FS	48	15	48	WW-TAP-33	129 LBS
REC481818-FS	48	18	18	WW-REC3793	68 LBS
REC481824-FS	48	18	24	WW-REC3793	82 LBS
REC481830-FS	48	18	30	WW-REC3793	96 LBS
REC481836-FS	48	18	36	WW-REC3793	109 LBS
REC481842-FS	48	18	42	WW-REC3793	123 LBS
REC481848-FS	48	18	48	WW-REC3793	137 LBS
REC482418-FS	48	24	18	WW-REC3793	78 LBS
REC482424-FS	48	24	24	WW-REC3793	93 LBS
REC482430-FS	48	24	30	WW-REC3793	108 LBS
REC482436-FS	48	24	36	WW-REC3793	123 LBS
REC482442-FS	48	24	42	WW-REC3793	138 LBS
REC482448-FS	48	24	48	WW-REC3793	153 LBS
REC483018-FS	48	30	18	WW-REC3793	88 LBS
REC483024-FS	48	30	24	WW-REC3793	104 LBS
REC483030-FS	48	30	30	WW-REC3793	120 LBS
REC483036-FS	48	30	36	WW-REC3793	137 LBS
REC483042-FS	48	30	42	WW-REC3793	153 LBS
REC483048-FS	48	30	48	WW-REC3793	169 LBS
REC483618-FS	48	36	18	WW-REC3793 (2)	98 LBS
REC483624-FS	48	36	24	WW-REC3793 (2)	115 LBS
REC483630-FS	48	36	30	WW-REC3793 (2)	133 LBS
REC483636-FS	48	36	36	WW-REC3793 (2)	150 LBS
REC483642-FS	48	36	42	WW-REC3793 (2)	168 LBS
REC483648-FS	48	36	48	WW-REC3793 (2)	185 LBS
REC484218-FS	48	42	18	WW-REC3793 (2)	107 LBS
REC484224-FS	48	42	24	WW-REC3793 (2)	126 LBS
REC484230-FS	48	42	30	WW-REC3793 (2)	145 LBS
REC484236-FS	48	42	36	WW-REC3793 (2)	164 LBS
REC484242-FS	48	42	42	WW-REC3793 (2)	182 LBS
REC484248-FS	48	42	48	WW-REC3793 (2)	201 LBS
REC541218-FS	54	12	18	WW-TAP-33	64 LBS
REC541224-FS	54	12	24	WW-TAP-33	78 LBS
REC541230-FS	54	12	30	WW-TAP-33	92 LBS
REC541236-FS	54	12	36	WW-TAP-33	106 LBS
REC541518-FS	54	15	18	WW-TAP-33	70 LBS
REC541524-FS	54	15	24	WW-TAP-33	84 LBS
REC541530-FS	54	15	30	WW-TAP-33	98 LBS
REC541536-FS	54	15	36	WW-TAP-33	113 LBS
REC541542-FS	54	15	42	WW-TAP-33	127 LBS
REC541548-FS	54	15	48	WW-TAP-33	142 LBS
REC541818-FS	54	18	18	WW-REC3793	75 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC541824-FS	54	18	24	WW-REC3793	90 LBS
REC541830-FS	54	18	30	WW-REC3793	105 LBS
REC541836-FS	54	18	36	WW-REC3793	120 LBS
REC541842-FS	54	18	42	WW-REC3793	135 LBS
REC541848-FS	54	18	48	WW-REC3793	150 LBS
REC542418-FS	54	24	18	WW-REC3793	85 LBS
REC542424-FS	54	24	24	WW-REC3793	102 LBS
REC542430-FS	54	24	30	WW-REC3793	118 LBS
REC542436-FS	54	24	36	WW-REC3793	134 LBS
REC542442-FS	54	24	42	WW-REC3793	150 LBS
REC542448-FS	54	24	48	WW-REC3793	167 LBS
REC543018-FS	54	30	18	WW-REC3793	96 LBS
REC543024-FS	54	30	24	WW-REC3793	113 LBS
REC543030-FS	54	30	30	WW-REC3793	131 LBS
REC543036-FS	54	30	36	WW-REC3793	148 LBS
REC543042-FS	54	30	42	WW-REC3793	166 LBS
REC543048-FS	54	30	48	WW-REC3793	183 LBS
REC543618-FS	54	36	18	WW-REC3793 (2)	106 LBS
REC543624-FS	54	36	24	WW-REC3793 (2)	125 LBS
REC543630-FS	54	36	30	WW-REC3793 (2)	144 LBS
REC543636-FS	54	36	36	WW-REC3793 (2)	162 LBS
REC543642-FS	54	36	42	WW-REC3793 (2)	181 LBS
REC543648-FS	54	36	48	WW-REC3793 (2)	200 LBS
REC544218-FS	54	42	18	WW-REC3793 (2)	117 LBS
REC544224-FS	54	42	24	WW-REC3793 (2)	137 LBS
REC544230-FS	54	42	30	WW-REC3793 (2)	157 LBS
REC544236-FS	54	42	36	WW-REC3793 (2)	177 LBS
REC544242-FS	54	42	42	WW-REC3793 (2)	197 LBS
REC544248-FS	54	42	48	WW-REC3793 (2)	217 LBS
REC601218-FS	60	12	18	WW-REC2593 (2)	70 LBS
REC601224-FS	60	12	24	WW-REC2593 (2)	85 LBS
REC601230-FS	60	12	30	WW-REC2593 (2)	100 LBS
REC601236-FS	60	12	36	WW-REC2593 (2)	115 LBS
REC601518-FS	60	15	18	WW-REC2593 (2)	76 LBS
REC601524-FS	60	15	24	WW-REC2593 (2)	92 LBS
REC601530-FS	60	15	30	WW-REC2593 (2)	107 LBS
REC601536-FS	60	15	36	WW-REC2593 (2)	123 LBS
REC601542-FS	60	15	42	WW-REC2593 (2)	139 LBS
REC601548-FS	60	15	48	WW-REC2593 (2)	154 LBS
REC601818-FS	60	18	18	WW-REC2593 (2)	82 LBS
REC601824-FS	60	18	24	WW-REC2593 (2)	98 LBS
REC601830-FS	60	18	30	WW-REC2593 (2)	114 LBS
REC601836-FS	60	18	36	WW-REC2593 (2)	130 LBS
REC601842-FS	60	18	42	WW-REC2593 (2)	147 LBS
REC601848-FS	60	18	48	WW-REC2593 (2)	163 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC602418-FS	60	24	18	WW-REC2593 (2)	93 LBS
REC602424-FS	60	24	24	WW-REC2593 (2)	110 LBS
REC602430-FS	60	24	30	WW-REC2593 (2)	128 LBS
REC602436-FS	60	24	36	WW-REC2593 (2)	145 LBS
REC602442-FS	60	24	42	WW-REC2593 (2)	163 LBS
REC602448-FS	60	24	48	WW-REC2593 (2)	180 LBS
REC603018-FS	60	30	18	WW-REC2593 (2)	104 LBS
REC603024-FS	60	30	24	WW-REC2593 (2)	122 LBS
REC603030-FS	60	30	30	WW-REC2593 (2)	141 LBS
REC603036-FS	60	30	36	WW-REC2593 (2)	160 LBS
REC603042-FS	60	30	42	WW-REC2593 (2)	179 LBS
REC603048-FS	60	30	48	WW-REC2593 (2)	197 LBS
REC603618-FS	60	36	18	WW-REC2593 (4)	115 LBS
REC603624-FS	60	36	24	WW-REC2593 (4)	135 LBS
REC603630-FS	60	36	30	WW-REC2593 (4)	155 LBS
REC603636-FS	60	36	36	WW-REC2593 (4)	175 LBS
REC603642-FS	60	36	42	WW-REC2593 (4)	195 LBS
REC603648-FS	60	36	48	WW-REC2593 (4)	215 LBS
REC604218-FS	60	42	18	WW-REC2593 (4)	126 LBS
REC604224-FS	60	42	24	WW-REC2593 (4)	147 LBS
REC604230-FS	60	42	30	WW-REC2593 (4)	168 LBS
REC604236-FS	60	42	36	WW-REC2593 (4)	189 LBS
REC604242-FS	60	42	42	WW-REC2593 (4)	211 LBS
REC604248-FS	60	42	48	WW-REC2593 (4)	232 LBS
REC661218-FS	66	12	18	WW-TAP-21 (2)	77 LBS
REC661224-FS	66	12	24	WW-TAP-21 (2)	93 LBS
REC661230-FS	66	12	30	WW-TAP-21 (2)	109 LBS
REC661236-FS	66	12	36	WW-TAP-21 (2)	125 LBS
REC661518-FS	66	15	18	WW-TAP-21 (2)	82 LBS
REC661524-FS	66	15	24	WW-TAP-21 (2)	99 LBS
REC661530-FS	66	15	30	WW-TAP-21 (2)	116 LBS
REC661536-FS	66	15	36	WW-TAP-21 (2)	133 LBS
REC661542-FS	66	15	42	WW-TAP-21 (2)	150 LBS
REC661548-FS	66	15	48	WW-TAP-21 (2)	167 LBS
REC661818-FS	66	18	18	WW-REC2593 (2)	88 LBS
REC661824-FS	66	18	24	WW-REC2593 (2)	106 LBS
REC661830-FS	66	18	30	WW-REC2593 (2)	123 LBS
REC661836-FS	66	18	36	WW-REC2593 (2)	141 LBS
REC661842-FS	66	18	42	WW-REC2593 (2)	158 LBS
REC661848-FS	66	18	48	WW-REC2593 (2)	176 LBS
REC662418-FS	66	24	18	WW-REC2593 (2)	100 LBS
REC662424-FS	66	24	24	WW-REC2593 (2)	119 LBS
REC662430-FS	66	24	30	WW-REC2593 (2)	137 LBS
REC662436-FS	66	24	36	WW-REC2593 (2)	156 LBS
REC662442-FS	66	24	42	WW-REC2593 (2)	175 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
REC662448-FS	66	24	48	WW-REC2593 (2)	194 LBS
REC663018-FS	66	30	18	WW-REC2593 (2)	112 LBS
REC663024-FS	66	30	24	WW-REC2593 (2)	132 LBS
REC663030-FS	66	30	30	WW-REC2593 (2)	152 LBS
REC663036-FS	66	30	36	WW-REC2593 (2)	172 LBS
REC663042-FS	66	30	42	WW-REC2593 (2)	192 LBS
REC663048-FS	66	30	48	WW-REC2593 (2)	212 LBS
REC663618-FS	66	36	18	WW-REC2593 (4)	123 LBS
REC663624-FS	66	36	24	WW-REC2593 (4)	144 LBS
REC663630-FS	66	36	30	WW-REC2593 (4)	166 LBS
REC663636-FS	66	36	36	WW-REC2593 (4)	187 LBS
REC663642-FS	66	36	42	WW-REC2593 (4)	208 LBS
REC663648-FS	66	36	48	WW-REC2593 (4)	229 LBS
REC664218-FS	66	42	18	WW-REC2593 (4)	135 LBS
REC664224-FS	66	42	24	WW-REC2593 (4)	157 LBS
REC664230-FS	66	42	30	WW-REC2593 (4)	180 LBS
REC664236-FS	66	42	36	WW-REC2593 (4)	202 LBS
REC664242-FS	66	42	42	WW-REC2593 (4)	225 LBS
REC664248-FS	66	42	48	WW-REC2593 (4)	247 LBS
REC721218-FS	72	12	18	WW-TAP-33 (2)	83 LBS
REC721224-FS	72	12	24	WW-TAP-33 (2)	100 LBS
REC721230-FS	72	12	30	WW-TAP-33 (2)	118 LBS
REC721236-FS	72	12	36	WW-TAP-33 (2)	135 LBS
REC721518-FS	72	15	18	WW-TAP-33 (2)	89 LBS
REC721524-FS	72	15	24	WW-TAP-33 (2)	107 LBS
REC721530-FS	72	15	30	WW-TAP-33 (2)	125 LBS
REC721536-FS	72	15	36	WW-TAP-33 (2)	143 LBS
REC721542-FS	72	15	42	WW-TAP-33 (2)	161 LBS
REC721548-FS	72	15	48	WW-TAP-33 (2)	179 LBS
REC721818-FS	72	18	18	WW-REC2593 (2)	95 LBS
REC721824-FS	72	18	24	WW-REC2593 (2)	114 LBS
REC721830-FS	72	18	30	WW-REC2593 (2)	132 LBS
REC721836-FS	72	18	36	WW-REC2593 (2)	151 LBS
REC721842-FS	72	18	42	WW-REC2593 (2)	170 LBS
REC721848-FS	72	18	48	WW-REC2593 (2)	189 LBS
REC722418-FS	72	24	18	WW-REC2593 (2)	107 LBS
REC722424-FS	72	24	24	WW-REC2593 (2)	127 LBS
REC722430-FS	72	24	30	WW-REC2593 (2)	147 LBS
REC722436-FS	72	24	36	WW-REC2593 (2)	167 LBS
REC722442-FS	72	24	42	WW-REC2593 (2)	187 LBS
REC722448-FS	72	24	48	WW-REC2593 (2)	207 LBS
REC723018-FS	72	30	18	WW-REC2593 (2)	119 LBS
REC723024-FS	72	30	24	WW-REC2593 (2)	141 LBS
REC723030-FS	72	30	30	WW-REC2593 (2)	162 LBS
REC723036-FS	72	30	36	WW-REC2593 (2)	183 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC723042-FS	72	30	42	WW-REC2593 (2)	204 LBS
REC723048-FS	72	30	48	WW-REC2593 (2)	226 LBS
REC723618-FS	72	36	18	WW-REC2593 (4)	132 LBS
REC723624-FS	72	36	24	WW-REC2593 (4)	154 LBS
REC723630-FS	72	36	30	WW-REC2593 (4)	177 LBS
REC723636-FS	72	36	36	WW-REC2593 (4)	199 LBS
REC723642-FS	72	36	42	WW-REC2593 (4)	222 LBS
REC723648-FS	72	36	48	WW-REC2593 (4)	244 LBS
REC724218-FS	72	42	18	WW-REC2593 (4)	144 LBS
REC724224-FS	72	42	24	WW-REC2593 (4)	168 LBS
REC724230-FS	72	42	30	WW-REC2593 (4)	192 LBS
REC724236-FS	72	42	36	WW-REC2593 (4)	215 LBS
REC724242-FS	72	42	42	WW-REC2593 (4)	239 LBS
REC724248-FS	72	42	48	WW-REC2593 (4)	263 LBS
REC781218-FS	78	12	18	WW-TAP-33 (2)	89 LBS
REC781224-FS	78	12	24	WW-TAP-33 (2)	107 LBS
REC781230-FS	78	12	30	WW-TAP-33 (2)	126 LBS
REC781236-FS	78	12	36	WW-TAP-33 (2)	145 LBS
REC781518-FS	78	15	18	WW-TAP-33 (2)	95 LBS
REC781524-FS	78	15	24	WW-TAP-33 (2)	114 LBS
REC781530-FS	78	15	30	WW-TAP-33 (2)	134 LBS
REC781536-FS	78	15	36	WW-TAP-33 (2)	153 LBS
REC781542-FS	78	15	42	WW-TAP-33 (2)	173 LBS
REC781548-FS	78	15	48	WW-TAP-33 (2)	192 LBS
REC781818-FS	78	18	18	WW-REC2593 (2)	102 LBS
REC781824-FS	78	18	24	WW-REC2593 (2)	122 LBS
REC781830-FS	78	18	30	WW-REC2593 (2)	142 LBS
REC781836-FS	78	18	36	WW-REC2593 (2)	162 LBS
REC781842-FS	78	18	42	WW-REC2593 (2)	182 LBS
REC781848-FS	78	18	48	WW-REC2593 (2)	202 LBS
REC782418-FS	78	24	18	WW-REC2593 (2)	114 LBS
REC782424-FS	78	24	24	WW-REC2593 (2)	136 LBS
REC782430-FS	78	24	30	WW-REC2593 (2)	157 LBS
REC782436-FS	78	24	36	WW-REC2593 (2)	178 LBS
REC782442-FS	78	24	42	WW-REC2593 (2)	199 LBS
REC782448-FS	78	24	48	WW-REC2593 (2)	221 LBS
REC783018-FS	78	30	18	WW-REC2593 (2)	127 LBS
REC783024-FS	78	30	24	WW-REC2593 (2)	150 LBS
REC783030-FS	78	30	30	WW-REC2593 (2)	172 LBS
REC783036-FS	78	30	36	WW-REC2593 (2)	195 LBS
REC783042-FS	78	30	42	WW-REC2593 (2)	217 LBS
REC783048-FS	78	30	48	WW-REC2593 (2)	240 LBS
REC783618-FS	78	36	18	WW-REC2593 (4)	140 LBS
REC783624-FS	78	36	24	WW-REC2593 (4)	164 LBS
REC783630-FS	78	36	30	WW-REC2593 (4)	188 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC783636-FS	78	36	36	WW-REC2593 (4)	212 LBS
REC783642-FS	78	36	42	WW-REC2593 (4)	235 LBS
REC783648-FS	78	36	48	WW-REC2593 (4)	259 LBS
REC784218-FS	78	42	18	WW-REC2593 (4)	153 LBS
REC784224-FS	78	42	24	WW-REC2593 (4)	178 LBS
REC784230-FS	78	42	30	WW-REC2593 (4)	203 LBS
REC784236-FS	78	42	36	WW-REC2593 (4)	228 LBS
REC784242-FS	78	42	42	WW-REC2593 (4)	253 LBS
REC784248-FS	78	42	48	WW-REC2593 (4)	278 LBS
REC841218-FS	84	12	18	WW-TAP-33 (2)	95 LBS
REC841224-FS	84	12	24	WW-TAP-33 (2)	115 LBS
REC841230-FS	84	12	30	WW-TAP-33 (2)	135 LBS
REC841236-FS	84	12	36	WW-TAP-33 (2)	155 LBS
REC841518-FS	84	15	18	WW-TAP-33 (2)	101 LBS
REC841524-FS	84	15	24	WW-TAP-33 (2)	122 LBS
REC841530-FS	84	15	30	WW-TAP-33 (2)	143 LBS
REC841536-FS	84	15	36	WW-TAP-33 (2)	163 LBS
REC841542-FS	84	15	42	WW-TAP-33 (2)	184 LBS
REC841548-FS	84	15	48	WW-TAP-33 (2)	205 LBS
REC841818-FS	84	18	18	WW-REC3793 (2)	108 LBS
REC841824-FS	84	18	24	WW-REC3793 (2)	129 LBS
REC841830-FS	84	18	30	WW-REC3793 (2)	151 LBS
REC841836-FS	84	18	36	WW-REC3793 (2)	172 LBS
REC841842-FS	84	18	42	WW-REC3793 (2)	193 LBS
REC841848-FS	84	18	48	WW-REC3793 (2)	214 LBS
REC842418-FS	84	24	18	WW-REC3793 (2)	122 LBS
REC842424-FS	84	24	24	WW-REC3793 (2)	144 LBS
REC842430-FS	84	24	30	WW-REC3793 (2)	167 LBS
REC842436-FS	84	24	36	WW-REC3793 (2)	189 LBS
REC842442-FS	84	24	42	WW-REC3793 (2)	212 LBS
REC842448-FS	84	24	48	WW-REC3793 (2)	234 LBS
REC843018-FS	84	30	18	WW-REC3793 (2)	135 LBS
REC843024-FS	84	30	24	WW-REC3793 (2)	159 LBS
REC843030-FS	84	30	30	WW-REC3793 (2)	183 LBS
REC843036-FS	84	30	36	WW-REC3793 (2)	207 LBS
REC843042-FS	84	30	42	WW-REC3793 (2)	230 LBS
REC843048-FS	84	30	48	WW-REC3793 (2)	254 LBS
REC843618-FS	84	36	18	WW-REC3793 (4)	149 LBS
REC843624-FS	84	36	24	WW-REC3793 (4)	174 LBS
REC843630-FS	84	36	30	WW-REC3793 (4)	199 LBS
REC843636-FS	84	36	36	WW-REC3793 (4)	224 LBS
REC843642-FS	84	36	42	WW-REC3793 (4)	249 LBS
REC843648-FS	84	36	48	WW-REC3793 (4)	274 LBS
REC844218-FS	84	42	18	WW-REC3793 (4)	162 LBS
REC844224-FS	84	42	24	WW-REC3793 (4)	189 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
REC844230-FS	84	42	30	WW-REC3793 (4)	215 LBS
REC844236-FS	84	42	36	WW-REC3793 (4)	241 LBS
REC844242-FS	84	42	42	WW-REC3793 (4)	267 LBS
REC844248-FS	84	42	48	WW-REC3793 (4)	294 LBS
REC901218-FS	90	12	18	WW-TAP-21 (3)	101 LBS
REC901224-FS	90	12	24	WW-TAP-21 (3)	122 LBS
REC901230-FS	90	12	30	WW-TAP-21 (3)	143 LBS
REC901236-FS	90	12	36	WW-TAP-21 (3)	164 LBS
REC901518-FS	90	15	18	WW-TAP-21 (3)	108 LBS
REC901524-FS	90	15	24	WW-TAP-21 (3)	130 LBS
REC901530-FS	90	15	30	WW-TAP-21 (3)	152 LBS
REC901536-FS	90	15	36	WW-TAP-21 (3)	173 LBS
REC901542-FS	90	15	42	WW-TAP-21 (3)	195 LBS
REC901548-FS	90	15	48	WW-TAP-21 (3)	217 LBS
REC901818-FS	90	18	18	WW-REC3793 (2)	115 LBS
REC901824-FS	90	18	24	WW-REC3793 (2)	137 LBS
REC901830-FS	90	18	30	WW-REC3793 (2)	160 LBS
REC901836-FS	90	18	36	WW-REC3793 (2)	182 LBS
REC901842-FS	90	18	42	WW-REC3793 (2)	205 LBS
REC901848-FS	90	18	48	WW-REC3793 (2)	227 LBS
REC902418-FS	90	24	18	WW-REC3793 (2)	129 LBS
REC902424-FS	90	24	24	WW-REC3793 (2)	153 LBS
REC902430-FS	90	24	30	WW-REC3793 (2)	177 LBS
REC902436-FS	90	24	36	WW-REC3793 (2)	200 LBS
REC902442-FS	90	24	42	WW-REC3793 (2)	224 LBS
REC902448-FS	90	24	48	WW-REC3793 (2)	248 LBS
REC903018-FS	90	30	18	WW-REC3793 (2)	143 LBS
REC903024-FS	90	30	24	WW-REC3793 (2)	168 LBS
REC903030-FS	90	30	30	WW-REC3793 (2)	193 LBS
REC903036-FS	90	30	36	WW-REC3793 (2)	218 LBS
REC903042-FS	90	30	42	WW-REC3793 (2)	243 LBS
REC903048-FS	90	30	48	WW-REC3793 (2)	268 LBS
REC903618-FS	90	36	18	WW-REC3793 (4)	157 LBS
REC903624-FS	90	36	24	WW-REC3793 (4)	184 LBS
REC903630-FS	90	36	30	WW-REC3793 (4)	210 LBS
REC903636-FS	90	36	36	WW-REC3793 (4)	236 LBS
REC903642-FS	90	36	42	WW-REC3793 (4)	262 LBS
REC903648-FS	90	36	48	WW-REC3793 (4)	289 LBS
REC904218-FS	90	42	18	WW-REC3793 (4)	172 LBS
REC904224-FS	90	42	24	WW-REC3793 (4)	199 LBS
REC904230-FS	90	42	30	WW-REC3793 (4)	227 LBS
REC904236-FS	90	42	36	WW-REC3793 (4)	254 LBS
REC904242-FS	90	42	42	WW-REC3793 (4)	282 LBS
REC904248-FS	90	42	48	WW-REC3793 (4)	309 LBS
REC961218-FS	96	12	18	WW-TAP-21 (3)	107 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC961224-FS	96	12	24	WW-TAP-21 (3)	129 LBS
REC961230-FS	96	12	30	WW-TAP-21 (3)	152 LBS
REC961236-FS	96	12	36	WW-TAP-21 (3)	174 LBS
REC961518-FS	96	15	18	WW-TAP-21 (3)	114 LBS
REC961524-FS	96	15	24	WW-TAP-21 (3)	137 LBS
REC961530-FS	96	15	30	WW-TAP-21 (3)	160 LBS
REC961536-FS	96	15	36	WW-TAP-21 (3)	184 LBS
REC961542-FS	96	15	42	WW-TAP-21 (3)	207 LBS
REC961548-FS	96	15	48	WW-TAP-21 (3)	230 LBS
REC961818-FS	96	18	18	WW-REC3793 (2)	122 LBS
REC961824-FS	96	18	24	WW-REC3793 (2)	145 LBS
REC961830-FS	96	18	30	WW-REC3793 (2)	169 LBS
REC961836-FS	96	18	36	WW-REC3793 (2)	193 LBS
REC961842-FS	96	18	42	WW-REC3793 (2)	217 LBS
REC961848-FS	96	18	48	WW-REC3793 (2)	240 LBS
REC962418-FS	96	24	18	WW-REC3793 (2)	136 LBS
REC962424-FS	96	24	24	WW-REC3793 (2)	161 LBS
REC962430-FS	96	24	30	WW-REC3793 (2)	186 LBS
REC962436-FS	96	24	36	WW-REC3793 (2)	211 LBS
REC962442-FS	96	24	42	WW-REC3793 (2)	236 LBS
REC962448-FS	96	24	48	WW-REC3793 (2)	261 LBS
REC963018-FS	96	30	18	WW-REC3793 (2)	151 LBS
REC963024-FS	96	30	24	WW-REC3793 (2)	177 LBS
REC963030-FS	96	30	30	WW-REC3793 (2)	204 LBS
REC963036-FS	96	30	36	WW-REC3793 (2)	230 LBS
REC963042-FS	96	30	42	WW-REC3793 (2)	256 LBS
REC963048-FS	96	30	48	WW-REC3793 (2)	282 LBS
REC963618-FS	96	36	18	WW-REC3793 (4)	166 LBS
REC963624-FS	96	36	24	WW-REC3793 (4)	193 LBS
REC963630-FS	96	36	30	WW-REC3793 (4)	221 LBS
REC963636-FS	96	36	36	WW-REC3793 (4)	248 LBS
REC963642-FS	96	36	42	WW-REC3793 (4)	276 LBS
REC963648-FS	96	36	48	WW-REC3793 (4)	303 LBS
REC964218-FS	96	42	18	WW-REC3793 (4)	181 LBS
REC964224-FS	96	42	24	WW-REC3793 (4)	209 LBS
REC964230-FS	96	42	30	WW-REC3793 (4)	238 LBS
REC964236-FS	96	42	36	WW-REC3793 (4)	267 LBS
REC964242-FS	96	42	42	WW-REC3793 (4)	296 LBS
REC964248-FS	96	42	48	WW-REC3793 (4)	324 LBS
REC1081218-FS	108	12	18	WW-TAP-33 (3)	119 LBS
REC1081224-FS	108	12	24	WW-TAP-33 (3)	144 LBS
REC1081230-FS	108	12	30	WW-TAP-33 (3)	169 LBS
REC1081236-FS	108	12	36	WW-TAP-33 (3)	194 LBS
REC1081518-FS	108	15	18	WW-TAP-33 (3)	127 LBS
REC1081524-FS	108	15	24	WW-TAP-33 (3)	152 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC1081530-FS	108	15	30	WW-TAP-33 (3)	178 LBS
REC1081536-FS	108	15	36	WW-TAP-33 (3)	204 LBS
REC1081542-FS	108	15	42	WW-TAP-33 (3)	229 LBS
REC1081548-FS	108	15	48	WW-TAP-33 (3)	255 LBS
REC1081818-FS	108	18	18	WW-REC2593 (3)	135 LBS
REC1081824-FS	108	18	24	WW-REC2593 (3)	161 LBS
REC1081830-FS	108	18	30	WW-REC2593 (3)	187 LBS
REC1081836-FS	108	18	36	WW-REC2593 (3)	214 LBS
REC1081842-FS	108	18	42	WW-REC2593 (3)	240 LBS
REC1081848-FS	108	18	48	WW-REC2593 (3)	266 LBS
REC1082418-FS	108	24	18	WW-REC2593 (3)	151 LBS
REC1082424-FS	108	24	24	WW-REC2593 (3)	178 LBS
REC1082430-FS	108	24	30	WW-REC2593 (3)	206 LBS
REC1082436-FS	108	24	36	WW-REC2593 (3)	233 LBS
REC1082442-FS	108	24	42	WW-REC2593 (3)	261 LBS
REC1082448-FS	108	24	48	WW-REC2593 (3)	288 LBS
REC1083018-FS	108	30	18	WW-REC2593 (3)	167 LBS
REC1083024-FS	108	30	24	WW-REC2593 (3)	196 LBS
REC1083030-FS	108	30	30	WW-REC2593 (3)	224 LBS
REC1083036-FS	108	30	36	WW-REC2593 (3)	253 LBS
REC1083042-FS	108	30	42	WW-REC2593 (3)	282 LBS
REC1083048-FS	108	30	48	WW-REC2593 (3)	311 LBS
REC1083618-FS	108	36	18	WW-REC2593 (6)	183 LBS
REC1083624-FS	108	36	24	WW-REC2593 (6)	213 LBS
REC1083630-FS	108	36	30	WW-REC2593 (6)	243 LBS
REC1083636-FS	108	36	36	WW-REC2593 (6)	273 LBS
REC1083642-FS	108	36	42	WW-REC2593 (6)	303 LBS
REC1083648-FS	108	36	48	WW-REC2593 (6)	333 LBS
REC1084218-FS	108	42	18	WW-REC2593 (6)	199 LBS
REC1084224-FS	108	42	24	WW-REC2593 (6)	230 LBS
REC1084230-FS	108	42	30	WW-REC2593 (6)	262 LBS
REC1084236-FS	108	42	36	WW-REC2593 (6)	293 LBS
REC1084242-FS	108	42	42	WW-REC2593 (6)	324 LBS
REC1084248-FS	108	42	48	WW-REC2593 (6)	355 LBS
REC1201218-FS	120	12	18	WW-TAP-33 (3)	131 LBS
REC1201224-FS	120	12	24	WW-TAP-33 (3)	158 LBS
REC1201230-FS	120	12	30	WW-TAP-33 (3)	186 LBS
REC1201236-FS	120	12	36	WW-TAP-33 (3)	213 LBS
REC1201518-FS	120	15	18	WW-TAP-33 (3)	140 LBS
REC1201524-FS	120	15	24	WW-TAP-33 (3)	168 LBS
REC1201530-FS	120	15	30	WW-TAP-33 (3)	196 LBS
REC1201536-FS	120	15	36	WW-TAP-33 (3)	224 LBS
REC1201542-FS	120	15	42	WW-TAP-33 (3)	252 LBS
REC1201548-FS	120	15	48	WW-TAP-33 (3)	280 LBS
REC1201818-FS	120	18	18	WW-REC3793 (3)	148 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE
	L	W	H		WEIGHT
REC1201824-FS	120	18	24	WW-REC3793 (3)	177 LBS
REC1201830-FS	120	18	30	WW-REC3793 (3)	206 LBS
REC1201836-FS	120	18	36	WW-REC3793 (3)	234 LBS
REC1201842-FS	120	18	42	WW-REC3793 (3)	263 LBS
REC1201848-FS	120	18	48	WW-REC3793 (3)	292 LBS
REC1202418-FS	120	24	18	WW-REC3793 (3)	165 LBS
REC1202424-FS	120	24	24	WW-REC3793 (3)	195 LBS
REC1202430-FS	120	24	30	WW-REC3793 (3)	225 LBS
REC1202436-FS	120	24	36	WW-REC3793 (3)	255 LBS
REC1202442-FS	120	24	42	WW-REC3793 (3)	285 LBS
REC1202448-FS	120	24	48	WW-REC3793 (3)	315 LBS
REC1203018-FS	120	30	18	WW-REC3793 (3)	183 LBS
REC1203024-FS	120	30	24	WW-REC3793 (3)	214 LBS
REC1203030-FS	120	30	30	WW-REC3793 (3)	245 LBS
REC1203036-FS	120	30	36	WW-REC3793 (3)	277 LBS
REC1203042-FS	120	30	42	WW-REC3793 (3)	308 LBS
REC1203048-FS	120	30	48	WW-REC3793 (3)	339 LBS
REC1203618-FS	120	36	18	WW-REC3793 (6)	200 LBS
REC1203624-FS	120	36	24	WW-REC3793 (6)	233 LBS
REC1203630-FS	120	36	30	WW-REC3793 (6)	265 LBS
REC1203636-FS	120	36	36	WW-REC3793 (6)	298 LBS
REC1203642-FS	120	36	42	WW-REC3793 (6)	330 LBS
REC1203648-FS	120	36	48	WW-REC3793 (6)	363 LBS
REC1204218-FS	120	42	18	WW-REC3793 (6)	217 LBS
REC1204224-FS	120	42	24	WW-REC3793 (6)	251 LBS
REC1204230-FS	120	42	30	WW-REC3793 (6)	285 LBS
REC1204236-FS	120	42	36	WW-REC3793 (6)	319 LBS
REC1204242-FS	120	42	42	WW-REC3793 (6)	352 LBS
REC1204248-FS	120	42	48	WW-REC3793 (6)	386 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS


SQUARES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
S1818-FS	18	18	18	WW-R7	35 lbs
S1824-FS	18	18	24	WW-R7	42 lbs
S1830-FS	18	18	30	WW-R7	50 lbs
S1836-FS	18	18	36	WW-R7	57 lbs
S1842-FS	18	18	42	WW-R7	65 lbs
S1848-FS	18	18	48	WW-R7	72 lbs
S1854-FS	18	18	54	WW-R7	80 lbs
S1860-FS	18	18	60	WW-R7	87 lbs
S2418-FS	24	24	18	WW-R13	49 lbs
S2424-FS	24	24	24	WW-R13	59 lbs
S2430-FS	24	24	30	WW-R13	69 lbs
S2436-FS	24	24	36	WW-R13	79 lbs
S2442-FS	24	24	42	WW-R13	89 lbs
S2448-FS	24	24	48	WW-R13	99 lbs
S2454-FS	24	24	54	WW-R13	109 lbs
S2460-FS	24	24	60	WW-R13	119 lbs
S3018-FS	30	30	18	WW-R18	64 lbs
S3024-FS	30	30	24	WW-R18	77 lbs
S3030-FS	30	30	30	WW-R18	89 lbs
S3036-FS	30	30	36	WW-R18	102 lbs
S3042-FS	30	30	42	WW-R18	114 lbs
S3048-FS	30	30	48	WW-R18	127 lbs
S3054-FS	30	30	54	WW-R18	139 lbs
S3060-FS	30	30	60	WW-R18	152 lbs
S3618-FS	36	36	18	WW-R24	80 lbs
S3624-FS	36	36	24	WW-R24	95 lbs
S3630-FS	36	36	30	WW-R24	110 lbs
S3636-FS	36	36	36	WW-R24	125 lbs
S3642-FS	36	36	42	WW-R24	140 lbs
S3648-FS	36	36	48	WW-R24	155 lbs
S3654-FS	36	36	54	WW-R24	170 LBS
S3660-FS	36	36	60	WW-R24	185 LBS
S4218-FS	42	42	18	WW-R28	98 LBS
S4224-FS	42	42	24	WW-R28	116 LBS
S4230-FS	42	42	30	WW-R28	133 LBS
S4236-FS	42	42	36	WW-R28	151 LBS
S4242-FS	42	42	42	WW-R28	168 LBS
S4248-FS	42	42	48	WW-R28	186 LBS
S4254-FS	42	42	54	WW-R28	203 LBS
S4260-FS	42	42	60	WW-R28	221 LBS
S4818-FS	48	48	18	WW-R36	117 LBS
S4824-FS	48	48	24	WW-R36	137 LBS
S4830-FS	48	48	30	WW-R36	157 LBS
S4836-FS	48	48	36	WW-R36	177 LBS

Custom sizing available on request.



SIZES & SPECIFICATIONS



STRATO PLANTERS

SQUARES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERSTONE WEIGHT
	L	W	H		
S4842-FS	48	48	42	WW-R36	197 LBS
S4848-FS	48	48	48	WW-R36	217 LBS
S4854-FS	48	48	54	WW-R36	237 LBS
S4860-FS	48	48	60	WW-R36	257 LBS
S6018-FS	60	60	18	WW-R46	159 LBS
S6024-FS	60	60	24	WW-R46	184 LBS
S6030-FS	60	60	30	WW-R46	209 LBS
S6036-FS	60	60	36	WW-R46	234 LBS
S6042-FS	60	60	42	WW-R46	259 LBS
S6048-FS	60	60	48	WW-R46	284 LBS
S6054-FS	60	60	54	WW-R46	309 LBS
S6060-FS	60	60	60	WW-R46	334 LBS
S6618-FS	66	66	18	WW-R46	182 LBS
S6624-FS	66	66	24	WW-R46	209 LBS
S6630-FS	66	66	30	WW-R46	237 LBS
S6636-FS	66	66	36	WW-R46	264 LBS
S6642-FS	66	66	42	WW-R46	292 LBS
S6648-FS	66	66	48	WW-R46	319 LBS
S6654-FS	66	66	54	WW-R46	347 LBS
S6660-FS	66	66	60	WW-R46	374 LBS
S7218-FS	72	72	18	WW-R60	205 LBS
S7224-FS	72	72	24	WW-R60	235 LBS
S7230-FS	72	72	30	WW-R60	265 LBS
S7236-FS	72	72	36	WW-R60	295 LBS
S7242-FS	72	72	42	WW-R60	325 LBS
S7248-FS	72	72	48	WW-R60	355 LBS
S7254-FS	72	72	54	WW-R60	385 LBS
S7260-FS	72	72	60	WW-R60	415 LBS

Custom sizing available on request.

