



TAPERED TUSCANA PLANTERS



SHAPES



Rectangle




Square

MATERIAL	SQFT WEIGHT	COMMERCIAL GRADE	WEATHER RESISTANT	MAX STD HEIGHT	MAX STD LENGTH	CUSTOM SIZES	DRAINAGE	COLORS/ FINISHES
FIBERGLASS	1.5 lbs.	✓	✓	5'	10'	✓	1/2"	24 COLORS, 4 FINISHES
FIBERSTONE	2.5 lbs.	✓	✓	5'	10'	✓	1/2"	11 FINISHES

*Larger sizes available upon request





Irrigation Systems

Our irrigation systems fit any planter, reducing watering by delivering water directly to plant roots, ensuring optimal hydration and minimizing waste.



Lift Channels

Designed for large, heavy planters, these channels allow safe, easy movement with pallet jacks or forklifts, maintaining design flexibility and maximizing efficiency.



Water Sealing

Our water sealing option protects planters from moisture damage, ensuring durability and integrity.



Accessory Pocket

These planters feature integrated compartments for lighting, audio, power, and data. A compatibility chart is available for standard fixtures; custom solutions can be explored.



False Bottom

False bottoms lighten large planters by reducing soil while creating a water reservoir to extend watering intervals, and save on materials and maintenance time.




Drain Holes

Drainage holes are available on all our planters. Simply let us know your preference.



Bioretention

This engineered layer filters rainwater, removes pollutants, and promotes slow release into the surrounding soil or storm drain system, thereby reducing runoff and improving water quality.



Tie Downs

Tie downs in planters secure trees and large plants, ensuring they remain stable, upright, and centered through evenly distributed ties, promoting proper growth and preventing damage.



Refuse Container

Transform your planter to a refuse container with a variety of lid options and liners.



Casters

Select planters can have recessed casters for mobility, discreetly built into a reinforced, raised base for smooth rolling without affecting aesthetics.



Matching Saucer

Prevent surface staining and water runoff with our matching saucers. Seamlessly integrated, they enhance functionality and aesthetics with a perfect color and finish match.



Bottom Reinforcement

For planters needing anchoring or lacking ground structure support, additional base reinforcement ensures stability and prevents damage.



Trellis

Optimize your commercial landscape with our durable and customizable trellis, engineered to support vertical plant growth and elevate aesthetic appeal.



Wall Hanging Planters

Wall scaping made easy with adjustable bracket mount points for easy and secure on-site wall planter install. Choose from standard or built in hidden brackets.



Scoops

Square and rectangular planters connect end-to-end with hidden “scoops” for seamless, continuous planting beds.



Anchor Plate

For increased stability, add an anchor plate to your planter to distribute weight and prevent tipping.



Custom Colors

We provide 13 custom color options and finishes for our Fiberstone/GFRC products, 24 color options and 4 finishes for our Fiberglass products. Armorecoat and premium metallic colors available.



Custom Dimensions

Custom dimensions available on all planters.

We offer a variety of customization options, but availability may vary by product. To discuss creating a custom order or inquire about specific options, please scan our QR code, visit our website, or call us.



COLORS & FINISHES

STANDARD FIBERGLASS COLORS

(Shown in Matte Finish)
Custom colors available upon request

FIBERGLASS FINISHES



GLOSS




SEMI GLOSS




MATTE




SAND




BLACK




WHITE



PEARL



BUFF



KHAKI



LATTE



PARCHMENT



MOCHA



TAN



BEIGE




LIGHT COCOA




TERRACOTTA



PERSIMMON



ADOBE




BURGUNDY



DOVE



CYPRESS




DARK GRAY



CHARCOAL



BLACK FOX



HUNTER GREEN



DARK CHOCOLATE



CHAPS BROWN



ESPRESSO



COLORS & FINISHES

FIBERSTONE FINISHES

Custom colors available upon request



CHENZA



TIZA



ANTIGUA



FOSIL



SAVOY



RUSTICO



ZINC



OXIDO



TERRON



FERRIC



IRON



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS WEIGHT	FIBERSTONE WEIGHT
	L	W	H			
TREC302418	30	24	18	WW-REC-2593	34 lbs	56 lbs
TREC302424	30	24	24	WW-REC-2593	41 lbs	67 lbs
TREC302430	30	24	30	WW-REC-2593	47 lbs	79 lbs
TREC302436	30	24	36	WW-REC-2593	54 lbs	90 lbs
TREC302442	30	24	42	WW-REC-2593	61 lbs	101 lbs
TREC302448	30	24	48	WW-REC-2593	68 lbs	112 lbs
TREC303618	30	36	18	WW-R18	43 lbs	72 lbs
TREC303624	30	36	24	WW-R18	52 lbs	86 lbs
TREC303630	30	36	30	WW-R18	60 lbs	99 lbs
TREC303636	30	36	36	WW-R18	68 lbs	113 lbs
TREC303642	30	36	42	WW-R18	76 lbs	127 lbs
TREC303648	30	36	48	WW-R18	85 lbs	141 lbs
TREC304218	30	42	18	WW-R18	48 lbs	80 lbs
TREC304224	30	42	24	WW-R18	57 lbs	95 lbs
TREC304230	30	42	30	WW-R18	66 lbs	110 lbs
TREC304236	30	42	36	WW-R18	75 lbs	125 lbs
TREC304242	30	42	42	WW-R18	84 lbs	140 lbs
TREC304248	30	42	48	WW-R18	93 lbs	155 lbs
TREC362418	36	24	18	WW-REC-2593	38 lbs	63 lbs
TREC362424	36	24	24	WW-REC-2593	46 lbs	76 lbs
TREC362430	36	24	30	WW-REC-2593	53 lbs	88 lbs
TREC362436	36	24	36	WW-REC-2593	61 lbs	101 lbs
TREC362442	36	24	42	WW-REC-2593	68 lbs	113 lbs
TREC362448	36	24	48	WW-REC-2593	76 lbs	126 lbs
TREC363018	36	30	18	WW-REC-2593	43 lbs	72 lbs
TREC363024	36	30	24	WW-REC-2593	52 lbs	86 lbs
TREC363030	36	30	30	WW-REC-2593	60 lbs	99 lbs
TREC363036	36	30	36	WW-REC-2593	68 LBS	113 LBS
TREC363042	36	30	42	WW-REC-2593	76 LBS	127 LBS
TREC363048	36	30	48	WW-REC-2593	85 LBS	141 LBS
TREC364218	36	42	18	WW-R24	54 LBS	89 LBS
TREC364224	36	42	24	WW-R24	63 LBS	105 LBS
TREC364230	36	42	30	WW-R24	73 LBS	122 LBS
TREC364236	36	42	36	WW-R24	83 LBS	138 LBS
TREC364242	36	42	42	WW-R24	93 LBS	154 LBS
TREC364248	36	42	48	WW-R24	102 LBS	170 LBS
TREC422418	42	24	18	WW-REC-2593	43 LBS	71 LBS
TREC422424	42	24	24	WW-REC-2593	51 LBS	84 LBS
TREC422430	42	24	30	WW-REC-2593	59 LBS	98 LBS
TREC422436	42	24	36	WW-REC-2593	67 LBS	112 LBS
TREC422442	42	24	42	WW-REC-2593	76 LBS	126 LBS
TREC422448	42	24	48	WW-REC-2593	84 LBS	139 LBS
TREC423018	42	30	18	WW-REC-2593	48 LBS	80 LBS
TREC423024	42	30	24	WW-REC-2593	57 LBS	95 LBS
TREC423030	42	30	30	WW-REC-2593	66 LBS	110 LBS

Custom sizing available on request.

Tapered planters under 24" w are not available.

Tapered planters 24" w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TREC423036	42	30	36	WW-REC-2593	75 LBS	125 LBS
TREC423042	42	30	42	WW-REC-2593	84 LBS	140 LBS
TREC423048	42	30	48	WW-REC-2593	93 LBS	155 LBS
TREC423618	42	36	18	WW-REC-2593 (2)	54 LBS	89 LBS
TREC423624	42	36	24	WW-REC-2593 (2)	63 LBS	105 LBS
TREC423630	42	36	30	WW-REC-2593 (2)	73 LBS	122 LBS
TREC423636	42	36	36	WW-REC-2593 (2)	83 LBS	138 LBS
TREC423642	42	36	42	WW-REC-2593 (2)	93 LBS	154 LBS
TREC423648	42	36	48	WW-REC-2593 (2)	102 LBS	170 LBS
TREC482418	48	24	18	WW-REC-3793	47 LBS	78 LBS
TREC482424	48	24	24	WW-REC-3793	56 LBS	93 LBS
TREC482430	48	24	30	WW-REC-3793	65 LBS	108 LBS
TREC482436	48	24	36	WW-REC-3793	74 LBS	123 LBS
TREC482442	48	24	42	WW-REC-3793	83 LBS	138 LBS
TREC482448	48	24	48	WW-REC-3793	92 LBS	153 LBS
TREC483018	48	30	18	WW-REC-3793	53 LBS	88 LBS
TREC483024	48	30	24	WW-REC-3793	63 LBS	104 LBS
TREC483030	48	30	30	WW-REC-3793	72 LBS	120 LBS
TREC483036	48	30	36	WW-REC-3793	82 LBS	137 LBS
TREC483042	48	30	42	WW-REC-3793	92 LBS	153 LBS
TREC483048	48	30	48	WW-REC-3793	102 LBS	169 LBS
TREC483618	48	36	18	WW-REC-3793 (2)	59 LBS	98 LBS
TREC483624	48	36	24	WW-REC-3793 (2)	69 LBS	115 LBS
TREC483630	48	36	30	WW-REC-3793 (2)	80 LBS	133 LBS
TREC483636	48	36	36	WW-REC-3793 (2)	90 LBS	150 LBS
TREC483642	48	36	42	WW-REC-3793 (2)	101 LBS	168 LBS
TREC483648	48	36	48	WW-REC-3793 (2)	111 LBS	185 LBS
TREC484218	48	42	18	WW-REC-3793 (2)	65 LBS	107 LBS
TREC484224	48	42	24	WW-REC-3793 (2)	76 LBS	126 LBS
TREC484230	48	42	30	WW-REC-3793 (2)	87 LBS	145 LBS
TREC484236	48	42	36	WW-REC-3793 (2)	98 LBS	164 LBS
TREC484242	48	42	42	WW-REC-3793 (2)	110 LBS	182 LBS
TREC484248	48	42	48	WW-REC-3793 (2)	121 LBS	201 LBS
TREC542418	54	24	18	WW-REC-3793	51 LBS	85 LBS
TREC542424	54	24	24	WW-REC-3793	61 LBS	102 LBS
TREC542430	54	24	30	WW-REC-3793	71 LBS	118 LBS
TREC542436	54	24	36	WW-REC-3793	81 LBS	134 LBS
TREC542442	54	24	42	WW-REC-3793	90 LBS	150 LBS
TREC542448	54	24	48	WW-REC-3793	100 LBS	167 LBS
TREC543018	54	30	18	WW-REC-3793	58 LBS	96 LBS
TREC543024	54	30	24	WW-REC-3793	68 LBS	113 LBS
TREC543030	54	30	30	WW-REC-3793	79 LBS	131 LBS
TREC543036	54	30	36	WW-REC-3793	89 LBS	148 LBS
TREC543042	54	30	42	WW-REC-3793	100 LBS	166 LBS
TREC543048	54	30	48	WW-REC-3793	110 LBS	183 LBS

Custom sizing available on request.

Tapered planters under 24" w are not available.

Tapered planters 24" w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TREC543618	54	36	18	WW-REC-3793 (2)	64 LBS	106 LBS
TREC543624	54	36	24	WW-REC-3793 (2)	75 LBS	125 LBS
TREC543630	54	36	30	WW-REC-3793 (2)	86 LBS	144 LBS
TREC543636	54	36	36	WW-REC-3793 (2)	98 LBS	162 LBS
TREC543642	54	36	42	WW-REC-3793 (2)	109 LBS	181 LBS
TREC543648	54	36	48	WW-REC-3793 (2)	120 LBS	200 LBS
TREC544218	54	42	18	WW-REC-3793 (2)	70 LBS	117 LBS
TREC544224	54	42	24	WW-REC-3793 (2)	82 LBS	137 LBS
TREC544230	54	42	30	WW-REC-3793 (2)	94 LBS	157 LBS
TREC544236	54	42	36	WW-REC-3793 (2)	106 LBS	177 LBS
TREC544242	54	42	42	WW-REC-3793 (2)	118 LBS	197 LBS
TREC544248	54	42	48	WW-REC-3793 (2)	130 LBS	217 LBS
TREC602418	60	24	18	WW-REC-2593 (2)	56 LBS	93 LBS
TREC602424	60	24	24	WW-REC-2593 (2)	66 LBS	110 LBS
TREC602430	60	24	30	WW-REC-2593 (2)	77 LBS	128 LBS
TREC602436	60	24	36	WW-REC-2593 (2)	87 LBS	145 LBS
TREC602442	60	24	42	WW-REC-2593 (2)	98 LBS	163 LBS
TREC602448	60	24	48	WW-REC-2593 (2)	108 LBS	180 LBS
TREC603018	60	30	18	WW-REC-2593 (2)	62 LBS	104 LBS
TREC603024	60	30	24	WW-REC-2593 (2)	74 LBS	122 LBS
TREC603030	60	30	30	WW-REC-2593 (2)	85 LBS	141 LBS
TREC603036	60	30	36	WW-REC-2593 (2)	96 LBS	160 LBS
TREC603042	60	30	42	WW-REC-2593 (2)	107 LBS	179 LBS
TREC603048	60	30	48	WW-REC-2593 (2)	119 LBS	197 LBS
TREC603618	60	36	18	WW-REC-2593 (4)	69 LBS	115 LBS
TREC603624	60	36	24	WW-REC-2593 (4)	81 LBS	135 LBS
TREC603630	60	36	30	WW-REC-2593 (4)	93 LBS	155 LBS
TREC603636	60	36	36	WW-REC-2593 (4)	105 LBS	175 LBS
TREC603642	60	36	42	WW-REC-2593 (4)	117 LBS	195 LBS
TREC603648	60	36	48	WW-REC-2593 (4)	129 LBS	215 LBS
TREC604218	60	42	18	WW-REC-2593 (4)	76 LBS	126 LBS
TREC604224	60	42	24	WW-REC-2593 (4)	88 LBS	147 LBS
TREC604230	60	42	30	WW-REC-2593 (4)	101 LBS	168 LBS
TREC604236	60	42	36	WW-REC-2593 (4)	114 LBS	189 LBS
TREC604242	60	42	42	WW-REC-2593 (4)	127 LBS	211 LBS
TREC604248	60	42	48	WW-REC-2593 (4)	139 LBS	232 LBS
TREC662418	66	24	18	WW-REC-2593 (2)	60 LBS	100 LBS
TREC662424	66	24	24	WW-REC-2593 (2)	71 LBS	119 LBS
TREC662430	66	24	30	WW-REC-2593 (2)	83 LBS	137 LBS
TREC662436	66	24	36	WW-REC-2593 (2)	94 LBS	156 LBS
TREC662442	66	24	42	WW-REC-2593 (2)	105 LBS	175 LBS
TREC662448	66	24	48	WW-REC-2593 (2)	116 LBS	194 LBS
TREC663018	66	30	18	WW-REC-2593 (2)	67 LBS	112 LBS
TREC663024	66	30	24	WW-REC-2593 (2)	79 LBS	132 LBS
TREC663030	66	30	30	WW-REC-2593 (2)	91 LBS	152 LBS

Custom sizing available on request.

Tapered planters under 24" w are not available.

Tapered planters 24" w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TREC663036	66	30	36	WW-REC-2593 (2)	103 LBS	172 LBS
TREC663042	66	30	42	WW-REC-2593 (2)	115 LBS	192 LBS
TREC663048	66	30	48	WW-REC-2593 (2)	127 LBS	212 LBS
TREC663618	66	36	18	WW-REC-2593 (4)	74 LBS	123 LBS
TREC663624	66	36	24	WW-REC-2593 (4)	87 LBS	144 LBS
TREC663630	66	36	30	WW-REC-2593 (4)	100 LBS	166 LBS
TREC663636	66	36	36	WW-REC-2593 (4)	112 LBS	187 LBS
TREC663642	66	36	42	WW-REC-2593 (4)	125 LBS	208 LBS
TREC663648	66	36	48	WW-REC-2593 (4)	138 LBS	229 LBS
TREC664218	66	42	18	WW-REC-2593 (4)	81 LBS	135 LBS
TREC664224	66	42	24	WW-REC-2593 (4)	95 LBS	157 LBS
TREC664230	66	42	30	WW-REC-2593 (4)	108 LBS	180 LBS
TREC664236	66	42	36	WW-REC-2593 (4)	122 LBS	202 LBS
TREC664242	66	42	42	WW-REC-2593 (4)	135 LBS	225 LBS
TREC664248	66	42	48	WW-REC-2593 (4)	149 LBS	247 LBS
TREC722418	72	24	18	WW-REC-2593 (2)	64 LBS	107 LBS
TREC722424	72	24	24	WW-REC-2593 (2)	76 LBS	127 LBS
TREC722430	72	24	30	WW-REC-2593 (2)	88 LBS	147 LBS
TREC722436	72	24	36	WW-REC-2593 (2)	100 LBS	167 LBS
TREC722442	72	24	42	WW-REC-2593 (2)	112 LBS	187 LBS
TREC722448	72	24	48	WW-REC-2593 (2)	124 LBS	207 LBS
TREC723018	72	30	18	WW-REC-2593 (2)	72 LBS	119 LBS
TREC723024	72	30	24	WW-REC-2593 (2)	85 LBS	141 LBS
TREC723030	72	30	30	WW-REC-2593 (2)	97 LBS	162 LBS
TREC723036	72	30	36	WW-REC-2593 (2)	110 LBS	183 LBS
TREC723042	72	30	42	WW-REC-2593 (2)	123 LBS	204 LBS
TREC723048	72	30	48	WW-REC-2593 (2)	136 LBS	226 LBS
TREC723618	72	36	18	WW-REC-2593 (4)	79 LBS	132 LBS
TREC723624	72	36	24	WW-REC-2593 (4)	93 LBS	154 LBS
TREC723630	72	36	30	WW-REC-2593 (4)	106 LBS	177 LBS
TREC723636	72	36	36	WW-REC-2593 (4)	120 LBS	199 LBS
TREC723642	72	36	42	WW-REC-2593 (4)	133 LBS	222 LBS
TREC723648	72	36	48	WW-REC-2593 (4)	147 LBS	244 LBS
TREC724218	72	42	18	WW-REC-2593 (4)	87 LBS	144 LBS
TREC724224	72	42	24	WW-REC-2593 (4)	101 LBS	168 LBS
TREC724230	72	42	30	WW-REC-2593 (4)	115 LBS	192 LBS
TREC724236	72	42	36	WW-REC-2593 (4)	129 LBS	215 LBS
TREC724242	72	42	42	WW-REC-2593 (4)	144 LBS	239 LBS
TREC724248	72	42	48	WW-REC-2593 (4)	158 LBS	263 LBS
TREC782418	78	24	18	WW-REC-2593 (2)	69 LBS	114 LBS
TREC782424	78	24	24	WW-REC-2593 (2)	82 LBS	136 LBS
TREC782430	78	24	30	WW-REC-2593 (2)	94 LBS	157 LBS
TREC782436	78	24	36	WW-REC-2593 (2)	107 LBS	178 LBS
TREC782442	78	24	42	WW-REC-2593 (2)	120 LBS	199 LBS
TREC782448	78	24	48	WW-REC-2593 (2)	133 LBS	221 LBS

Custom sizing available on request.

Tapered planters under 24"w are not available.

Tapered planters 24"w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TREC783018	78	30	18	WW-REC-2593 (2)	77 LBS	127 LBS
TREC783024	78	30	24	WW-REC-2593 (2)	90 LBS	150 LBS
TREC783030	78	30	30	WW-REC-2593 (2)	104 LBS	172 LBS
TREC783036	78	30	36	WW-REC-2593 (2)	117 LBS	195 LBS
TREC783042	78	30	42	WW-REC-2593 (2)	131 LBS	217 LBS
TREC783048	78	30	48	WW-REC-2593 (2)	144 LBS	240 LBS
TREC783618	78	36	18	WW-REC-2593 (4)	84 LBS	140 LBS
TREC783624	78	36	24	WW-REC-2593 (4)	99 LBS	164 LBS
TREC783630	78	36	30	WW-REC-2593 (4)	113 LBS	188 LBS
TREC783636	78	36	36	WW-REC-2593 (4)	127 LBS	212 LBS
TREC783642	78	36	42	WW-REC-2593 (4)	141 LBS	235 LBS
TREC783648	78	36	48	WW-REC-2593 (4)	156 LBS	259 LBS
TREC784218	78	42	18	WW-REC-2593 (4)	92 LBS	153 LBS
TREC784224	78	42	24	WW-REC-2593 (4)	107 LBS	178 LBS
TREC784230	78	42	30	WW-REC-2593 (4)	122 LBS	203 LBS
TREC784236	78	42	36	WW-REC-2593 (4)	137 LBS	228 LBS
TREC784242	78	42	42	WW-REC-2593 (4)	152 LBS	253 LBS
TREC784248	78	42	48	WW-REC-2593 (4)	167 LBS	278 LBS
TREC842418	84	24	18	WW-REC-3793 (2)	73 LBS	122 LBS
TREC842424	84	24	24	WW-REC-3793 (2)	87 LBS	144 LBS
TREC842430	84	24	30	WW-REC-3793 (2)	100 LBS	167 LBS
TREC842436	84	24	36	WW-REC-3793 (2)	114 LBS	189 LBS
TREC842442	84	24	42	WW-REC-3793 (2)	127 LBS	212 LBS
TREC842448	84	24	48	WW-REC-3793 (2)	141 LBS	234 LBS
TREC843018	84	30	18	WW-REC-3793 (2)	81 LBS	135 LBS
TREC843024	84	30	24	WW-REC-3793 (2)	96 LBS	159 LBS
TREC843030	84	30	30	WW-REC-3793 (2)	110 LBS	183 LBS
TREC843036	84	30	36	WW-REC-3793 (2)	124 LBS	207 LBS
TREC843042	84	30	42	WW-REC-3793 (2)	138 LBS	230 LBS
TREC843048	84	30	48	WW-REC-3793 (2)	153 LBS	254 LBS
TREC843618	84	36	18	WW-REC-3793 (4)	89 LBS	149 LBS
TREC843624	84	36	24	WW-REC-3793 (4)	104 LBS	174 LBS
TREC843630	84	36	30	WW-REC-3793 (4)	119 LBS	199 LBS
TREC843636	84	36	36	WW-REC-3793 (4)	134 LBS	224 LBS
TREC843642	84	36	42	WW-REC-3793 (4)	149 LBS	249 LBS
TREC843648	84	36	48	WW-REC-3793 (4)	164 LBS	274 LBS
TREC844218	84	42	18	WW-REC-3793 (4)	98 LBS	162 LBS
TREC844224	84	42	24	WW-REC-3793 (4)	113 LBS	189 LBS
TREC844230	84	42	30	WW-REC-3793 (4)	129 LBS	215 LBS
TREC844236	84	42	36	WW-REC-3793 (4)	145 LBS	241 LBS
TREC844242	84	42	42	WW-REC-3793 (4)	161 LBS	267 LBS
TREC844248	84	42	48	WW-REC-3793 (4)	176 LBS	294 LBS
TREC902418	90	24	18	WW-REC-3793 (2)	78 LBS	129 LBS
TREC902424	90	24	24	WW-REC-3793 (2)	92 LBS	153 LBS
TREC902430	90	24	30	WW-REC-3793 (2)	106 LBS	177 LBS


Custom sizing available on request.

Tapered planters under 24"w are not available.

Tapered planters 24"w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS WEIGHT	FIBERSTONE WEIGHT
	L	W	H			
TREC902436	90	24	36	WW-REC-3793 (2)	120 LBS	200 LBS
TREC902442	90	24	42	WW-REC-3793 (2)	135 LBS	224 LBS
TREC902448	90	24	48	WW-REC-3793 (2)	149 LBS	248 LBS
TREC903018	90	30	18	WW-REC-3793 (2)	86 LBS	143 LBS
TREC903024	90	30	24	WW-REC-3793 (2)	101 LBS	168 LBS
TREC903030	90	30	30	WW-REC-3793 (2)	116 LBS	193 LBS
TREC903036	90	30	36	WW-REC-3793 (2)	131 LBS	218 LBS
TREC903042	90	30	42	WW-REC-3793 (2)	146 LBS	243 LBS
TREC903048	90	30	48	WW-REC-3793 (2)	161 LBS	268 LBS
TREC903618	90	36	18	WW-REC-3793 (4)	95 LBS	157 LBS
TREC903624	90	36	24	WW-REC-3793 (4)	110 LBS	184 LBS
TREC903630	90	36	30	WW-REC-3793 (4)	126 LBS	210 LBS
TREC903636	90	36	36	WW-REC-3793 (4)	142 LBS	236 LBS
TREC903642	90	36	42	WW-REC-3793 (4)	158 LBS	262 LBS
TREC903648	90	36	48	WW-REC-3793 (4)	173 LBS	289 LBS
TREC904218	90	42	18	WW-REC-3793 (4)	103 LBS	172 LBS
TREC904224	90	42	24	WW-REC-3793 (4)	120 LBS	199 LBS
TREC904230	90	42	30	WW-REC-3793 (4)	136 LBS	227 LBS
TREC904236	90	42	36	WW-REC-3793 (4)	153 LBS	254 LBS
TREC904242	90	42	42	WW-REC-3793 (4)	169 LBS	282 LBS
TREC904248	90	42	48	WW-REC-3793 (4)	186 LBS	309 LBS
TREC962418	96	24	18	WW-REC-3793 (2)	82 LBS	136 LBS
TREC962424	96	24	24	WW-REC-3793 (2)	97 LBS	161 LBS
TREC962430	96	24	30	WW-REC-3793 (2)	112 LBS	186 LBS
TREC962436	96	24	36	WW-REC-3793 (2)	127 LBS	211 LBS
TREC962442	96	24	42	WW-REC-3793 (2)	142 LBS	236 LBS
TREC962448	96	24	48	WW-REC-3793 (2)	157 LBS	261 LBS
TREC963018	96	30	18	WW-REC-3793 (2)	91 LBS	151 LBS
TREC963024	96	30	24	WW-REC-3793 (2)	107 LBS	177 LBS
TREC963030	96	30	30	WW-REC-3793 (2)	122 LBS	204 LBS
TREC963036	96	30	36	WW-REC-3793 (2)	138 LBS	230 LBS
TREC963042	96	30	42	WW-REC-3793 (2)	154 LBS	256 LBS
TREC963048	96	30	48	WW-REC-3793 (2)	170 LBS	282 LBS
TREC963618	96	36	18	WW-REC-3793 (4)	100 LBS	166 LBS
TREC963624	96	36	24	WW-REC-3793 (4)	116 LBS	193 LBS
TREC963630	96	36	30	WW-REC-3793 (4)	133 LBS	221 LBS
TREC963636	96	36	36	WW-REC-3793 (4)	149 LBS	248 LBS
TREC963642	96	36	42	WW-REC-3793 (4)	166 LBS	276 LBS
TREC963648	96	36	48	WW-REC-3793 (4)	182 LBS	303 LBS
TREC964218	96	42	18	WW-REC-3793 (4)	109 LBS	181 LBS
TREC964224	96	42	24	WW-REC-3793 (4)	126 LBS	209 LBS
TREC964230	96	42	30	WW-REC-3793 (4)	143 LBS	238 LBS
TREC964236	96	42	36	WW-REC-3793 (4)	160 LBS	267 LBS
TREC964242	96	42	42	WW-REC-3793 (4)	178 LBS	296 LBS
TREC964248	96	42	48	WW-REC-3793 (4)	195 LBS	324 LBS

Custom sizing available on request.

Tapered planters under 24" w are not available.

Tapered planters 24" w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TREC1082418	108	24	18	WW-REC-2593 (3)	91 LBS	151 LBS
TREC1082424	108	24	24	WW-REC-2593 (3)	107 LBS	178 LBS
TREC1082430	108	24	30	WW-REC-2593 (3)	124 LBS	206 LBS
TREC1082436	108	24	36	WW-REC-2593 (3)	140 LBS	233 LBS
TREC1082442	108	24	42	WW-REC-2593 (3)	157 LBS	261 LBS
TREC1082448	108	24	48	WW-REC-2593 (3)	173 LBS	288 LBS
TREC1083018	108	30	18	WW-REC-2593 (3)	100 LBS	167 LBS
TREC1083024	108	30	24	WW-REC-2593 (3)	118 LBS	196 LBS
TREC1083030	108	30	30	WW-REC-2593 (3)	135 LBS	224 LBS
TREC1083036	108	30	36	WW-REC-2593 (3)	152 LBS	253 LBS
TREC1083042	108	30	42	WW-REC-2593 (3)	169 LBS	282 LBS
TREC1083048	108	30	48	WW-REC-2593 (3)	187 LBS	311 LBS
TREC1083618	108	36	18	WW-REC-2593 (6)	110 LBS	183 LBS
TREC1083624	108	36	24	WW-REC-2593 (6)	128 LBS	213 LBS
TREC1083630	108	36	30	WW-REC-2593 (6)	146 LBS	243 LBS
TREC1083636	108	36	36	WW-REC-2593 (6)	164 LBS	273 LBS
TREC1083642	108	36	42	WW-REC-2593 (6)	182 LBS	303 LBS
TREC1083648	108	36	48	WW-REC-2593 (6)	200 LBS	333 LBS
TREC1084218	108	42	18	WW-REC-2593 (6)	120 LBS	199 LBS
TREC1084224	108	42	24	WW-REC-2593 (6)	138 LBS	230 LBS
TREC1084230	108	42	30	WW-REC-2593 (6)	157 LBS	262 LBS
TREC1084236	108	42	36	WW-REC-2593 (6)	176 LBS	293 LBS
TREC1084242	108	42	42	WW-REC-2593 (6)	195 LBS	324 LBS
TREC1084248	108	42	48	WW-REC-2593 (6)	213 LBS	355 LBS
TREC1202418	120	24	18	WW-REC-3793 (3)	99 LBS	165 LBS
TREC1202424	120	24	24	WW-REC-3793 (3)	117 LBS	195 LBS
TREC1202430	120	24	30	WW-REC-3793 (3)	135 LBS	225 LBS
TREC1202436	120	24	36	WW-REC-3793 (3)	153 LBS	255 LBS
TREC1202442	120	24	42	WW-REC-3793 (3)	171 LBS	285 LBS
TREC1202448	120	24	48	WW-REC-3793 (3)	189 LBS	315 LBS
TREC1203018	120	30	18	WW-REC-3793 (3)	110 LBS	183 LBS
TREC1203024	120	30	24	WW-REC-3793 (3)	129 LBS	214 LBS
TREC1203030	120	30	30	WW-REC-3793 (3)	147 LBS	245 LBS
TREC1203036	120	30	36	WW-REC-3793 (3)	166 LBS	277 LBS
TREC1203042	120	30	42	WW-REC-3793 (3)	185 LBS	308 LBS
TREC1203048	120	30	48	WW-REC-3793 (3)	204 LBS	339 LBS
TREC1203618	120	36	18	WW-REC-3793 (6)	120 LBS	200 LBS
TREC1203624	120	36	24	WW-REC-3793 (6)	140 LBS	233 LBS
TREC1203630	120	36	30	WW-REC-3793 (6)	159 LBS	265 LBS
TREC1203636	120	36	36	WW-REC-3793 (6)	179 LBS	298 LBS
TREC1203642	120	36	42	WW-REC-3793 (6)	198 LBS	330 LBS
TREC1203648	120	36	48	WW-REC-3793 (6)	218 LBS	363 LBS
TREC1204218	120	42	18	WW-REC-3793 (6)	131 LBS	217 LBS
TREC1204224	120	42	24	WW-REC-3793 (6)	151 LBS	251 LBS
TREC1204230	120	42	30	WW-REC-3793 (6)	171 LBS	285 LBS

Custom sizing available on request.

Tapered planters under 24" w are not available.

Tapered planters 24" w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS


TAPERED RECTANGLES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TREC1204236	120	42	36	WW-REC-3793 (6)	191 LBS	319 LBS
TREC1204242	120	42	42	WW-REC-3793 (6)	212 LBS	352 LBS
TREC1204248	120	42	48	WW-REC-3793 (6)	232 LBS	386 LBS

Custom sizing available on request.
Tapered planters under 24" w are not available.
Tapered planters 24" w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED SQUARES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS	FIBERSTONE
	L	W	H		WEIGHT	WEIGHT
TS2418	24	24	18	WW-R13	29 lbs	49 lbs
TS2424	24	24	24	WW-R13	35 lbs	59 lbs
TS2430	24	24	30	WW-R13	41 lbs	69 lbs
TS2436	24	24	36	WW-R13	47 lbs	79 lbs
TS2442	24	24	42	WW-R13	53 lbs	89 lbs
TS2448	24	24	48	WW-R13	59 lbs	99 lbs
TS2454	24	24	54	WW-R13	65 lbs	109 lbs
TS2460	24	24	60	WW-R13	71 lbs	119 lbs
TS3018	30	30	18	WW-R18	39 lbs	64 lbs
TS3024	30	30	24	WW-R18	46 lbs	77 lbs
TS3030	30	30	30	WW-R18	54 lbs	89 lbs
TS3036	30	30	36	WW-R18	61 lbs	102 lbs
TS3042	30	30	42	WW-R18	69 lbs	114 lbs
TS3048	30	30	48	WW-R18	76 lbs	127 lbs
TS3054	30	30	54	WW-R18	84 lbs	139 lbs
TS3060	30	30	60	WW-R18	91 lbs	152 lbs
TS3618	36	36	18	WW-R24	48 lbs	80 lbs
TS3624	36	36	24	WW-R24	57 lbs	95 lbs
TS3630	36	36	30	WW-R24	66 lbs	110 lbs
TS3636	36	36	36	WW-R24	75 lbs	125 lbs
TS3642	36	36	42	WW-R24	84 lbs	140 lbs
TS3648	36	36	48	WW-R24	93 lbs	155 lbs
TS3654	36	36	54	WW-R24	102 lbs	170 lbs
TS3660	36	36	60	WW-R24	111 lbs	185 lbs
TS4218	42	42	18	WW-R28	59 lbs	98 lbs
TS4224	42	42	24	WW-R28	70 lbs	116 lbs
TS4230	42	42	30	WW-R28	80 lbs	133 lbs
TS4236	42	42	36	WW-R28	91 LBS	151 LBS
TS4242	42	42	42	WW-R28	101 LBS	168 LBS
TS4248	42	42	48	WW-R28	112 LBS	186 LBS
TS4254	42	42	54	WW-R28	122 LBS	203 LBS
TS4260	42	42	60	WW-R28	133 LBS	221 LBS
TS4818	48	48	18	WW-R36	70 LBS	117 LBS
TS4824	48	48	24	WW-R36	82 LBS	137 LBS
TS4830	48	48	30	WW-R36	94 LBS	157 LBS
TS4836	48	48	36	WW-R36	106 LBS	177 LBS
TS4842	48	48	42	WW-R36	118 LBS	197 LBS
TS4848	48	48	48	WW-R36	130 LBS	217 LBS
TS4854	48	48	54	WW-R36	142 LBS	237 LBS
TS4860	48	48	60	WW-R36	154 LBS	257 LBS
TS6018	60	60	18	WW-R46	95 LBS	159 LBS
TS6024	60	60	24	WW-R46	110 LBS	184 LBS
TS6030	60	60	30	WW-R46	125 LBS	209 LBS
TS6036	60	60	36	WW-R46	140 LBS	234 LBS
TS6042	60	60	42	WW-R46	155 LBS	259 LBS


Custom sizing available on request.

Tapered planters under 24"w are not available.

Tapered planters 24"w have a max height of 36"



SIZES & SPECIFICATIONS



TUSCANA PLANTERS

TAPERED SQUARES

PRODUCT	DIMENSIONS			WATER RESERVOIR	FIBERGLASS WEIGHT	FIBERSTONE WEIGHT
	L	W	H			
TS6048	60	60	48	WW-R46	170 LBS	284 LBS
TS6054	60	60	54	WW-R46	185 LBS	309 LBS
TS6060	60	60	60	WW-R46	200 LBS	334 LBS
TS6618	66	66	18	WW-R46	109 LBS	182 LBS
TS6624	66	66	24	WW-R46	126 LBS	209 LBS
TS6630	66	66	30	WW-R46	142 LBS	237 LBS
TS6636	66	66	36	WW-R46	159 LBS	264 LBS
TS6642	66	66	42	WW-R46	175 LBS	292 LBS
TS6648	66	66	48	WW-R46	192 LBS	319 LBS
TS6654	66	66	54	WW-R46	208 LBS	347 LBS
TS6660	66	66	60	WW-R46	225 LBS	374 LBS
TS7218	72	72	18	WW-R60	123 LBS	205 LBS
TS7224	72	72	24	WW-R60	141 LBS	235 LBS
TS7230	72	72	30	WW-R60	159 LBS	265 LBS
TS7236	72	72	36	WW-R60	177 LBS	295 LBS
TS7242	72	72	42	WW-R60	195 LBS	325 LBS
TS7248	72	72	48	WW-R60	213 LBS	355 LBS
TS7254	72	72	54	WW-R60	231 LBS	385 LBS
TS7260	72	72	60	WW-R60	249 LBS	415 LBS

Custom sizing available on request.
Tapered planters under 24" w are not available.
Tapered planters 24" w have a max height of 36"

